

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, John E. Titscher (Name of applicant)

of Rt. #1, Box 240, Dayton, Oregon (Mailing address)

State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is ... a tributary of ...

2. The amount of water which the applicant intends to apply to beneficial use is 0.31 cubic feet per second.

3. The use to which the water is to be applied is ...

4. The point of diversion is located 135.9 ft. N and 589 ft. W from the corner of Isaac Violet D.T.C. No 86

being within the ... of Sec. ... Tp. ... R. ... W. M., in the county of ...

5. The ... to be ... in length, terminating in the ... of Sec. ... Tp. ... R. ... W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam ... feet, length on top ... feet, length at bottom ... feet; material to be used and character of construction

(b) Description of headgate

(c) If water is to be pumped give general description

*A different form of application is provided where storage works are contemplated. **Application for permits to appropriate water for the generation of electricity...

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 1050 ft.; size at intake, 6 in.; size at 360 ft. from intake 5 in.; size at place of use 4 in.; difference in elevation between intake and place of use, 90 ft. Is grade uniform? No Estimated capacity, 320 GPM sec. ft.

8. Location of area to be irrigated, or place of use

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
4 S	3 W	27	S7 20 11 4	15
4 S	3 W	27	S8 20 11 4	10

(If more space required, attach separate sheets)

(a) Character of soil 112 1207

(b) Kind of crops raised 112 1207

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.

Tp. R. W. M.

(f) Is water to be returned to any stream? (Yes or No)

(g) If so, name stream and locate point of return

..... Sec. Tp. R. W. M.

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

10. (a) To supply the city of

..... County, having a present population of
(Name of)
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$.....\$3000.....

12. Construction work will begin on or before June 7, 1961.....

13. Construction work will be completed on or before July 15, 1961.....

14. The water will be completely applied to the proposed use on or before July 30, 1961.....

John C. Litcher
(Signature of applicant)

Remarks: Starting from the point of diversion 300' of 4" pipe
line then 1030' of 6" pipe then 570' of 6" pipe will be
interable from main line with 2-730' of 4" pipe which will be
40-9 gallon siphon heads.

STATE OF OREGON,)
County of Marion,) ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before 19.....

WITNESS my hand this day of 19.....

STATE ENGINEER

By ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.31 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Willamette River

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is February 7, 1961

Actual construction work shall begin on or before March 16, 1962 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1962

Complete application of the water to the proposed use shall be made on or before October 1, 1962

WITNESS my hand this 16th day of March, 1961

STATE ENGINEER

Application No. 34610
Permit No. 2776

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 7th day of February 1961, at 11:00 o'clock A. M.

Returned to applicant:

Approved:

March 16, 1961

Recorded in book No. 74 of Permits on page 2776

LEWIS A. STANLEY
STATE ENGINEER

Drainage Basin No. 2 page 641

Fees