

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Milo Academy, Inc. (Name of applicant) of P. O. Box # 7 Milo (Mailing address) State of Oregon do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation Salem, Oregon December 28, 1954

1. The source of the proposed appropriation is South Umpqua River (and of Lick Creek) a tributary of Umpqua River

2. The amount of water which the applicant intends to apply to beneficial use is 0.59 cubic feet per second.

**3. The use to which the water is to be applied is Domestic - 0.08 cfs; Stock 0.02 cfs; Irrigation and Supplemental - 0.49 cfs.

4. The point of diversion is located 780 ft. south and 10 ft. east from the corner of Sec. 35 also diversion points No. 1 and No. 2 as follows:

Diversion Point No. 1 - N 26°50' E a distance of 1466 ft from the S. W. corner of Section 26, being within the SW 1/4 SW 1/4 of Section 26

Diversion Point No. 2 - N 86°30' W a distance of 3550 ft from the E. 1/4 corner of Section 26, being within the SE 1/4 NW 1/4 of Section 26

being within the of Sec. 26 Tp. 30 S R. 3 W W. M. in the county of Douglas

5. The 5115 ft of Pipeline to be in length, terminating in the NE 1/4 NW 1/4 of Sec. 35 Tp. 30 S R. 3 W

DESCRIPTION OF WORKS

Diversion Works— See Permit No. 24783

6. (a) Height of dam 4 feet, length on top 30 feet, length at bottom 30 feet; material to be used and character of construction concrete

(b) Description of headgate 4-inch pipe

(c) If water is to be pumped give general description a 2" Pump driven by an electric motor and a 6" pump driven by a Diesel engine

*A different form of application is provided where storage works are contemplated **Application for permits to appropriate water for the generation of electricity with the exception of municipalities must be made to the Hydroelectric Commission

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
30 S	3 W	26	NE $\frac{1}{4}$ SW $\frac{1}{4}$	Pri. Suppl. 1.0 and Dom.
			SW $\frac{1}{4}$ SW $\frac{1}{4}$	4.0 and Dom.
			SE $\frac{1}{4}$ SW $\frac{1}{4}$	10.0 6.0 and Dom.
			SW $\frac{1}{4}$ SE $\frac{1}{4}$	1.0 and Stock
		35	NE $\frac{1}{4}$ NW $\frac{1}{4}$	17.5
				3.0

(If more space required, attach separate sheet)

(a) Character of soil Sandy Loam

(b) Kind of crops raised Truck, Hay and Loam

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp., R., W. M.
(No N. or S.) (No E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No N. or S.) (No E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply

27182

19. (a) To supply the ~~water~~ Mile Academy

in Douglas County, having a present population of 400 persons

and an estimated population of _____ in 19_____

(b) If for domestic use state number of families to be supplied _____

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 3,500.00

12. Construction work will begin on or before has been started

13. Construction work will be completed on or before Fall of 1959

14. The water will be completely applied to the proposed use on or before Fall of 1959

Mile Academy Inc.
(Signature of applicant)
by J. E. Russell, Inc.

Remarks: Stock use is for approx. 70 head of cattle and 1000 chickens

The domestic, Stock and Supplemental Irrigation uses are supplemental to the use of water under Permit No. 24783 (File No. 31292) from Lick Creek.

Due primarily to recent logging operations the summer flow of Lick Creek is no longer adequate to serve our needs.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion correction of map correction

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before November 24, 1959, 19 59
December 14 1959 -
February 9 1960 -

WITNESS my hand this 24th day of September, 19 59
14th October 1959
9th December 1959

LEWIS A. STANLEY STATE ENGINEER

By Walter N. Perry ASSISTANT
Walter N. Perry

PERMIT

STATE OF OREGON,

County of Marion,

} ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.59 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from South Umpqua River

The use to which this water is to be applied is irrigation and supplemental irrigation, stock and domestic, being 0.19 c.f.s. for irrigation, 0.40 c.f.s. for stock and 0.01 c.f.s. for domestic.

If for irrigation, this appropriation shall be limited to 0.59 of one cubic foot per second or its equivalent for each acre irrigated and shall be subject to the following conditions:

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is XXXXXXXX, 1961

Actual construction work shall begin on or before XXXXXXXXXX April 13, 1962 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1962

Complete application of the water to the proposed use shall be made on or before October 1, 1963

WITNESS my hand this XXXX 13th day of XXXXXXXX April, 1961

Robert H. [Signature] STATE ENGINEER

Application No 33329
Permit No 2782

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 27 day of August
1959 at 10:50 o'clock A. M.

Returned to applicant

Approved:

April 13, 1961

Recorded at book No

Permits on page

STATE ENGINEER

Drainage Basin No 16 page 306

Fees \$ 26.50