

APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I, W. G. and Ina M. Saunders of Pt. 4 Box 124C Eugene Oregon do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Coast Fork of Willamette River, a tributary of Willamette River

2. The amount of water which the applicant intends to apply to beneficial use is 0.19 cubic feet per second.

**3. The use to which the water is to be applied is Irrigation

4. The point of diversion is located 100 ft. N and ft. from the corner of the West Fork Bridge on SW 1/4 SW 1/4 Section 7, T. 18 S., R. 2 W., 1/4 m also being 350 ft N and 820 ft East from the SW corner of Sec 7

being within the SW 1/4 SW 1/4 of Sec. 7, Tp. 18 S., R. 2 W., W. M., in the county of Wasco

5. The Main to be in length, terminating in the NE 1/4 NE 1/4 of Sec. 13, Tp. 18 S., R. 3 W., W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction

(b) Description of headgate

(c) If water is to be pumped give general description 10 horsepower motor

*A different form of application is provided where storage works are contemplated. **Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ^{(8 ft) main line} 1200' ^{4"} ^{3 ft}; size at intake, in.; size at from intake in.; size at place of use in.; difference in elevation between intake and place of use ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use On

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
18 S	3 + 4 W	12 13		
18 S	2 W	7	SW 1/4 SW 1/4	5 acres
		18	NW 1/4 NW 1/4	8 acres
18 S	3 W	12	SE 1/4 SE 1/4	1 acre
		13	NE 1/4 NE 1/4	5 acres

(If more space required, attach separate sheet)

(a) Character of soil
 (b) Kind of crops raised Wheat

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp., R., W. M.
(No. N or S) (No. E or W)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return
 Sec., Tp., R., W. M.
(No. N or S) (No. E or W)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

1000

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$.....

12. Construction work will begin on or before All construction is completed

13. Construction work will be completed on or before

14. The water will be completely applied to the proposed use on or before May 1st 1914

W. H. Saunders
(Signature of applicant)
Geo. W. Kusler

Remarks: You will find enclosed the maps and legal descriptions of property upon which water is to be used. No. 1 - Map is just a sketch showing the general dimensions as it is. Should be present that we want to use for the water right we are now applying for in May 1st 1914. The paper line goes under the Coast Fork Bridge to the property of Miss No. 2. This part of the map is not

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before May 1st, 1914.

WITNESS my hand this day of, 19.....

By W. A. R. Perry STATE ENGINEER
ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.19 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Coast Fork Willamette River

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is February 17, 1961

Actual construction work shall begin on or before April 13, 1962 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1962

Complete application of the water to the proposed use shall be made on or before October 1, 1963

WITNESS my hand this 13th day of April, 1961

STATE ENGINEER

Application No. 34639
Permit No. 27202

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 17th day of February 1961, at 8:00 o'clock: A. M.

Returned to applicant:

Approved:

APR 13 1962

Recorded in book No. 7 of

Permits on page

STATE ENGINEER

Drainage Basin No. 2 page 78B

Fees