

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, U. S. Alderman (Name of applicant) of Dayton (Mailing address) County of Yamhill State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Lambert Slough (Name of stream), a tributary of Willamette River.

2. The amount of water which the applicant intends to apply to beneficial use is 0.913 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

\*\*3. The use to which the water is to be applied is Irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 420 ft. S. and 1950 ft. W. from the N.E. corner of Layson DIC (Monument: Iron Pipe) set by County Surveyor in 1933 (Section or subdivision). (If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SE 1/4 of NW 1/4 of Sec. 10 Tp. 2 S. R. 3 W. W. M., in the county of Yamhill (Give smallest legal subdivision) (N or S) (E or W)

5. The Portable Pipeline to be 3300 ft. (Main ditch, canal or pipe line) (Miles or feet) in length, terminating in the NW 1/4 of SE 1/4 of Sec. 10 Tp. 2 S. R. 3 W. W. M., the proposed location being shown throughout on the accompanying map. (Smallest legal subdivision) (N or S) (E or W)

DESCRIPTION OF WORKS

Diversion Works--

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock concrete masonry rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description -- High centrifugal - 100 ft. head 50 HP Electric (Size and type of pump) (Size and type of engine or motor to be used; total head water is to be lifted, etc.)

\*A different form of application is provided where storage works are contemplated. \*\*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

27259

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) \_\_\_\_\_ feet; width on bottom \_\_\_\_\_ feet; depth of water \_\_\_\_\_ feet; grade \_\_\_\_\_ feet fall per one thousand feet.

(b) At \_\_\_\_\_ miles from headgate: width on top (at water line) \_\_\_\_\_ feet; width on bottom \_\_\_\_\_ feet; depth of water \_\_\_\_\_ feet; grade \_\_\_\_\_ feet fall per one thousand feet.

(c) Length of pipe. 3300 ft.; size at intake, 6 in.; size at 3300 ft. from intake 6 in.; size at place of use 4 in.; difference in elevation between intake and place of use. 28 Ft. ft. Is grade uniform? No Estimated capacity, 0.913 sec. ft.

8. Location of area to be irrigated, or place of use

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
5 S	3 W	10	SE 1/4 of T42	20
5 S	3 W	10	SW 1/4 of T42	20
5 S	3 W	10	NE 1/4 of S4	20
5 S	3 W	10	SW 1/4 of S4	20
			GRAND TOTAL	80

If more space required attach separate sheets

(a) Character of soil \_\_\_\_\_

(b) Kind of crops raised Peas - Corn - Potatoes

Power or Mining Purposes—

9. (a) Total amount of power to be developed \_\_\_\_\_ theoretical horsepower

(b) Quantity of water to be used for power \_\_\_\_\_ cfs

(c) Total fall to be utilized \_\_\_\_\_ feet

(d) The nature of the works by means of which the power is to be developed \_\_\_\_\_

(e) Such works to be located in \_\_\_\_\_ of Sec \_\_\_\_\_

Tp. \_\_\_\_\_, R. \_\_\_\_\_, W. M. \_\_\_\_\_

(f) Is water to be returned to any stream? \_\_\_\_\_

(g) If so, name stream and locate point of return \_\_\_\_\_

Sec. \_\_\_\_\_, Tp. \_\_\_\_\_, R. \_\_\_\_\_, W. M. \_\_\_\_\_

(h) The use to which power is to be applied is \_\_\_\_\_

(i) The nature of the mines to be served \_\_\_\_\_

Municipal or Domestic Supply—

2-12-19

10. (a) To supply the city of \_\_\_\_\_  
(Name of) \_\_\_\_\_ County, having a present population of \_\_\_\_\_  
and an estimated population of \_\_\_\_\_ in 19 \_\_\_\_\_

(b) If for domestic use state number of families to be supplied \_\_\_\_\_

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ \_\_\_\_\_

12. Construction work will begin on or before \_\_\_\_\_ No construction - Equipment is portable

13. Construction work will be completed on or before \_\_\_\_\_ None

14. The water will be completely applied to the proposed use on or before \_\_\_\_\_ The land  
has already been irrigated \_\_\_\_\_

*M.A. Alderman*  
(Signature of applicant)

Remarks: \_\_\_\_\_ Vol. 160 - Page 188 Record of Deeds, County of Yamhill

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for \_\_\_\_\_

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before \_\_\_\_\_, 19 \_\_\_\_\_

WITNESS my hand this \_\_\_\_\_ day of \_\_\_\_\_, 19 \_\_\_\_\_

STATE ENGINEER

By \_\_\_\_\_ ASSISTANT

PERMIT

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.91 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Lambert slough

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is March 14, 1961

Actual construction work shall begin on or before May 17, 1961 and shall

thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1961

Complete application of the water to the proposed use shall be made on or before October 1, 1961

WITNESS my hand this 17th day of May, 1961

STATE ENGINEER

Application No. 34716  
Permit No. 27159

PERMIT  
TO APPROPRIATE THE PUBLIC  
WATERS OF THE STATE  
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the day of at o'clock M.

Returned to applicant:

Approved:

May 17, 1961

Recorded in book No. 74 of

Permits on page

LAVIS A. STANLEY

STATE ENGINEER

Drainage Basin No. 2 page 7423

Fees