

***APPLICATION FOR PERMIT**

To Appropriate the Public Waters of the State of Oregon

I, J. E. Reynolds (Name of applicant)
 of Idylld St Box 316 Roseburg (Mailing address)
 State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation _____

1. The source of the proposed appropriation is North unppua River (Name of stream), a tributary of unppua River
 2. The amount of water which the applicant intends to apply to beneficial use is .01 cubic feet per second.
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is _____
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located _____ ft. _____ and _____ ft. _____ from the corner of _____ (Section or subdivision)
Degetia
Domestic
(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
 being within the _____ of Sec. _____ Tp. _____
(Give smallest legal subdivision) (N or S)

R. _____, W. M., in the county of _____
(E. or W.)
 5. The Pump Pipe Line to be approx 580
(Main ditch, canal or pipe line) (Miles or feet)
 in length, terminating in the _____ of Sec. _____ Tp. _____
(Smallest legal subdivision) (N or S)

R. 4 W, W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam _____ feet, length on top _____ feet, length at bottom _____ feet; material to be used and character of construction _____
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate _____
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 2 horse G.E. Capacitor motor
prop 10 ft lift from Foot Valve to Pump
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.
 **Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

27269

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe ⁵⁸⁰ ~~2440~~ ft.; size at intake, $2\frac{1}{2}$ in.; size at Pump ft. from intake $2\frac{1}{2}$ in.; size at place of use 2 in.; difference in elevation between intake and place of use. ^{highest point} ~~about~~ 40 ft. Is grade uniform? no Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use all

Township North or South	Range E. or W. of Williston Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
T 27 S.	R 4 N.	20	31, 32	8 domestic
T 27 S.	R 4 N.	21	31, 32	

(If more space required, attach separate sheet)

(a) Character of soil

(b) Kind of crops raised

Power or Mining Purposes—

9. (a) Total amount of power to be developed

(b) Quantity of water to be used for power

(c) Total fall to be utilized

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in

Tp. No. N. of S. R. No. E. of W. W. M.

(f) Is water to be returned to any stream?

(g) If so, name stream and locate point of return

Sec. T. No. N. of S. R. No. E. of W. W. M.

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of _____

(Name of) _____ County, having a present population of _____
and an estimated population of _____ in 19 _____

(b) If for domestic use state number of families to be supplied ONE

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 1000.00

12. Construction work will begin on or before all in

13. Construction work will be completed on or before _____

14. The water will be completely applied to the proposed use on or before When Necessary

Joseph E. Reprod
(Signature of applicant)
Edley Rd. Box 316. Roseburg Oreg.

Remarks: These water systems have bin in use for 20 or 30 years (as near as I can find out) and all it needs is resetting the Pump and intake Pipe (if joint) cut in the Electricity and you are in Business. the Pump has to be removed Each fall on acct of high water. Estimated time to restore service 1 hr. in and No 11 will say that the system was sold with the place last fall and I do not know how much a like system should cost now. it might cost 2 or 3 times that amount. The Right of way for a Pipe line to C. R. Clumpner is null & void as he lost the land to be served by this pipe line to Douglas county for Taxes.

STATE OF OREGON. |
County of Marion. | ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19 _____

WITNESS my hand this _____ day of _____, 19 _____

STATE ENGINEER

By _____

ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, }

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.04 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from North Umpqua River

The use to which this water is to be applied is irrigation and domestic use of one family; being 0.03 c.f.s. for irrigation and 0.01 c.f.s. for domestic use of one family

If for irrigation, this appropriation shall be limited to 180" of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the right to the use of water is limited to the period when the flow of water in the North Umpqua River is more than 500 c.f.s. at its mouth,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is March 20, 1961

Actual construction work shall begin on or before May 17, 1961 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1961

Complete application of the water to the proposed use shall be made on or before October 1, 1961

WITNESS my hand this 17th day of May, 1961

STATE ENGINEER

Application No. 34729
Permit No. 34729

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 20th day of March 1961, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

May 17, 1961

Recorded in book No. 74 of

Permits on page

LEWIS A. STANLEY
STATE ENGINEER

Drainage Basin No. 10 page 2-63

Fees