

APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I, Willard Jesse Lee of Box 631 Oakland State of Oregon do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Galapooia Creek a tributary of Umpqua River

2. The amount of water which the applicant intends to apply to beneficial use is 0.053 cubic feet per second.

3. The use to which the water is to be applied is Irrigation

4. The point of diversion is located 0 ft. 0 and 907 ft. east from the W 1/4 corner of 4 1/2 Sec 4 and 5 of section 4

being within the NW 1/4 of Sec. 4 Tp. 25 S R. 5 W. W. M., in the county of Douglas

5. The 3 inch Aluminum pipe to be 620 ft. portable in length, terminating in the of Sec. Tp. W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works-

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction

(b) Description of headgate

(c) If water is to be pumped give general description Wisconsin 9 hp separator gas single suction centrifugal, type Pacific unit 1 1/2" duct and 1 1/2" discharge

\*A different form of application is provided where storage works are contemplated. \*\*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

27271

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe. .... ft.; size at intake. .... in.; size at ..... ft. from intake ..... in.; size at place of use ..... in.; difference in elevation between intake and place of use. .... ft. Is grade uniform? ..... Estimated capacity. .... sec. ft.

8. Location of area to be irrigated, or place of use .

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
<del>25 South</del>	<del>5 West</del>	<del>4</del>	<del>NE<sup>4</sup> NW<sup>4</sup></del>	<del>2<sup>0</sup></del>
"	"	"	<del>NW<sup>4</sup> NE<sup>4</sup></del>	<del>2<sup>25</sup></del>
25 South	5 West	4	NW <sup>4</sup> SW <sup>4</sup>	2 <sup>25</sup>
"	"	"	SW <sup>4</sup> NW <sup>4</sup>	2.00

(If more space required, attach separate sheet.)

(a) Character of soil *Chehalis*  
 (b) Kind of crops raised *Holly and Peaches*

Power or Mining Purposes—

9. (a) Total amount of power to be developed .....  
 (b) Quantity of water to be used for power .....  
 (c) Total fall to be utilized .....  
 (d) The nature of the works by means of which the power is to be developed .....  
 (e) Such works to be located in ..... of Sec. ....

Tp. .... R. .... W. M. ....  
 (f) Is water to be returned to any stream? .....  
 (g) If so, name stream and locate point of return .....  
 Sec. .... Tp. .... R. .... W. M. ....

(h) The use to which power is to be applied is .....  
 (i) The nature of the mines to be served .....

Municipal or Domestic Supply—

10. (a) To supply the city of \_\_\_\_\_  
County, having a present population of \_\_\_\_\_

(Name of) \_\_\_\_\_  
and an estimated population of \_\_\_\_\_ in 19\_\_\_\_\_

(b) If for domestic use state number of families to be supplied \_\_\_\_\_

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 450.00
- 12. Construction work will begin on or before Start
- 13. Construction work will be completed on or before \_\_\_\_\_
- 14. The water will be completely applied to the proposed use on or before June 15, 1961

Willard Jesse Lee  
(Signature of applicant)

Remarks: This summer I plan to water the 400 holly and 120 peach trees from a 500 gal. tank on a trailer. They will require about 3000 gal. every 2 weeks.

I now have 320 ft of 3" aluminum pipe and plan to buy 300 ft. of 2" pipe in the summer of 1962 for sprinkling there after.

STATE OF OREGON, )  
County of Marion. ) ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before May 29, 19 61.

WITNESS my hand this 27th day of March, 19 61.

LEWIS A. STANLEY  
STATE ENGINEER

By

Walter N. Perry  
Walter N. Perry ASSISTANT

PERMIT

STATE OF OREGON, }  
County of Marion, }

This is to certify that I have examined the foregoing application and do hereby grant the same. SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.05 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Calapooya Creek

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 90% of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the right to the use of water is limited to the period when the flow of the Calapooya Creek is more than 10 c.f.s. at its mouth,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is March 20, 1961

Actual construction work shall begin on or before May 15, 1961 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1961

Complete application of the water to the proposed use shall be made on or before October 1, 1961

WITNESS my hand this 17th day of May, 1961

STATE ENGINEER

Application No. 34731  
Permit No. 37321

PERMIT  
TO APPROPRIATE THE PUBLIC  
WATERS OF THE STATE  
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 20th day of March 1961, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

May 17, 1961

Recorded in book No. 75

Permits on page

LEWIS A. STANLEY  
STATE ENGINEER

Drainage Basin No. page 4

Fees