Permit	No.	

## \*APPLICATION FOR PERMIT

## To Appropriate the Public Waters of the State of Oregon

1, Marvin W. Peters
of 705 Edge water Road - Gladstone
State of do hereby make application for a permit to appropriate the
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
1. The source of the proposed appropriation is Clackamas River  (Name of stream)  a tributary of Williamette River
2. The amount of water which the applicant intends to apply to beneficial use is 0.015
cubic feet per second.  (If water is to be used from more than one source, give quantity from each)
**3. The use to which the water is to be applied is
4. The point of diversion is located 120 ft. S and 22 ft. E from the N
corner of Lat 117 12 extra of Gladstone (Bedion or subdivision)
(If preferable, give distance and bearing to section corner)
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  being within the North and Type (Month and Type of North and Type of North and Type (North and North
(Give smallest legal subdivision)  R. 2 East, W. M., in the county of Clack Common Com
5. The P. De to be 150 (Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the (Smallest legal subdivision) of Sec1 Tp. 2 South
R East
DESCRIPTION OF WORKS
Diversion Works—
6. (a) Height of dam feet, length on top feet, length at bottom
feet; material to be used and character of construction  (Loose rock, concrete masons)
rock and brush, timber crib, etc., wasteway over or around dam)
(b) Description of headgate
(c) If water is to be pumped give general description size and type of pump
Centrifuse! Pump with 100 to 1 motor  (Size and type of engine or motor to be used total head water is to be lifted store)  Status head of 30 rt.
The control of the co

dgate. At F	headgate: width	on top (at water	r line)	feet; width on bottom
			feet; grade	feet fall per one
			headgate: width on top (at w	
		on bottom		
		t fall per one tho		
				in.; size at 150 ft.
(c) Le	ngth of pipe	. <b>(.3</b> 9 ):	.; size at intake, L'	difference in elevation between
			the state of the s	
			Is grade uniform?	
8. Loc	cfs sec. ft.	be irrigated, or	place of use Lot no	o. 117-Glad.tene
Township North or South	Range S. or W. o Will-mette Mer	f Section	Forty-acre Tract	Number Acres To Be Indicated
2 Sout	~ 2 Eas	t 21	NWIY NWIY	1.0
				•
-				•
			*	•
		1		•
		off more s	nace required attach separate the tr	
(0	a) Character of		a w	
. (1	b) Kind of crop	s raised La	wn a Garden	
	Mining Purposes			than history of time of the
		it of power to be		
		u ater to be used		
	c) Total fall to		fato Alleman	
(	d) The nature	of the works bu?	reans of which the government	tu tarut <b>anatoj» d</b>
•				
(	(e) Such works	to be located in .	Legal subdiscovins	of Sec
Tp.	R. R.	(No E or W	W M.	
	(f) Is water to	be returned to ar	iy stream? . (Yes or No)	
			te point of return	

(i) The nature of the mines to be served ....

County of Marion,  County of Marion,  This is to certify that I have examined the foregoing application, together with the accompany so and data, and return the same for	(b) If for domestic use state number of families to be supplied  (Answer questions II, IR, IR, and II in all cases)  11. Estimated cost of proposed works, \$	
(b) If for domestic use state number of families to be supplied  (Assert contents in it it it and it is a supplied  (Assert contents in it it it and it is a supplied  (Assert contents in it it it and it is a supplied  (Assert contents in it it it and it is a supplied  (Assert contents in it it it and it is a supplied  (Assert contents in it it it and it is a supplied  (Assert contents in it it is and it is a supplied  (Assert contents in it is and it is a supplied  (Assert contents in it is and it is a supplied  (Assert contents in it is and it is a supplied  (Assert contents in it is and it is and it is a supplied  (Assert contents in it is and it is and it is a supplied  (Assert contents in it is and it i	(b) If for domestic use state number of families to be supplied  (Answer questions II, IR, IR, and II in all cases)  11. Estimated cost of proposed works, \$	
(b) If for domestic use state number of families to be supplied  (Account contains II. II. II. II. III. III. III. III. I	(b) If for domestic use state number of families to be supplied  (Answer questions II, II, II, and H in all cases)  11. Estimated cost of proposed works, \$	· ·
11. Estimated cost of proposed works, \$ 1.000  12. Construction work will begin on or before April 1.961  13. Construction work will be completed on or before May 1.1961  14. The water will be completely applied to the proposed use on or before July 1.196  Remarks: This application is Con water to be applied to Lawn to Garden by Prinkless the inner attention system.  25 at 1.38m  18 at 2.38m  7 at 8.98m  The Lawn 15 40' X 75' the ganden in the accompanies and data, and return the same for  In order to retain its priority, this application must be returned to the State Engineer, with companies and data and return the same for	11. Estimated cost of proposed works, \$	· ·
11. Estimated cost of proposed works, \$ 1000  12. Construction work will begin on or before April 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	11. Estimated cost of proposed works, \$	· ·
12. Construction work will begin on or before APTI   1961  13. Construction work will be completed on or before May 1 1961  14. The water will be completely applied to the proposed use on or before July 1 196  Particle APPLICATION 15 Con water Construction work will be completely applied to the proposed use on or before July 1 196  Remarks: This application 15 Con water Construction by APTI APTI APTI APTI APTI APTI APTI APTI	12. Construction work will begin on or before April 1961  13. Construction work will be completed on or before May 1 1961	
12. Construction work will begin on or before APTI   1961  13. Construction work will be completed on or before May 1 1961  14. The water will be completely applied to the proposed use on or before July 1 196  Particle APPLICATION 15 Con water Construction work will be completely applied to the proposed use on or before July 1 196  Remarks: This application 15 Con water Construction by APTI APTI APTI APTI APTI APTI APTI APTI	12. Construction work will begin on or before April 1961  13. Construction work will be completed on or before May 1 1961	
13. Construction work will be completely applied to the proposed use on or before July 196  The water will be completely applied to the proposed use on or before July 196  Remarks: This application is for water  The applied to Lawn to Garden by  Prinkless — the innequation system will  sensist of sprinkless as fallows  25 at 1 3pm  18 at 2 gpm  7 at 8 gpm  The Lawn is 40' x 75' + the garden sense  Sqo' x 96'  ATE OF OREGON.  This is to certify that I have examined the foregoing application, together with the accompanies and data, and return the same for  In order to retain its priority, this application must be returned to the State Engineer, with co	13. Construction work will be completed on or before May 1 1961	
14. The water will be completely applied to the proposed use on or before July 1996  The water will be completely applied to the proposed use on or before July 1996  Remarks: This application 15 for water to be applied to Lawn to Garden by Prinkless — the 12 pm 18 sensist of sprinkless as fallows  25 at 1 3pm  18 at 2 gpm  7 at 8 gpm  The Lawn 15 40' × 75' + the garden into a good of the State Engineer, with companions and data, and return the same for  In order to retain its priority, this application must be returned to the State Engineer, with companions and data and return the same for	•	
Remarks: This application is Con water  to be applied to Lawn to Garden by  prinkless — the innighten system will  sensist of sprinkless as follows  25 et 1 3 pm  18 et 2 3 pm  7 et 8 9 pm  The Lawn is 40' x 75' + the garden ses  5 90' x 96'  ATE OF OREGON,  County of Marion,  This is to certify that I have examined the foregoing application, together with the accompanyos and data, and return the same for  In order to retain its priority, this application must be returned to the State Engineer, with co		
The Lawn 15 46' X 75' + the garden into the accompanies and data, and return the same for  In order to retain its priority, this application must be returned to the State Engineer, with co	(Signature of app	Peters.
Prinkless — the innigation system will sensist of sprinkless as follows  25 at 1 3pm  18 at 2 gpm  7 at 8 gpm  The Lawn is 40' × 75' + the garden says  3 90' × 96'  This is to certify that I have examined the foregoing application, together with the accompanies and data, and return the same for  In order to retain its priority, this application must be returned to the State Engineer, with co	Remarks: This application is Cor	water
Prinkless — the innigation system will sensist of sprinkless as follows  25 at 1 3pm  18 at 2 gpm  7 at 8 gpm  The Lawn is 40' × 75' + the garden says  3 90' × 96'  This is to certify that I have examined the foregoing application, together with the accompanies and data, and return the same for  In order to retain its priority, this application must be returned to the State Engineer, with co	to be applied to Lawn + Garden	64
The Law n 15 46' X 75' + the ganden incompanies and data, and return the same for  In order to retain its priority, this application must be returned to the State Engineer, with co		•
18 at 2 gPm  7 at 8 gPm  The Law 15 40' X 75' + the garden in a go Y 75' + the garden in a go Y 75' + the garden in a go Y 75' Y 75' + the garden in a go Y 75' Y 75' + the garden in a go Y 75'	•	
The Law n 15 40' X 75' + the sanden in a 90' X 96'  ATE OF OREGON, Ss.  County of Marion, Ss.  This is to certify that I have examined the foregoing application, together with the accompanies and data, and return the same for	• · · · · · · · · · · · · · · · · · · ·	
The Law 1.5 40' X 75' + the garden in the State Engineer, with co	18 at 2 apm	
The Lawn 15 40' X 75' + the ganden in a good of the State Engineer, with control of the State Engineer, with the Engineer and the State En		
ATE OF OREGON, ss.  County of Marion, ss.  This is to certify that I have examined the foregoing application, together with the accompanos and data, and return the same for  In order to retain its priority, this application must be returned to the State Engineer, with co		
ATE OF OREGON, ss.  County of Marion, ss.  This is to certify that I have examined the foregoing application, together with the accompanos and data, and return the same for  In order to retain its priority, this application must be returned to the State Engineer, with co		
ATE OF OREGON, ss.  County of Marion, ss.  This is to certify that I have examined the foregoing application, together with the accompanos and data, and return the same for  In order to retain its priority, this application must be returned to the State Engineer, with co	The Lawrence 40' v 25' + the	40
ATE OF OREGON, ss.  County of Marion, ss.  This is to certify that I have examined the foregoing application, together with the accompanos and data, and return the same for some for some for to retain its priority, this application must be returned to the State Engineer, with continuous continuous states.		. d e v . C = e
ATE OF OREGON, ss.  County of Marion, ss.  This is to certify that I have examined the foregoing application, together with the accompanos and data, and return the same for some for s	1579. 8. 90	
ATE OF OREGON, ss.  County of Marion, ss.  This is to certify that I have examined the foregoing application, together with the accompanos and data, and return the same for some for s		
ATE OF OREGON, ss.  County of Marion, ss.  This is to certify that I have examined the foregoing application, together with the accompanies and data, and return the same for some for		
County of Marion, \( \frac{1}{\sigma} \)  This is to certify that I have examined the foregoing application, together with the accompanies and data, and return the same for \( \frac{1}{\sigma} \)  In order to retain its priority, this application must be returned to the State Engineer, with co		
This is to certify that I have examined the foregoing application, together with the accompanies and data, and return the same for	TATE OF OREGON,	
os and data, and return the same for	County of Marion,	=
In order to retain its priority, this application must be returned to the State Engineer, with co	This is to certify that I have examined the foregoing application, together	with the accompan
In order to retain its priority, this application must be returned to the State Engineer, with co	aps and data, and return the same for	
In order to retain its priority, this application must be returned to the State Engineer, with co		
	· · · · · · · · · · · · · · · · · · ·	
		Lagineer, with cor
WITNESS my hand this day of		

## PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same,

The right herein granted is limited to the amount of water which can be applied to beneficial use								
and shall n	ot exceed 0.0	01 cubic feet	per second	measured o	it the point	of div	ersion f	rom the
stream, or	its equivalent in	case of rotation with	other wat	er users, fro	m Clack	amas .	diver	
	*	· .						
				•				
						*****		
The	use to which this	water is to be applie	d is	irrigation	1			
• • • • • • • • • • • • • • • • • • • •			•••••••					
If fo	r irrigation this a	appropriation shall be	e limited to	/80%		of o	re cubic	foot per
• •		•			•			
		each acre irrigated!						
of not	to exceed 2/2 a	cre feet per acr	e for eac	h acre ir	nated di	arang	tne ir	mation
season	of each year.			•••••				
		·	***************************************	*****				
***************************************								
		·						
		•						
•								
	· 							
and shall	be subject to such	reasonable rotation	system as 1	nay be order	ed by the p	roper s	tate offi	cer.
The	priority date of the	his permit is		March /	2 <b>,</b> 1961			
								and shall
		work shall begin on						
thereafter	be prosecuted wi	ith reasonable dilige	nce and be	completed o	n or hefore	Octobe	r 1, 19 °	
. Con	nplete application	of the water to the p	proposed us	e shall be m	adé on or h	efore C	October	1, 19
WI'	TNESS my hand t	his 17th de	y of	Hay		, 19 👊		
					1. H			
	-	· ·					STATE F	KGINEER
		,					•	
		the you,			of.	•	<b>x</b> !!	
	DI,	l in Oreg		•	:		Excise	10
i) 1)3	UBI	e m,					7	
2 2	E P	Sal Sal		-	2 %		ALIA STA	<u> </u>
2 %	THE THE	first er af		•	<b>3</b> 6		STA	
J. 15	RIV ATE P. T.	cas gine gine	i:		ارد. ارد.		A. STANLEY	2
n N	<b>PERMIT</b> APPROPRIATE THE PUB WATERS OF THE STATE OF OREGON	nt u Enge	cant		<b>May 17, 1961</b> 1 book No.	-	LECIS A. STABLEY	, . , .
catic it N	PRO L	State	laditi		<b>74</b> €	sta	扫	## ## ## ## ## ## ## ## ## ## ## ## ##
Application No. 3	PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON	This instrument was first received in the office of the State Engineer at Salem, Oregon, on the R. M. day of Marrie.	Returned to applicant:	; <b>ç</b>	May 17,	Permits on page	ļ	Dramage Basin No Fees
A d	<u>و</u>	lis e of	rnec	Approved:	· · · · ·	nits		, Maga
		T offic on th	Reru	App		Peri		Draw Fees