*APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

		(Hame	on Corporation of applicant)	
f	P. O. Box 651 (Mailing address)	·····	Klamath Falls	<u>.</u>
tate of	Oregon	, do herel	by make application for a	permit to appropriate the
llowing	described public waters o	f the State of Ore	gon, SUBJECT TO EXIS	TING RIGHTS:
If t	he applicant is a corporati	on, give date and p	olace of incorporation\$	tate of Washington.
	ry 18, 1900 - license			
	The source of the proposed	•		* ·
	reek, West Fork Silve		(Name o	d stream)
	Guyer Creek The amount of water which	•		
		m. per 8 hours	from all sources.	
**?	The weete enhich the custo		from more than one source, give qui	
	The use to which the wate	r is to be applied is	(Irrigation, power, mining, ma	nufacturing, domestic supplies, etc.)
WIL	h truck logging	······		
4.	The point of diversion is l	ocatedft		from the
orner of	(Attachment	:)	(nj. or s.)	(E. or W.)
			on or subdivision)	
······································		•	. ,	
······	•		***************************************	······································
			-	
	(u)	preferable, give distance and	1 bearing to section corner)	
•••••••••			it be described. Use separate sheet is	**
eing wit	hin the(Olve see	allest legal subdivision)	of Sec	, Tp(N. or S.)
	, W. M., in the county			
			A contract of the contract of	
	The None			
n length,	terminating in the	(Smallest legal subdivisio	of Sec	, Tp.
?		oosed location bein	g shown throughout on th	ie accompanying map.
		DESCRIPTION	OF WORKS	
	Works—			
6.	(a) Height of dam	None feet, le	ngth on top	feet, length at bottom
	feet; material to be	e used and characte	er of construction	
Sump	in creek bed			(Loose rock, concrete masonry
ock and brus	in creek bed h, timber crib, etc., wasteway over or a	around dam)		
(b)	Description of headgate,	None	nmber, concrete, etc., number and si	ze of openings:
	<u>:</u>			· · · · · · · · · · · · · · · · · · ·
(c)	If water is to be pumped	give general descri	iption 4" centrifug	al pump driven by
. (0)			(Riza	and type of pump)

^{*}A different form of application is provided where storage works are contemplated.

^{**}Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Rydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem.

Canal	Sys	tem	or P	ipe	Line-
	7 .	(a)	Give	dir	nensio

agate. At head	gate: width on to	p (at water lis	re)	feet; width on botto
 Isand feet.	eet; depth of wa	ter	feet; grade	feet fall per o
(b) At	n	niles from head	lgate: width on top (at i	water line)
j	eet; width on bo	ttom	feet; depth	of water fee
de	feet fall	per one thousa	nd feet.	
(c) Length	of pipe.	ft.; si	ze at intake,	in.; size at
m intake	in.; s	ize at place of	use in	; difference in elevation betwee
ake and place (of use	ft. Is g	grade uniform?	Estimated capacit
·	sec. ft.		•	
8. Location	of-area to-be-im	rigated, or plac	e of use, truck road	s in adjacent area.
Township North or South	Range E. or W. of Williamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
See Atte	ched Sheets			
			,	
				A STATE OF THE STA
				,
The state of the s				• • • • • • • • • • • • • • • • • • • •
		******		•
			The second secon	
(a) Cha	racter of soil	(If more space rec	guired, attach separate sheet)	
(b) Kin	ed of crops raised			
wer or Mining	• •		•	
9. (a) Tot	al amount of por	cer to be devel	oped	theoretical horsepou
(b) Qu	antity of water to	be used for po	wer	sec ft.
(c) Tot	al fall to be utili	≈e d	fect	
(d) The	e nature of the w	orks by means	of which the power is t	o be developed
	*****		\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	
(e) Suc	ch works to be lo	cated in		of Sec.
			(Legal subdivision)	my sec.
	, R. (No E			
	water to be retur	-	(Yes or No)	•
	so, name stream			•
_			, Tp	R. (No E or W;
(h) Th	e use to which po	ower is to be ap	plied is	
	e nature of the m			

4. The points of diversion are located:

Bear Creek

- 715.83 ft. N. 75° 30' W of SE section corner, Sec. 36, T. 28 S., R. 11 E., W. M.

Buck Creek

- 1,550.18 ft. N. 06° 17' E. of SW section corner, Sec. 14, T. 29 S., R. 12 E., W. M.

Coshow Spring

- 743.24 ft. S. 48° 18' E. of NW. section corner, Sec. 25, T. 29 S., R. 12 E., W. M.

Bridge Creek

- 2,898.80 ft. N. 61° 59' E. of SW section corner, Sec. 29, T. 29 S., R. 13 E., W. M.

West Fork Silver Creek

- 2,840.97 ft. S. 42° 26' W. of NE. section corner, Sec. 2, T. 30 S., R. 13 E., W. M.

Guyer Creek

- 2,440.16 ft. S. 36° 00' E. of W. & corner, Sec. 19, T. 30 S., R. 14 E., W. M.

WEYERHABUSER COMPANY KLAMATH FALLS BRANCH

KF1211

Area to be watered by Bear Greek T. 29 S., R. 11 E., W.M.

					_					_	_	_	_	_		_	_		_	_	_	-			_	_	_	_	_	-1	_	-		_	
asn	Future	11	••						٠																										
SESE		X	X										-									′													
SWSE	X	X	X				,																												
MASE	X	X																																	
NESE	Х	X																																	
SESW	X	X	X																																
ASAS	×	×	X																																
NW SW	×		×																																
NESM	×		×																																
SENW	×	×																																	
SWIN	×																																		
NWW	×																																		
NEW	×																										-								
SENE	×	×																																	
SWNE	×	×																																	
NWNE	×	×																																	
NENE	×	×																																	
SECTION		~	3	-	5	9	7	8	6	10	11	12	13	14	1.5] 16	17	18	19	ପ୍ଲ	21	22	23	. J4	25	92	27	28	63	30		3.5	۲. ۲		

WEYERHAEUSER COMPANY KLAMATH FALLS BRANCH

Area to be watered by Buck Creek T. 29 S., R. 12 E., W.M.

	_	_		_	_	_	_	_	_	,			_	_	_	_		_		_	<u> </u>	_		_		_	_	_			,_	,		_		
asn				Future	11	:	=	:						11	=	11	=	=			11		1													
SESE				X	×	X	X	*							×	×	×	×		 										!						
SWSE				X	×	X	A	*							X	X	X	×																		
NWSE				×	×	X	X	×								X	×	×																		
NESE				X	X	X	×	×								X	×	×																		
SESW				X	X	X	X	×							×	X	X	×																		
MSMS				X	X	X	×	×						×	×	×	X	×														<u> </u>				
NWSW				X	X	X	×	×						X		Х	X	×					×									-				
NESW				Х	X	X	×	×								×	×	×			-,-											-				
SENW					Х	X	×	×						X		X	×	×																		
SWNW					Х	X	×	×						X		×	×	×					×								-					
NWN					×	X	×	×						×		×	×	×					×						-	 	-	i	i		 	:
NEW					X	X	×	×								×	×	×	1 .										1	•			•		† · · ·	
SENE						X	×	×								×	×	×	-												:		•	+ -	:	
SWNE						X	×	×								×	×	×	!										-			•	•	• - !	•	,
NWNE						×	×	×								×	×	×			×					-				 : !	!		i			
NENE						×	×	×				<u> </u>				×	×	×			×												:			!
SECTION	_	2	3	, t	5	9	_	æ	6	10	17	12	13	74	15	16	17		19	8	21	35	23	7C	25	26	27	3	- A					-		

WEYERHAEUSER COMPANY KLANATH PALLS BRANCH

TISIN .

Area to be watered by Goshow Spring T. 29 S., R. 12 E., W.M.

		П	П						П	П		П	٦,						П				7	7				7				7	_	\neg	7	
nga																							Future		z	:		-							=	
SESSE	,																						×		×		X								×	
SWSE				,																			×		×	×	×								×	
MASE																									×		×								×	
MESE																					,				×	X	×								×	-
SESW					,																		×		X	×	×								×	
SWSW																							×		×	×	×								×	
MSM																									X		X								×	
NESW																						-			X	X	Х								X	
SENW																									X										X	
SWIM																									Х										Х	
NMM																									Х									×	X	
NEW																									X									×	X	
SENE																							·		×										X	
SWNE		-																							×										X	
NAME																									×								×	×	×	
NENE																									×								×	×	×	
SECTION	1	2	3	4	5	9	7	8	6	10	11	12	13	14	15	16	17	18	19	20	21	22	23	77	25	26	27	28	53	30	31	35	ž.			

č

WEYERHAEUSER COMPANY KLAMATH FALLS BRANCH

KF1211

Area to be watered by Bridge Creek T-29 S., R-13 E., W.M.

		Τ	Τ	Τ	T	T	T	T	T	T	T	Т	T	T	Т	Т	Т	Т	Т	Т	Т	Т	1	7	_	T	Т	_	_	_	7	1	_	_	_	_	_
	USE																										Furnre			:		= :	=	= :	=		
	SESSE															T				-	+			+		 		+	+		+	× :	X :	 	+	+	1
	SWSE									Ī	T				T		\dagger	T			<u> </u>			1				<u> </u> -		,	ļ.	ļ.	\.\.\.\.\.\.\.\.\.\.\.\.\.\.\.\.\.\.\.	*	+	$\frac{1}{1}$	+
	NWSE																\dagger	\mid		-				-		-	-	-		-	-	}	 ,	+	}	+	1
	NESE																						-			-	-		_	×	H	-	+	\dagger	\mid	\perp	1
	SESW																													×	-	\vdash	-	\vdash	-	-	+
	SWSW																								-			-		×	×	×	×	×	_	_	L
	NASA														-									1						×	×	X	×	×			-
	NESW			1	1	1					+	1									1	1		-	-	-	-	1	+	-			X		-	_	
	SENW													1								1		+	+				+	+	X	×	+	×		-	_
	SWNW					1	1					+	+	+	1	1		+	+			+	+	+	+	+	+	$\frac{1}{1}$	1	+	+	+	+	-	+	+	_
上	MANA	-	\dagger	\dagger	1	\dagger	+		+	+	1	+	+	1	+	+	+	+	+	-	+	+	+	+	1	$\frac{1}{1}$	+	+	+	+	*	\dagger	1	×	+	+	
_	E	†	\dagger	1	T			T	1	\dagger	1	\dagger	1	1	+	+	+	+	+	+	-	+	1	+	\dagger	*	+	+	+	+	x + x :	+	+	X	+	+	
	SENE					\dagger	\mid	\dagger	+	\dagger	+	+	+	+	-	+	+	+	+	+	+	+	+	+		+		-		-	· ;	-	+	×	+	+	_
	SWIE						-	+		+		-	-	-	+	-	_	-	-	+	-	-	+	+	1	-	-	-	+	+	- - - - -	1	+	×		1	-
-	IN IN					-	-		+	+	-	-	-	-		-	-		-	-		\mid	-	-	×	<u>-</u>		-	: 	 	<u> </u>	-	+	+	+	+	T
NE NE	+					-	-	-		-		-	 -	-		-	-	-		-	-	-	-	-	-	_		-	- -	<u>:</u>	-			÷	:	!	T
-	+-				_	L	_	_	<u> </u>			 	_		<u>:</u> [-	-							×				×	×	×	 -	×	-	<u> </u>	<u> </u>	+ +
SEC TO N																																	-			1 .	
	-	۲	m	7	4	9	7	ω	6	70	7	75	13	74	15	16	17	18	19	ଯ	12	22	23	†₹	25	g	27	Ŧ.	73	Ş	7	ŷ	;			1	1

KF1211

WEYERHAEUSER COMPANY KLAMATH PALLS BRANCH

Area to be watered by West Fork of Silver Greek T.30 S., R.13 E., W.M.

6		_			-	-	_	_	-	τ	, -		_	-	_	,_	_	_	_	_	_		_	,	_	_	_					,		,	,		
۲	asa	Future	11									ì																					•				Į
	SESE		X				, , , ,																														
	SWSE		×																																		
	MASE		X																																		
	NESE		X																																	-	
	SESW	X																					-														
	SWSW	X																																			
	NWSW	×																												-							
	NESW	×																				-															
	SENW												×																								
	SWIN												×																								
	NWNW												×																								
	NEW												*																		,						
	SENE		×										*																!								
-	SWNE		×										×																			:		i			
	NWNE		×										*			,										·											_
	NENE		×										*																								7
	SECTION	7	2	3	*	5	9	7	80	9	10	n	12	13	14	15	. 91	17		19	8	21	22	23	†₹	25	56	27	. RE	59	9€	1	Ş				-

Page 7

WEYERHAEUSER COMPANY KLAMATH FALLS BRANCH

Area to be watered by Guyer Creek

OSE Puture ₹. SESE SWSE MASE MESE SE SES. 仍逐 が見る T.30 S., R.13 E., W.M. SEC PLOS

WEYERHAEUSER COMPANY KLAMATH FAILS BRANCH

~	
BRANCE	
H FALLS	
KAMAT	

	USE	Future		= =
<i>3d.</i>	SESE		*	
•	SWSE		*	
	N.		×	
	2		*	
•	3.	*	×××	××
	3	×	**	××
Creek	is is	× ×	××	××
Area to be watered by Guyer Creek T. 30 S., R.14 E., W.M.			***	××
o be watered b	#4 		XX	*
T. 30	<u> </u>		×× . ×××	××
Area	*		××	* *
	(a)		×	·
	- <u> </u>		×	
	 	,	××	
			××	
:		•	* * * * * * * * * * * * * * * * * * *	

Municipal or Domestic Supply—	
10. (a) To supply the city of	2.23:
	present population of
nd an estimated population of	in 19
(b) If for domestic use state numb	er of families to be supplied
	ione 11, 12, 13, and 14 in all cases)
11. Estimated cost of proposed works, \$	
	before No construction necessary, portable equipment presently available
13. Construction work will be completed	d on or before
	i to the proposed use on or before See remarks below. WEYERHAEUSER COMPANY KLAMATH FALLS BRANCH
	incenta Fourgust
	(Signature of applicant)
	Woods Manager
Remarks:	
The water from these sources	will be used for road sprinkling while logging
Weyerhaeuser Company timber in Towns	ships 29 & 30 South, Ranges 11, 12, 13, & 14
East, W. M.	
This will be intermittant use	during the dry season according to the logging
-	
STATE OF OREGON, SS.	· · · · · · · · · · · · · · · · · · ·
County of Marion,	
This is to certify that I have examined	the foregoing application, together with the accompanying
naps and data, and return the same for	······································
	·
In order to retain its priority, this appli	lication must be returned to the State Engineer, with corre
ions on or before	, 19.
WITNESS my hand this day	of

STATE OF OREGON, County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed			
		If for irrigation, this appropriation shall be limited to	of one cubic foot per
		second or its equivalent for each acre irrigated	
		•	
	· · · · · · · · · · · · · · · · · · ·		
	en e		
and shall be subject to such reasonable rotation system as may be order	ered by the proper state officer.		
The priority date of this permit is April 10, 1961	· · · · · · · · · · · · · · · · · · ·		
	construction necessory and shall		
thereafter be prosecuted with reasonable diligence and be completed	on or before OEMBECKIR OXX		
Complete application of the water to the proposed use shall be:	made on or before October 1-19 ⁷⁵		
WITNESS my hand this 17 day of May.	1967.		

Application No. 34783

Permit No. 27.361

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the **Hayo**

on the Mayof C

Returned to applicant;

May 17, 1961

Approved.

Record d in book No.

Permits on page

LECTS A. STANLEY

Dramage Basin No. 13 porte 3

Fees

State Panting 93.37