

#### \*APPLICATION FOR PERMIT

### To Appropriate the Public Waters of the State of Oregon

I,	Weyerhaeuser Company	, a Washington Corporation (Name of applicant)	
of	P. O. Box 651	Klamath Falls	
•		, do hereby make application	
		ne State of Oregon, SUBJECT TO	
		give date and place of incorporati	
January 16	8, 1900 - licensed to	do business in the State o	f Oregon.
		propriation is Long Creek & Th	
		, a tributary of the Sp	rague River
2. The	amount of water which th	e applicant intends to apply to ben	eficial use is
cubie f <del>eet per</del>	second. 440 g.p.m. pe	er. 8. hours. from all sources. If water is to be used from more than one source,	
**3. The	use to which the water is	to be applied is Road sprinkl	ing in conjunction with
truck	1000100	(Prigation, power, mir	ning, manufacturing, domestic supplies, etc.)
4. The	point of diversion is locat	edfsand	ft
corner-of8	343.32 ft. West of SE	(N. or 8.) Section corner (Section or subdivision)	(E. or W.)
Section 34	4, T. 32 S., R. 15 E.	(Section or subdivision) , W.M.; 847.02 ft, South of	N b coming Country 22
	R, 15 E., W.M.		w. 2 corner section 22,
			ere ere ere er er er er er er er er er e
	(If prefer	able, give distance and bearing to section corner)	
		of diversion, each must be described. Use separate	
		legal subdivision) of Sec.	
R. (E. or W.)	, W. M., in the county of		
5. The	None (Main ditch, ca	mai or pipe line) to be	(Miles or feet)
		allest legal subdivision) of Sec.	
		d location being shown throughout	
		•	
Diversion Wor	·ks—	DESCRIPTION OF WORKS	•
6. (a) I	Height of dam None	feet, length on top	feet, length at bottom
	feet; material to be use	ed and character of construction	(Long tack constants
Sump i	n creek bed	dam)	tota, contrete, massney,
		One (Timber, concrete, etc., number	
		(Timber, concrete, etc., number	and size of openings)
(c) If w		general description 4" centrifi	igal pump driven by (Size and type of pump)
15 h.p.	gasoline engine - pe	ortable type, ne or motor to be used total head water is to be life	system punits)
	tows and type of engil	me or motor to be used total head water is to be life	(ted (ctr.)

Comel Games	Tre T *			
Canal System or		Mach maint of a	emal sub ano motoriollo.	anged in size, stating miles from
	**			
				feet; width on bottom
thousand feet.	•		•	feet fall per one
(b) At	1	miles from hea	dgate: width on top (at u	vater line)
	feet; width on bo	ttom	feet; depth (	of water feet
grade	feet fall	per one thouse	ind feet.	
(c) Lengt	h of pipe,	ft.; s	ize at intake,	in.; size at ft
	•			difference in elevation between
			grade uniform?	
			grade unijorni:	Estimated capacity
	sec. ft. m of <b>azea to be i</b> r	rigated, or plac	ce of use truck ros	ads in adjacent area
Township	Range E. or W. of	Section	Forty-acre Tract	Market Association
North or South	Willemette Meridian		outy-acte fract	Number Acres To Be Irrigated
See At	tached Sheets			
			<del> </del>	
				Management of the state of the
				and the second of the second o
				• • • • • • • • • • • • • • • • • • •
	<del> </del>			•
-		(If more space re	quired, attach separate sheet)	
(a) Ch	aracter of soil			
(b) Ki	nd of crops raised	****		·
Power or Mining	-			
9. (a) To	tal amount of pou	ver to be devel	oped	theoretical horsepower
(b) Qu	uantity of water to	be used for po	mer	sec.ft.
(c) To	tal fall to be utili:	zed .	feet.	
(d) Th	e nature of the w	orks by means	of which the power was	be developed
* * * * * * * * * * * * * * * * * * *				
(e) Su	ch works to be loc		(Legal subdivision	of Sec.
				uj sec.
(No N or S	, R	orW()		•
	water to be retur			•

(h) The use to which power is to be applied is(i) The nature of the mines to be served .....

, Sec. , Tp. ...

. W. M.

## WEYERHAEUSER COMPANY KLAMATH FALLS BRANCH

KF1211

Area to be watered by Long Creek T. 32 S., R. 15 E., W.M.

				•																																
asn													Future	=	=	=	=	=	=	=	=		=	=	=	=	=	=	=	=				:	=	11
3535														×	×	×					X	X	×			×	×	×						×	^	:
SASE											,1.			×	×	×	X				X	X	X			×	×	×						×	*	×
NWSE														×	×	×					X	Х	X			×	×	×	×					×	*	
NESE														×	×	×				Х	X	X	X			×	×	×	×					×	×	
SESW													×	×	×	×	×		×		X	X	X	X	×	×	X	×						×	×	×
SWSW													×	×	×	×	×				X	X	X	X	×	×	×	×						×	×	×
MSAN													×	×	×	×					X	X	X	X	×	×	×	×						×	×	×
NESW													×	×	×	×	X			-	X	X	X	X	×	×	×	×	×					×	X	×
SENW													×	×	×	×	Х				X	X	X	X	×	×	X		×					×	×	×
SWIM													×	×	×	×	Х				X	X	X	X	×	×	×		×					×	×	×
NMM													×	×	×	×	X	×		X	X	X	X	X	×	×	×		×					×	Х	×
NEW													×	×	X	X	X	×		X	X	Х	X	X	×	×	X			×				×	×	×
SENE														×	×	×				Х	×	Х	X			×	X	X					Х	X	×	
SWNE														×	×	×	×			×	×	×	×			×	X	X					X	×	×	×
NWNE														×	×	×	×	×	×	×	X	×	×			X	×	X		×			X	×	×	×
NENE														×	×	×	×	×	×	×	×	×	×			X	×	X		×			Х	X	×	
SECTION	1	2	3	7	5	9	7	8	6	10	11	12	13	14	15	j6	17 . 1	18	19.	R				7 77	25	7	Le		39	30	31	32	23	•	,	
Ь	لــــا					ليا	Ц_	ـــــا		ш		لــا		Ш	1		_1			۲	Ľ	`"	`4	٠,	`'4	`'	4	1	, U	17	(*)	1	6	Ϋ́		- 1

. 6

### WEYERHAEUSER COMPANY KLAMATH FALLS BRANCH

KF1211

## Area to be watered by Long Greek T. 33 S., R. 15 E., W.M.

ſ		؛ ٦	_	-	7	-	7	_	-	_	7	_	_	_	_	-	_	_		_	_	_	_	_	_	_		_	-			_		_	_	 
	n SE	Puture	=		2					14	=	:	=	11-2-1	11		=																			
	SESE		×	X	×					X		X	Х												,											
	SWSE		X	X	Х					Х		X	×														İ									
	NWSE		×	×	X				×			X	X		X																					
	MESE		X	X	Х					X	X	X	X		Х																					
	SESW		X	X	Х							X	X																							
	SWSW		X	X	Х							×	×		X													-								
	MOM		. Х	×	X							X	×																							
	NESM		×	×	X				×			×	×		×																					
	SENW	×	×	X	×				Х	×	Х	X	X	×			×																			
	SWIM	×	×	×	×			-		×	×	X	×	×			×																			
	NWNW	×	X	×	×					×	X	X	×	×				-																		
	NEW	×	×	×	×				×	×	×	×	×	×																						
	SENE		×	×	×				×	×	×	×	×				×												  ::							 
	SWINE		×	×	×				×	×	×	×	×				×																			
	NWNE		×	×	×				×	×	×	×	×	×			×																			
	NENE		×	×	×				×	×	×	×	×	×			×									-										 
	-		:	$\vdash$			-	-	1	<b>-</b>	-	_		H	-		-	-	<u> </u>					-		-			_	-	-	-				
	SECTION	,	,	3		5												7	~	~									-					_		
-		1	١'`	ľ	7	٦,	9	-	ω	0	12	7	1	~	17	5	12	1 -	18	14	ଥ	7	N	á	ार्त	25	M	27	13	8	Ç	17	1,7	1	į . '	

ď

## WEYERHAEUSER COMPANY KLAMATH FALLS BRANCH

KF1211

Area to be watered by Sycan River

T.33 S., R.14 E., W.M.

Puture SESE SASE MASE MESE SESW SWSW NE CE × MESM SENW NA NA MAN × NE NE SER SWNE NENE SECTION 24225 বেপ্ল 20/20

# WEYERHAEUSER COMPANY KLAMATH FALLS BRANCH

Area to be watered by Sycan River T. 33 S., R. 15 E., W.M.

ſ		1	7	_	Т	·_	_	_	_		7-	Т	7	7		_	т-	<b>-</b>	_		_	_		_		_	_	_		<b>-</b> ,-	_		_	_			_	_		
	nze																		50.4.60	in a second	=	:	=		=	=							=	11				=	-	
	SESE				-														>	< ×	<	×	×	×	<b>&gt;</b>					!			>	<b>4</b> >	;	4 :	<b>+ ▼</b>	×		
	SMSE														-				,	×	,	Y	×	×	>	,	1	Ī					>	<b> </b> >	,	,	4:	×		1
	MASE																	Ī	,	×	6 >	4	×	×	×	,	1						>	•	<b> </b>	1,	<b>†</b>	*	1	1
	NESE																		×	×	*	†	×	X	×	  -						×	>	×	<b> </b>	<b>+</b>	4:	X	+	
	SESW																		×	×	: >	<	×	X	×	×					×	×	×	×	>	>	1:	4	×	
	SWSW															-			×	×	>	<b>\</b>	×	×	×	×					×	×	×	×	<b>X</b>	>	;	<b>→</b>	×	+
	NWSW																		×	×	*	<b>(</b> :	×	×	×				<del>  .</del> 	†	<u></u>	×	×	×	×	: >	1 >	<b>v</b> :	×	•
	る。																		×	×	×	:	×	×	×						×	×	×	-  ×	×	×	>	<:	4	-
	SENW																		×	×	×		×	×	×						×	×	×	×	×	   ×	>	4 >	<b>A</b>	
	SWNW					-													×	×	×	+	+	×	×						×	×	~	;=:	×	×	<u> </u>	: >	4	
	NMNN																			×	×	:::	+v	;,	×						×	×4	×		 :<	i :-⊲	<u>.</u>	; ; >	4	•
	NENW																			×	×		\ \ 	,	Х		,		1		:<	>:	:-:	:<	··:	:-1		÷ :-	4	
-	SENE					-														:<	×	! !	√ :	4	:<	:<		•				×	×	14	:4	4		٠		
	SWNE													:		:				×	×	:	ς;	× .	×	:<	•		!		:-1	:4	ν,	240	×	:-4	· .			*
	NAME									-				!	!	-				×	×	·	+	4	×	- 1				+		<b>-</b>	×	×:	 :<	-1	 >:			
	NENE									1	-		!	:	+	<del>-</del>	+		-	×	×	<u>`</u>	· : ;	4	×	×			i	+		 স্ব	<u>.</u>	: :N	٠.,	:4	::		•	:
	SECTION								+				i	-																							-			
		٦	-4	"	₽.	5	۳	1	79	9	ما	9	7	0	4 5	1	킈	7	g	77	20	्	١	d :	-	્પ	섥	7	4	$\mathfrak{S}$		ę į	7				٠,			

unicipal or Domestic Supply		3:
10. (a) To supply the city of	•	
	rnt population of	
d an estimated population of	· ·	
(b) If for domestic use state number of	f families to be supplied	
·	. 25, 13, and 16 in all cases)	
11. Estimated cost of proposed works, \$		
•	we No construction necessary, portable	
	equipment presently available. or before	
	the proposed use on or before. See remarks be low.	
11. The water win be completely applied to t		· <u>-</u>
	WEYERHAEUSER COMPANY  KIAMATH BALLS BRANCH  JOHN STREET	-
	(Signature of applicant)	• • • •
	Woods Manager	
	urces will be used while logging	
To the second se	s 32 & 33 South, Ranges 14 & 15 East, W. M.	<b>!</b>
•	ring the dry season according to the	·····
ogging requirements of our sustained y	ield program.	•
Drwg. K203-4		••••
	in the second se	
		••••
		••
	r	
·		
	<u> </u>	
TATE OF OREGON,		
County of Marion,		
This is to certify that I have examined the	foregoing application, together with the accompanyi	ng
aps and data, and return the same for	en de la companya de La companya de la co	
·		
	ion must be returned to the State Engineer, with corre	
ons on or before		tc-
	, <i>13</i>	
WIMMING		
WITNESS my hand this day of		
	-	

### STATE OF OREGON,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

· · · · · · · · · · · · · · · · · · ·						ed to beneficial us
and shall not exceed	0.30	cubic fee	t per second	i measured a	the point of	diversion from the
stream, or its equivalent	in case of	rotation wit	h other wa	ter users, from	n Long Cre	ek and Sycan
River; being 0.15 c						
War see the second second				***************************************		
The use to unhigh a						THE CONTROL OF THE SECTION OF THE CONTROL OF THE CO
The use to which t						<b>&amp;</b>
	•••		i	***************************************		· · · · · · · · · · · · · · · · · · ·
••••	·····	•••••	······			
If for irrigation, th	is appropri	ition shall b	e limited to		<u> </u>	of one cubic foot per
second or its equivalent f	ior each acre	rrigated				
			*			
••••		••••••••••	<u></u>			
			***************************************			
•						
ınd shall be subject to su	ch reasonal	le rotation	sustem as m	nas he ordered	by the prope	m otata office-
The priority date o					og the prope	r state officer.
Actual construction						essary and shall
hereafter be prosecuted	with reason	able diligen	ice and he c	completed on a	ir hefore <b>Detë</b>	BOYCLOOK TÂX
Complete application	on of the we	iter to the p	roposed use	shall be mad	e on or before	October 1 19 -
WITNESS my hand	d this 1	7 <sup>th</sup> da	y of	Ка <b>у</b>	, 19. 7	1 .
				Sun	w do as	i Janklo
		-	•		च्या सम्बद्धाः	STAFE FUGINEER
	the	:			of	<b>≥</b> <sup>3</sup>

Application No. 34785

Permit No. 7283

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the

office of the State Engineer at Salem, Oregon the May of Aul.

19 6, at B. Wo'clock A. M.

Returned to applicant:

Approved.

Nay 17, 1961
Recorded in book No.

72

Permits on page

LEATS A. STANLEY STATE ENGINE

Drainage Basin No. 14

Fees

State Printing 186137