*APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I,	Weyerhaeuser Compan			
of .	P. O. Box 651	(Name of appli Klas	math Falls	
_	(Mailing address)			
State of	Oregon	, do hereby m	ake application fo	or a permit to appropriate the
following d	escribed public waters of the	e State of Oregon, S	SUBJECT TO EX	ISTING RIGHTS:
If the	e applicant is a corporation, g	jive date and place	of incorporation	State of Washington,
anuary 18	1900 Licensed to	do business in	the State of O	regon.
1 Ti	ne source of the proposed app	ropriation is Long	, Leonard, & B	rownsworth Creeks; South
ork Sprag	que River; Box Springs	, a tributary o	f Sprague R	iver
2. TI	re amount of water which the	e applicant intends t	o apply to benef	cial use is
c ubic feet- p	er-second440 g.p.m. Pe	r 8 hours from a	all sources.	quantity from each)
**3. T	he use to which the water is t	to be applied is!	Road sprinklin	
truck_	logging.			, maintaine, doubles apparent, exc.
4. TI	he point of diversion is locat	edfk-nm	ana and an ana	fkf rom the
corner of	(Attachment)	ţn.	or 8.)	(E. or W.)
		(Section or su	bdivision)	
•	•••••			
*		······································		***************************************
	/19 maden	able sine distance and bearing		
***************************************	(
h nim m smish i	(If there is more than one point o		- "	
oeing withi	n the(Give smallest	legal subdivision)	ој Sec	(N. or S.)
R. (E. or W.	, W. M., in the county of		••••••	
5. T	he None (Main ditch, es	•••••	to be	
	erminating in the(8m			
R(E. o	, W. M., the propose	d location being sho	wn throughout or	n the accompanying map.
•	,	DESCRIPTION OF	WORKS	
Diversion V		310CM11 110M 01	WOMES	
6. (a	1) Height of dam Non	e feet, length	on top	feet, length at bottom
	feet; material to be use	ed and cháracter of	construction	(Loose rock, concrete, masonry
Sump in o	creek bed timber crib, etc., wasteway over or around	d dam)	•	······································
(b) 1	Description of headgate	None (Timber,	concrete. etc., number as	nd size of openings)
	•,			······
(c) 1	f water is to be pumped give	e general description	4" centrii	ugal pump driven by
15 h	p. gasoline engine - p	ortable type.		
			*******	· · · · · · · · · · · · · · · · · · ·

^{*}A different form of application is provided where storage works are contemplated.

esApplication for permits to appropriate water for the generation of electricity, wifa the exception of minimpalities, must be made to the Hydroelectric Commission Either of the above forms may be secured, without cost, logether with instructions by addressing the State Engineer, Salem, Oregon.

idgate. At head	lgate: width on t	op (at water lir	re)	feet; width on bottom
				feet fall per one
usand feet.			•	
			igate: width on top (at wat	
• *	feet; width on be	ottom	feet; depth of	water feet
ade	feet fall	per one thousa	nd feet.	·
(c) Length	of pipe	ft.; si	ze at intake,	in.; size at ft
m intake	in.;	size at place of	use in.; d	ifference in elevation between
take and place	of use	ft. Is	grade uniform?	Estimated capacity
•		·		•
8. Locatio	sec. ft. n of area to be i	rrigated, or plac	ce of use truck roads	in adjacent area.
Township	Range S. or W. of	Section	Forty-acre Tract	Number Acres To Be Irrigated
North or South	Willemette Meridian			Annual Service - Annual College College Administration for College Col
See St	eets Attache	1.		
			`	
(a) C	ht t!		required, attach separate sheet)	
	haracter of s oil .			
` '	lind of crops rais	ed	*	
Power or Minir	ig Purposes— otal amount of p	ower to be devi	eloned	theoretical horsepou
•				sec. ft.
	Quantity of water			sec. jt.
	otal fall to be ut			
(d) 7	The nature of the	works by mean	is of which the power is to	be developed
				e e e e e e e e e e e e e e e e e e e
(e) S	Such works to be	located in	(Lega! subdivision)	of Sec.
				a.
	rs) R. (No			
(7) 1	s water to be re		(Yes of No)	·
			oint of return	

(i) The nature of the mines to be served

4. The points of diversion are located:

Long Creek - 847.96 ft. N. 13° 42' W. of SE. corner, Sec. 24, T. 36 S., R. 15 E., W. M.

Leonard Creek - 1,700.18 ft. S. 38° 41' E. of W. ½ corner, Sec. 20, T. 36 S., R. 16 E., W. M.

Brownsworth Creek - 338.86 ft. S. 42° 22' E. of NW. corner, Sec. 28, T. 36 S., R. 16 E., W. M.

South Fork Sprague River- 1,201.04 ft. N. 18° 20' W. of E. ½ corner, Sec. 14, T. 36 S., R. 16 E., W. M.

Box Springs - 620.30 ft. N. 31° 18' W. of SE. corner, Sec. 1, T. 36 S., R. 16 E., W. M.

KF1211

COMPANI	BRANCH	
しょうかん	ຜູ	
WEIERRAGUSER	KLAMATH	
-	_	

U	asn .	Future : : : : : : : : : : : : : : : : : : :
٥	8	×××
-	SWSE	××××
w. Ary	3S MAK	***
	(4) (3) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4	MMMM
	(* F) (*)	** ***
•		* ***
•		× ××××
	成 股	× ×××
	(a)	×××
; ;	3	×××
:	<u> </u>	×××
	34 ·	××××
	(a)	****
		×××××
		×××××
		×××××
1 .		• • • • • • •

Krieli Š

WEYERHAEUSER COMPANY KLAMATH FALLS BRANCH

-	USE		E E E E	= = = =		=====	
عط	X X		X	××××	×××	×××	
,	SWSE			××××	×	×××	
	NWSE		××	XXXX	4	×××	
	NESE		××	XXX	4	××××	
	SESW		××	***	<× ××	××××	
	75. 17.		×××	. × × × ×	<× ××	××××	
•	3.		×	****	<× ×	××××	
¥. ¥	系		× ×	****	4×× ×	×××	
R. 16E.,	CENT		,	***	×××	×××	
6 S., F	SW SW		×	***	×××	××××	
T.36	<u></u>		´ ×	××××	××××	****	: :
T.36 S., R. 16E.	<u>े</u> सु			××××;	××× ×	****	
	면 변		*	×××	××× ××	< ××××	
		The state of the s	××	×××	×××	×××	
	щ :	And the second process of the second process	×	×××	× × ×	××××	•
	31 12 12		××	×××	××× ×	××××	
			111		3 4 4 4		

KFI211

WEYERHAEUSER COMPANY KLAMATH FALLS BRANCH

	USE		
z	3535 3535	*	
	SWSE	×	
	MWSE		
	KF.SE		
	ASE:	×	
	3. if	××	
	25.	××	
T. 36S., R.17 E., W.M.		×	
, R.17 I	18.18.C	×	
T. 36S., R.17	3	×	
		× ×	
		a salah diring birasa salah di salah di salah	
	. 현 - 런 	· record names larger securi, escape, scar	
		××	
•	3	X X - 1 X	2 - 0 0 - 1 110 11 2 2 8 3 2 2 3 2 3 8 2 8 2 8 2 8 2 8 2 8

	<i>!</i>
n estimated population ofi	m 19
(b) If for domestic use state number of fam	ilies to be supplied
(Answer questions II, 19, 13, 4	and 14 in all cases)
11. Estimated cost of proposed works, \$None	· · · · · · · · · · · · · · · · · · ·
12. Construction work will begin on or before No.	construction necessary, portable
ec	uipment presently available.
13. Construction work will be completed on or be	
14. The water will be completely applied to the pr	I TOTAL PROPERTY COMPANY
below.	WEYERHAEUSER COMPANY MAMATH FALLS BRANCH
·	Timent W Broger
	(Signature of applicant) Woods Manager
Remarks:	•
The water from these sources will	be used for road sprinkling while
logging Weyerhaeuser Company timber in	Township 36 South, Ranges 15, 16 &
17, W. M.	
This will be intermittant use du	
logging requirements of our sustained y	
Drwg. K203-3	Leld program,
Drwg. K203-3	ield program,
TE OF OREGON.	ield program,
TE OF OREGON. ounty of Marion,	ield program,
TE OF OREGON. Ss. ounty of Marion, Ss. This is to certify that I have examined the fore	going application, together with the accomp
TE OF OREGON. ounty of Marion, This is to certify that I have examined the fores and data, and return the same for	going application, together with the accomp
TE OF OREGON. ounty of Marion, This is to certify that I have examined the fores and data, and return the same for	going application, together with the accomp
TE OF OREGON. ounty of Marion,	going application, together with the accomp
TE OF OREGON. ounty of Marion, This is to certify that I have examined the fores and data, and return the same for In order to retain its priority, this application n	going application, together with the accomp
TE OF OREGON. ounty of Marion, This is to certify that I have examined the fores and data, and return the same for In order to retain its priority, this application n	going application, together with the accomp
TE OF OREGON. ounty of Marion, This is to certify that I have examined the fores and data, and return the same for In order to retain its priority, this application n	going application, together with the accomp

STATE OF OREGON,

County of Marion

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of	water which can be applied to beneficial use
and shall not exceed0.45 cubic feet per second	· · · · · · · · · · · · · · · · · · ·
stream, or its equivalent in case of rotation with other wat	
Creek, Brownsworth Creek, South Fork Sprague R	
appropriation from any one source shall not ex	
The use to which this water is to be applied is	
If for irrigation, this appropriation shall be limited to	
second or its equivalent for each acre irrigated	
<u> </u>	
•	•
	
and shall be subject to such reasonable rotation system as m	
	ril 10, 1961
Actual construction work shall begin on or before	No construction necessary and shall
thereafter be prosecuted with reasonable diligence and he c	completed on or before Cocober ACCOCAL
Complete application of the water to the proposed use	shall be made on or before October 1, 19 14
WITNESS my hand this 17th day of	NAY 1991
	STATE ENGINEER

Application No. 34736

Permit No. 37,36.1

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the

This instrument was jirst received in the office of the State Engineer at Salem, Oregon, on the day of Colors. H. M.

Returned to applicant:

May 17, 1961

Approved.

Recorded in book No.

Permits on page

LEVIS A. STANIEY STATE ENGINEER

Draina je Basın No. 14

State Printing 98137