*APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I, Weyerhaeuser Company, a Washington Corporation (Name of applicant)	
of P. O. Box 651 . Klamath Falls	,
State of Oregon do hereby make application for a permit to appropriate	the
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:	
If the applicant is a corporation, give date and place of incorporation State of Washington	.
January 18, 1900 licensed to do business in the State of Oregon.	
1. The source of the proposed appropriation is Spencer Creek & Grubb Springs (Name of stream)	
, a tributary of Klamath River	
2. The amount of water which the applicant intends to apply to beneficial use is	
cubic feet per second 440. g.p.m. per 8. hours from all sources (If water is to be used from more than one source, give quantity from each)	
**3. The use to which the water is to be applied is Road sprinkling in conjunction with (trigation, power, mining, manufacturing, domestic supplies, etc.)	
truck logging.	
4. The point of diversion is located	
corner of1,883.51 ft. S. 73° 11' W. of E. 2 corner Sec. 15, T. 39 S., R. 6 E. W.M. (Section or subdivision)	. ;
1,578.98 ft. N. 45° 04' W. of E. & corner Sec. 11, T. 39 S., R. 6 E., W.M.	
(If preferable, give distance and bearing to section corner)	
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)	
being within the of Sec, Tp (N or S)	.
R, W. M., in the county of	
5. The None to be (Main ditch, canal or pipe line) (Miles or feet)	
in length, terminating in the	
R	
(& OF W.)	
DESCRIPTION OF WORKS Diversion Works—	
6. (a) Height of dam None feet, length on top feet, length at bott	om
feet; material to be used and character of construction	
Sump in creek bed rock and brush turber crib, etc., wasteway over or around dam)	יחתי
(b) Description of headgate None (Timber, concrete etc. number and size of operangs)	
Concert, concrete the manufer and size of operangs.	
(c) If water is to be pumped give general description 4" centrifugal pump driven by state and type of pumps	
15 h.p. gasoline engine, portable type. (Size and type of engine or motor to be used total head water is to be effect that	i.

**Application for permits to appropriate water for the generation of electricity with the exception of mone pathons must be made to the Hydroelectric Commission. Either of the above forms may be secured without cost, together with instructions by addressing the State Engineer. Salem Gregon.

^{*}A different form of application is provided where storage works are contemplated.

Canal System or I		None				
7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from						
headgate. At headgate: width on top (at water line) feet; width on bottom						
thousand feet. (b) At		water miles from he	feet; grade adgate: width on top (at wate	feet fall per one r line)		
	fect; width on	bottom	feet; depth of u	rater feet;		
grade	feet fa	ll.per one thou	sand feet.			
(c) Length	of pipe.	ft.;	size at intake.	in.; size at ft.		
from intake in.; size at place of use in.; difference in elevation between						
intake and place	of use,	ft. Is	s grade uniform?	Estimated capacity.		
8. Location	sec.ft.	irrigated-or pl	ace of use truck roads in	ı adjaçent area		
Township North or South	Range E. or W. of Willimette Meridian	Section 5	Resty-anso-Track	Number Acres To Be triested.		
38 S	6 E	S½S½ 3;	NEŁ 4; EŁ & SWŁ 6; 8;	WZEZ, SENW, EZSW &		
		SWSW 10;		S ₂ S ₂ 18; N ₂ & SE ₂ 20;		
	•	NEŁ & E½ SE	k 21; 22 except SENW; W			
	The second secon	1	VNE; 27 except SኒSWኒ; 32	1		
		}	, N½ NW, SWNW, N½ SW 35			
39 s	6 E	1; 2; 3; W ₂	4; 8; E½ 9; 10; 11; 12;	13; 14; SE 15; 16;		
		E' 21; 22;	23; 24; 25; 26; 27; 28;	33; 34; 35 & 36;		
38 s	• 7 E	21; 22; 23;	24; 25; 26; 27; 28; 32;	33; 34 & 35		
39 s	7 E	2; 3; 4; 5;	6; 7; 8; 9; 10; 11; 14;	15; 16; 17; 18; NEL,		
		N½NWŁ, SWŁ,	E SEŁ & SWSE 19; 20; 2	1; 22: 23; 24 & 26.		
		Of more space a	required attach segments sheet			
(a) Cha	racter of soil					
	d of crops raise	ed .				
Power or Mining 9. (a) Total		ower to be dere	dor of			
				there is a real end of the		
(b) Quantity of water to be used for power sec. ii. (c) Total fall to be utilized.						
(d) The nature of the works by means of $\mathbb{R}^{d+d+d+d}$ is a proof of the verification						
		, , , , , , , , , , , , , , , , , , ,	· · · · · · · · · · · · · · · · · · ·			
(e) Suc	h works to be l	ocated in		al Sec		
Tp.		. W. M	de alesto i in in			
		e eew Thed to any str				
(g) If so, name stream and locate point of return						
. Sec						
(h) The	use to which j	oower is to be a	(No Nor S)	(No. F. o. W		

(i) The nature of the mines to be served

Municipal or Domestic Supply—	State of the state
10. (a) To supply the city of	
County, having a present	population of
and an estimated population of	
(b) If for domestic use state number of fi	amilies to be supplied
(Answer questions II, 12,	
11. Estimated cost of proposed works, \$ None	
12. Construction work will begin on or before	
13. Construction work will be completed on or	equipment presently available.
14. The water will be completely applied to the	proposed use on or before July 1, 1961 WEYERHAEUSER COMPANY
·	KLAMATH FALLS BRANCH
	(Signature of applicant)
	Woods Manager
•	
	be used for road sprinkling while
logging Weyerhaeuser Company timber in T	ownships 38 and 39 South, Ranges 6 and
7 East, W. M.	
This will be intermittant use dur	ing the dry season according to the
logging requirements of our sustained yi	
	•
STATE OF OREGON,	
County of Marion,	
This is to certify that I have examined the fo	regoing application, together with the accompanying
maps and data, and return the same for	
In order to retain its priority, this application	must be returned to the State Engineer, with correc-
	9
•	· · · · · · · · · · · · · · · · · · ·
WITNESS bank a	
WITNESS my hand this day of	

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of	water which can be applied to beneficial us
and shall not exceed	measured at the point of diversion from the
tream, or its equivalent in case of rotation with other wate	
Grubb Springs; being 0.15 c.f.s. from each	
The use to which this water is to be applied is log	
•	
<u> </u>	
If for irrigation, this appropriation shall be limited to	
econd or its equivalent for each acre irrigated	
······································	
· · · · · · · · · · · · · · · · · · ·	
······································	
· · · · · · · · · · · · · · · · · · ·	
· · · · · · · · · · · · · · · · · · ·	
	·
nd shall be subject to such reasonable rotation system as nu	
	_ April 10, 1961
Actual construction work shall begin on or before	No construction necess W and shall
hereafter be prosecuted with reasonable diligence and be co	ompleted on or before CESSEET IN THE
Complete application of the water to the proposed use	shall be made on or before October 1-19 17
WITNESS my hand this 17" day of	19 F3 .
	The state of the state of
	STATE WALINFER
d d ci - g	· .
3LIC 3. Oregon, 6. Oregon, 6.	ें वे
M. M.	r i kanakaran kanaka Kanakaran kanakaran

Application No. 34787 Permit No. ... 3. 14.26

PERMIT

TO APPROPRIATE THE PU WATERS OF THE STAT OF OREGON

This instrument was first recei

office of the State Engineer at Salem, on the MD day of Chilles 1961, at 8:000 clock: A. M.

Returned to applicant:

Approved.

Recorded in Pook No. Permits on page

2

May 17, 1961

LENIES A. STAUGHY

Dramege Bass No

Fees

State Printing 90.37