

*APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, C. E. Jones (Name of applicant)
 of Route 3, Box 526, Corvallis (Mailing address),
 State of Oregon, do hereby make application for a permit to appropriate the
 following described public waters of the State of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is secondary channels and sloughs of the
(Name of stream)
Willamette River, a tributary of Columbia River

2. The amount of water which the applicant intends to apply to beneficial use is 6.7
 cubic feet per second, being 2.5 c.f.s. from the Slough with any deficiency being made up from
(If water is to be used from more than one source, give quantity from each) / the Willamette R.

**3. The use to which the water is to be applied is irrigation
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located ft. and ft. from the
(N. or S.) (E. or W.)
 corner of
(Section or subdivision)

See attached descriptions

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the of Sec. , Tp. ,
(Give smallest legal subdivision) (N. or S.)
 R. W. M., in the county of Benton
(E. or W.)

5. The pipe line is portable to be
(Main ditch, canal or pipe line) (Miles or feet)
 in length, terminating in the several 1 1/4 sections of of Sec. 23, 26, 25, 35, 36, Tp. 12 S,
(Smallest legal subdivision) (N. or S.)
 R. S. W., W. M. as outlined on map
(E. or W.) the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom
 feet; material to be used and character of construction
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description See attached information
(Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, approx. 20,000' 6, 5, 4 & 3 inch aluminum pipe available for total sy ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use. 20 ft. Is grade uniform? Estimated capacity, 6.7 sec. ft.

8. Location of area to be irrigated, or place of use

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
12S	SW	23	SW $\frac{1}{4}$ NE $\frac{1}{4}$	3
"	"	"	NW $\frac{1}{4}$ SE $\frac{1}{4}$	36
"	"	"	NE $\frac{1}{4}$ SE $\frac{1}{4}$	1
"	"	"	SW $\frac{1}{4}$ SE $\frac{1}{4}$	40
"	"	"	SE $\frac{1}{4}$ SE $\frac{1}{4}$	7
"	"	"	SE $\frac{1}{4}$ SW $\frac{1}{4}$	21
"	"	"	SW $\frac{1}{4}$ SW $\frac{1}{4}$	2
"	"	26	NW $\frac{1}{4}$ NW $\frac{1}{4}$	16
"	"	"	NE $\frac{1}{4}$ NW $\frac{1}{4}$	40
"	"	"	NW $\frac{1}{4}$ NE $\frac{1}{4}$	40
"	"	"	NE $\frac{1}{4}$ NE $\frac{1}{4}$	18
"	"	"	SW $\frac{1}{4}$ NW $\frac{1}{4}$	7

(If more space required, attach separate sheet)

(a) Character of soil silt loam with some gravel areas Con't. on attached sheet

(b) Kind of crops raised horticulture, forage, legume seed

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

LOCATION OF AREA TO BE IRRIGATED (Cont.)

<u>Township</u>	<u>Range</u>	<u>Section</u>	<u>40-Acre Tract</u>	<u>Number Acres to be Irrigated</u>
12S	SW	26	SE $\frac{1}{4}$ NW $\frac{1}{4}$	36
"	"	"	SW $\frac{1}{4}$ NE $\frac{1}{4}$	36
"	"	"	SE $\frac{1}{4}$ NE $\frac{1}{4}$	10
"	"	"	NE $\frac{1}{4}$ SW $\frac{1}{4}$	21
"	"	"	NW $\frac{1}{4}$ SE $\frac{1}{4}$	40
"	"	"	NE $\frac{1}{4}$ SE $\frac{1}{4}$	1
"	"	"	SE $\frac{1}{4}$ SW $\frac{1}{4}$	18
"	"	"	SW $\frac{1}{4}$ SE $\frac{1}{4}$	40
"	"	"	SE $\frac{1}{4}$ SE $\frac{1}{4}$	26
"	"	25	SW $\frac{1}{4}$ SW $\frac{1}{4}$	8
"	"	"	SE $\frac{1}{4}$ SW $\frac{1}{4}$	5
"	"	35	NE $\frac{1}{4}$ NW $\frac{1}{4}$	1
"	"	"	NW $\frac{1}{4}$ NE $\frac{1}{4}$	3
"	"	"	NE $\frac{1}{4}$ NE $\frac{1}{4}$	15
"	"	"	SE $\frac{1}{4}$ NE $\frac{1}{4}$	21
"	"	"	NE $\frac{1}{4}$ SE $\frac{1}{4}$	2.5
"	"	36	NW $\frac{1}{4}$ NW $\frac{1}{4}$	10
"	"	"	SW $\frac{1}{4}$ NW $\frac{1}{4}$	9
"	"	"	NW $\frac{1}{4}$ SW $\frac{1}{4}$	1.5
			Total	537.0

DESCRIPTION OF DIVERSION POINTS FOR APPROPRIATION OF PUBLIC WATERS

Pump station Rickard No. 1 located 1259.2' West, 1075.4' South of the northeast corner of the Samuel Gage D.L.C. No. 57; said corner located in SW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 23 and said pump is located in the NW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 23, T. 12 S, R 5 W, W.M.

Pump station Rickard No. 2 located 869.6' West, 852.7' North of the common corner of Sections 25, 26, 35, 36, T. 12S, R 5W. Said pump station located within the SE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 26.

Pump station Rickard No. 3 located 280.9' North, 1124.5' East of the northwest corner of John Baker D.L.C. No. 59; said corner located in the NW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 35, and said pumping station located in the NE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 35, T. 12S, R 5W, W.M.

Pump Station Rickard No. 4 located 2073.4' East, 1956.4' North from the center of Sec. 26; said pump station located in the NE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 26, T. 12S, R 5W, W.M.

Pump Station Rickard No. 5 located 1568.3' West, 493.2' North from the center of Sec. 26; said pump station located in the SW $\frac{1}{4}$ NW $\frac{1}{4}$, T 12S, R 5W, W.M.

Pump Station Rickard No. 6 located 2,054.1' West, 1420.3' North from the center of Sec. 26; said pump station located in the NW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 26, T. 12S, R 5W, W.M.

Pump Station Rickard No. 7 located 263.0' South and 1,443.4' East from the center of Sec. 26; said pump station located in the NE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 26, T 12S, R 5W, W.M.

Pump Station Payne No. 6 located 592.9' East and 1443.7' South from the common corner of Sec. 25, 26, 35, 36, T 12S, R 5W, pump station located in the SW $\frac{1}{4}$ NW $\frac{1}{4}$ of Sec. 36.

Item 6-C

DESCRIPTION OF PUMPING EQUIPMENT

Within two or three years all pumping stations will be operated by electricity. In 1961 pump station Rickard No. 7 and possibly Rickard No. 2 will be supplied with a diesel unit.

All pumping to be done with centrifugal type pumps matched to power units. Pump units may be shifted from station to station within the transformer capacity available.

All electric motors to be three phase units with attached centrifugal pumps of matching capacity.

Pump Station Rickard	No. 1	20 h.p. maximum
"	" No. 2	40 h.p. "
"	" No. 3	40 h.p. "
"	" No. 4	40 h.p. "
"	" No. 5	20 h.p. "
"	" No. 6	20 h.p. "
"	" No. 7	Undetermined - estimated at 25
"	Payne No. 6	20 h.p. maximum

10. (a) To supply the city of _____
County, having a present population of _____
(Name of) _____
and an estimated population of _____ in 19 _____

(b) If for domestic use state number of families to be supplied _____

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 25,000
- 12. Construction work will begin on or before started
- 13. Construction work will be completed on or before Oct 1, 1962
- 14. The water will be completely applied to the proposed use on or before Oct 1, 1963

C. E. Jones
(Signature of applicant)

Remarks: An estimated 30 acres described in this application is currently brushy. These brushy areas are located at various points around the perimeter of present fields. This brush will be cleared in 1961 and 1962.

Most of the indicated acreage in Sec. 35 and 36 were previously filed upon under permits 26125 in June 22, 1959; G 1334, April 22, 1959. These permits will be abandoned in favor of new pumping stations. *C.E.J.*

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19 _____

WITNESS my hand this _____ day of _____, 19 _____

STATE ENGINEER

By _____ ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, }

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 6.7 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Willamette River and unn. slough; being 4.2 c.f.s. from Willamette River and 2.5 c.f.s. from unnamed slough; water to be diverted from unnamed slough when available and any deficiency in the available supply in unnamed slough is to be made up by diversion from Willamette River, providing that the total quantity diverted from both sources shall not exceed 6.7 c.f.s.

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is April 20, 1961

Actual construction work shall begin on or before June 26, 1962 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1963

Complete application of the water to the proposed use shall be made on or before October 1, 1964

WITNESS my hand this 26th day of June 1961

Lewis A. Stanley
STATE ENGINEER

Application No. 34839
Permit No. 22360

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 20th day of April 1961, at 3:45 o'clock P. M.

Returned to applicant:

Approved:

June 26, 1961
Recorded in book No. 75 of
Permits on page 433

LEWIS A. STANLEY
STATE ENGINEER

Drainage Basin No. 2 page 74 A. 3

Fees