AMENDED *APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I, Hart Lake Water Users Association (Name of ap	A Non-Profit (Corporation
c/O Forrest E. Cooper, Attorney,		Y
(Mailing address) State of, do hereby	maka application for a	permit to appropriate the
,		
ollowing described public waters of the State of Oregon	, SUBJECT TO EXISTI	NG RIGHTS:
If the applicant is a corporation, give date and place	e of incorporation Dec	cember 11, 1950,
Lakeview, Wregon.		
1. The source of the proposed appropriation is Sta	ored water only. fr	on Hart Lake Reservoi
, a tributary	of	iream)
2. The amount of water which the applicant intend	s to apply to beneficial :	use is
rubic feet per second. 47,400 acre feet		
(If water is to be used from	more than one source, give quanti	
**3. The use to which the water is to be applied is	Upplemental Irriga (Irrigation, power, mining, manus	tion facturing, domestic supplies, etc.)
·		
4. The point of diversion is located ft.	and ft.	from the
corner of	4. or a./	a. or w.)
(Section of	subdivision)	
See Seperate Schedu	Le	
(If preferable, give distance and be	uring to section corner)	
(If there is more than one point of diversion, each must be		
	of Sec.	
(Give smallest legal subdivision)		(N. or S.)
R, W. M., in the county of Lake		
5. The (Main ditch, canal or pipe line)	to be	
in length, terminating in the	oj sec 	(N. or S)
R24 B	hown throughout on the	accompanying map.
DESCRIPTION O	F WORKS	
Diversion Works—	r works	
6. (a) Height of dam feet, length	h on top	feet, length at bottom
feet; material to be used and character of	of construction	(Loose rock, concrete, masonry,
rock and brush, timber crib, etc., wasteway over or around dam)		
(b) Description of headgate See Separat	e Schedule for Item	No. 4
(Timb	er, concrete, etc., number and size	of openings)
(c) If water is to be pumped give general descript	on	
(1) 2) and the set pumped give general acception	(Size an	d type of pump)
(Size and type of engine or motor to be used, to	otal head water is to be lifted, etc)	

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the sydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem,



Canal System or I 7. (a) Giv		each point of	canal where materially	changed in size, stati	ng miles from
headgate. At head	igate: width on	top (at water	line)	feet; wie	ith on bottom
thousand feet.	feet; depth of t		feet; grade		et fall per one
(b) At			eadgate: width on top (a		
	feet; width on l	bottom	feet; dept	h of water	feet;
grade		ll per one thou			
(c) Length	of pipe.	ft.:	size at intake.	in.; size at	ft.
		; size at place o	of use i	n.; difference in elev	ation between
intake and place	of use.	ft, 1.	s grade uniform?	. Estim	ated capacity.
8. Location	sec. ft.	irrigated, or pl	ace of use		
Township North or South	Range E or W. of Willimette Meridian	Section	Forty-acre Tract	Number Acres	To Be Irrigated
	SEE S	EPERATE, 4 P.	GE LISTING		

				<u>i</u>	
The state of the s					
AS AS AS					
-	TO CONTRACT OF SHAPE STORY CO.				
Action and the second s			1		
				• •	
			† - · · - · · · - · · j - ·		
for decimal survey of the first					
	'		required, attach separate sheet)		
	iracter of soil	p eat			
Power or Mining			hay and pasture		
	al amount of p			. theoretic	al horsepower.
•	antity of water		Doilet	Sec. ft.	
	al fall to be uti		He - 1		
(d) The	e nature of the	works by n ear	is of whice the nower is	to be developed .	
	to the second				•
(e) Suc	th works to be l	ocated in	(Leval subdivision)	of Sec.	
Tp. No N or S	, R	E or W.	1.		
(f) Is i	vater to be retu	rned to any st	ream?		
(g) If s			int of return	t to the second of	. •
		, Sec	, Tp	, R, . (No E o	, W. M.
(h) Th			pplied is		
(i) Th	e nature of the	minas to be see			

- the quarter section corner common to Sections 22 and 23 of T. 36 S., R. 24 h.W.M. Being within Lot 1 (NWLSWL) of Section 23 T. 36 S., R. 24 E.W.M. See also, Certificate No. 9076, priority date June 3, 1926.
- No. 7. Diversion consists of a 30" diameter pipe equipped with screw type rate. Located 150 ft. North and 300 ft. East from the quarter section corner common to Secs. 22 and 23 of T. 36 S., R. 14 E. V. M. Bein within Lot 4 (SW/NW/2) of Sec. 23 T. 36 S., R. 24 E.W.M. See also, Certificate No. 22,710 and 21,947 and 27,051.
 - 10. 3. Direct & pumping diversion. 15 ft. wide channel, old wooden floor, located 20 ft. East from the meander corner common to Secs. 14 and 23 of T. 36 S., R. 24 E.W.M. Being on the South side of the extended North line of Lot 3 (NWNNWN) of Sec. 23 T. 36 S., R. 24 E.W.M. See also, Certificate No. 22,210, 21,947 and 22,051.
 - No. 4. Direct & pumping diversion 10 ft. opening with concrete sill elevation 4477.25+ Located N. 20 03* East, 1376.4 ft. from the S.K. corner of Sec. 14 T. 36 S., R. 24 E.K.M. Peing within Lot 5(SWSW) of Sec. 14 T. 36 S., R. 74 E.W.M. See also Certificate No. 22,209, 72,710 and 12,316.
 - No. 5. Direct % numping diversion 16 ft. opening, concrete cill. elevation 4472.254/ located N. 41 53* East, 3099.5 ft. from the Sa corner of Sec. 14 Te36 S. R. 24 E.M.M. Being within Lot 3 (NEASAL) of Sec. 14 T. 36 S., Range 24 E.W.M. See also Certificate No. 27,109; 17,316.
 - No. 6. Direct & Pumping diversion 16 ft. opening. Concrete sill. Alevation L472.25+. Being N. 462 59* East 3462 ft. from the S.W. Corner of Section 14 T. 36 S., Range 24 E. W. M. Being within Lot 2 (MM,28L) of Sec. 14 1. 36 S., Range 24 E.W.M. See Also Certificate No. 19.429, 12, 13.
 - 20. 1. Direct Diversion 16 ft. opening. Concrete Sill. Elevation 2411. 51. Located approximately 3,000 ft. South and 700 ft. Eact from the 1.1. normer of Sec. 13 T. 36 S., R. 24 E.M.M. See Also Certificate 2.11, 7.
 - Mevation 4472.25 Located M. 772 18 East, 2745 ft. from the SW corner of Sec. 14 4. 36 S., R. 24 E.W.M. Being within Lot 12 (SWISWE) of Sec. 14 7. 36 S. a. 25 E.W.M. See also Certificate No. 27,239.

 - 10. Emergency headrate and wasteway. Located 25 ft. East from the maint end of the Hart Take Spillway. Heavy timber construction with (4ft. huidre and roadway over. 30 ft. wide by 3 ft. deep below bridge stringers. Two 14 ft. openings controlled by flash boards. Being within Lot 8 (NWANE) of Dec. 19 T 36 S. R. 25 E.W.M. Elevation of floor of this spillway in 4471.25.

		40 Agre Tract.	Acres Irrigated
T. 35 S.	R. 24 B.		
		a a femi will	20,00
Section 24		Lot 1 (NEt NAt)	
		Mt Mt	10.00
•		Lot 2 (SW MV)	40 . 00
		Lot 5 (SE Mt)	30 . 00
		Lot 6 (NET SHE)	38 . 00
		Lot 3 (Not Swt)	32.00
		Lot 4 (SWI SWI)	26.50
		Lot 7 (S½ SNŽ)	46.60
Section 25		Lot 6 (Nº INVA)	38 _• 80
200 WON 27	•	Lot 1 (Nit Mit)	32.00
		Lot 2 (SW NW	40.00
		Lots 3 & 7 (SEt Nit)	33.30
		Lot 4 (NEt Swit)	33.30
-		NW + SW +	40.00
		SWI SWI	40.00
		Lot 5 (SEt SWt)	33.30
0 2¢	•	ne‡ se‡	10.00
Section 35		SW# SE#	5.00
		SE + SE +	40.00
Section 36		Lot 1 (NE ¹ NW ¹)	33.30
Section 50	•	NW NW	40.00
•		Sui Wi	40.00
		Lot 2 (SEt NW1)	33.30
		Lot 3 (NEt SWt)	33.30
		NW SW	40.00
		ant ant	40.00
•		Lot 4 (SE‡ SW‡)	33.30
T. 35 S.	R. 25 E.		
Section 19		Lots 1 & 3 (SN t NW t)	10.00
-0002021 -7	•		
Section 30		Lot 9 (SWI NWI)	27.00
200 11011 70		Lot 15 (NE + SW+)	16.00
•	•	Lot 16 (NW# SW#)	32,00
		Lot 4 (SH \$ SH \$)	40.00
		Lot 17 (SE + SW +)	38.00
		Lot 14 (NW SEt)	25.00
		Lot 18 (SWI SEI)	23.00
Section 31		Lot 9 (NW NE L)	27.00
		Lot 12 (SW + NE +)	14.00
•		Lot 10 (NEt NWt)	27.00
		Lot 1 (N NV 1)	53.00
•		Lot 2 (S ² NV ⁴)	45.00
		Lot 11 (SEt NWi)	35.00
		Lots 5 & 15 (NE + SW+)	40.00
		Lot 3 (NW + SW +)	40.00
		Lot 4 (SW SW SW 1)	39.00
		SET SWT	35.00
			720

	40 Agra Tragt	Acres Irrigated
T. 36 S. R. 24 E.		
Section 1	Lot 1 (NE NM) Lot 2 (NM NM) SW NM	32.74 36.65 40.00
	Lot 3 (SE‡ NW\$) Lot 4 (NE\$ SW\$) NW\$ SW\$	35.27 35.25 40.00
	SW S	40 . 00 35 . 22
Section 2	Lot 1 (NE 1 NE 1) Lot 2 (NW 1 NE 1) SW 1 NE 1 SE 1 NE 1 SW 2 SW 1 SE 3 SW 1 NE 1 SE 1 NE 1 SE 1 NE 1 SE 1 NE 1 SE 1 NW 2 SE 1	36.35 20.00 30.00 40.00 30.00 40.00 40.00 40.00
	SM; SE; SE; SE;	40.00 40.00 40.00
Section 10	net net Swi net Sei net Sei	30.00 10.00 40.00 160.00
Section 11	n i Nei swi Nwi swi Sui swi Sei swi Sei	320.00 40.00 38.50 38.30 40.00 160.00
Section 12	Lot 1 (NE + NW +) NW + NW + SW + NW + Lot 2 (SE + NW +) Lot 3 (NE + SW +) NW + SW + SW + SW + Lot 4 (SE + SW +)	36.05 40.00 40.00 34.75 34.75 40.00 40.00 34.15
Section 13,	Lot 1 (NE	34.00 37.56 32.68 34.00 14.00 11.00
Section 14	N\frac{1}{2} Lot 3 (NE\frac{1}{4} SW\frac{1}{4}) Lot 4 (NM\frac{1}{5} SW\frac{1}{4}) Lot 5 (SW\frac{1}{5} SW\frac{1}{4}) Lot 1 (NE\frac{1}{5} SE\frac{1}{4}) Lot 2 (NW\frac{1}{4} SE\frac{1}{4})	320.00 14.20 27.40 12.20 .10 6.70

	40 Agre Tract	Acres Intigated
T. 36 S. R. 24 B.		
Section 15	NET	25.00 39.00 40.00 40.00 30.00 15.00
	Ni Ni Sui Ni Sui Sui Sui Sui Sui Sui Sui Sui Sui Sui	14,00 40,00 39,75 30,00 40,00
	net set nwt set swt set set set	34.00 40.00 38.80 39.90
Section 22	NE	35.80 39.80 37.00 38.00 38.50 23.50 24.00 35.00 21.00
Section 23	Lot 3 (NN \(\frac{1}{2} \) NN \(\frac{1}{2} \) Lot 4 (SN \(\frac{1}{2} \) NN \(\frac{1}{2} \) Lot 1 (NN \(\frac{1}{2} \) SN \(\frac{1}{2} \) Lot 2 (SN \(\frac{1}{2} \) SN \(\frac{1}{2} \)	21.60 14.00 13.00 14.00
T. 36 S. R. 25 E.	V.	
Section 6	Lot 8 (NW + NE +) Lot 7 (SW + NE +) Lot 9 (NE + NW +) Lot 10 (NW + NW +) Lot 11 (SW + NW +) SE + NW + NE + SW + Lot 12 (NW + SW +) Lot 13 (SW + SW +) SE + SW + Lot 3 & 6 (NW + SE +) Lots 4 & 5 (SW + SE +) SE + SE + SE + SE + SE + SE + SE +)	23.00 20.00 34.00 38.00 40.10 40.00 35.00 40.18 40.26 40.00 27.00 40.00
Section 7	Lot 1 (NE [†] NE [†]) Lot 8 (NV [†] NE [†]) SW [†] NE [†] Lots 2 & 7 (SE [†] NE [†]) NE [†] NW [†] Lot 9 (NW [†] NW [†])	38.00 40.00 40.00 40.00 40.00 40.26

	40 Agre Tract	Acres Irrigated
T. 36 S. R. 25 E.		
Section 7	Lot 10 (SWI NWI)	40.18
	SET INT	40.00
•	NE + SW	40.00
	Lot 11 (NNt SWE)	40.10
	Lot 12 (SW SW SW)	40.02
	SET SWT	40.00
	Lots 3 & 6 (NEt SEt)	37.00
- -	nwi sei	39.00
	Swit Set	31.00
	Lots 4 & 5 (SEt SEt)	38.00
Section 8	nui nui	12.00
	svė nvė	.28•00
•	mi swi	25 .0 0
	swit swit	19.00
Section 18	Lots 1 & 8 (NEt NEt)	29.00
•	nvi nei	34.00
	SWI NEI	31.00
•	Lots 2 & 7 (SE‡ NE‡)	38.00
	net int	40.00
	Lot 9 (NW hW hW h)	40,00
	Lot 10 (SW 1 NW 1)	40.00
	set nwt	40.00
	net swit	40.00
	Lot 11 (NW 4 SW 4)	40.00
•	Lot 12 (SW 4 SW 4)	37.08
	SE + SW +	40.00
•	Lots 3 & 6 (NE + SE +)	37.00
	NW SE	37.00
	Lot 5 (SW + SE +)	41.30
•	Lot 4 (SE [‡] SE [‡])	26.00
Section 19	Lot 8 (NW + NE +)	22.00
	Lot 9 (NE L NWL)	6 .00

Aunicipal or Domestic Supply—		41300
10. (a) To supply the city of		
	a present population of	e e e e e e e e e e e e e e e e e e e
nd an estimated population of	in 19	
(b) If for domestic use state nu	•	
in the second	•	
•	uestions 11, 12, 13, and 14 in all cases)	
11. Estimated cost of proposed works,	•	
	or before	erese see a mer a sa s
13. Construction work will be comple	eted on or before Completed	
14. The water will be completely app	lied to the proposed use on or before [Fall.]	1964
	*	
	Hart Lake Water unfre As Profit Cofformit by: 107 Ounce	sociation a N
XEGRACIEX	Attest: 6m Jaylo	
	Secretary	*
		•••••••••••••••••••••••••••••••••••••••
		•••••
	-	
	•	
	*	
	······································	
· · · · · · · · · · · · · · · · · · ·		•
		,
· · · · · · · · · · · · · · · · · · ·		
	······································	
TTÁTE: OF OPEGOV		
STÁTE OF OREGON. (ss.		
This is to certify that I have exami	ned the foregoing application, together with	the accompanyin
naps and data, and return the same for		
In order to retain its priority this	pplication must be returned to the State Eng	da a a a suitate suita
		ineer, with correc
ions on or before	, 19	
	,	
WITNESS my hand this	lay of	19
		STATE ENGINEER

OREGON,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial us 47,400 a.f. stored water only and shall not exceed measured at the point of diversion from th
stream, or its equivalent in case of rotation with other water users, from Hart Lake Reservoir
to be constructed under application No. R-25203, permit No. R-2630
The use to which this water is to be applied is supplemental irrigation
a diversion of 3 acre feet If for irrigation, this appropriation shall be limited to
RECORD COMMENTS OF Each acre irrigated during the irrigation season of each year and
the right allowed hereunder for the appropriation of water for lands having a valid
prior right shall be limited to the amount necessary to make up any deficiency in
water available to said lands under said prior right and the amount allowed herein
together with the amount secured under any other right existing for said lands,
shall be limited by the duty of water as fixed herein,
and shall be subject to such recognition and the subject to such r
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.
The priority date of this permit is
Actual construction work shall begin on or before August 8, 1962 and shall
thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19 63
Complete application of the water to the proposed use shall be made on or before October 1, 19 64
WITNESS my hand this 8th day of August, 1961

Application No. 25224

Permit No. 27386

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

office of the State Engineer at Salem, Oregon This instrument was first received in th

on the 30 day of August 19 50, at 12.45 o'clock: 1. M.

Returned to applicant:

August 8, 1961

Approved:

Recorded in book No. 75.

Permits on page

LEMIS A. STANLEY STATE ENGINEER

148+1 > abnd <u>````</u> Drainage Basin No. Fees # 125 25

State Printing 96137