

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, George Winship of 203 NW 5th, Pendleton, Oregon State of Oregon do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Slough, adjacent to the Umatilla River a tributary of

2. The amount of water which the applicant intends to apply to beneficial use is 125 gallons per minute cubic feet per second.

**3. The use to which the water is to be applied is Irrigation

4. The point of diversion is located 83.9 ft. So. and 283.1 ft. West from the NE corner of NW 1/4 SW 1/4 Sec. 12, T.2 N.R. 33 E.W.M.

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NW 1/4 SW 1/4 of Sec. 12, Tp. 2 N R. 33 E, W. M., in the county of Umatilla

5. The to be in length, terminating in the R. W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction

(b) Description of headgate

(c) If water is to be pumped give general description Centrifugal pump - 1 1/2" inlet 1 1/2" outlet Sears & Roebuck; 1 1/2 H.P. electric motor Lift water 4 feet

*A different form of application is provided where storage works are contemplated. **Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same. SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.00 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from unnamed slough

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/1000 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is June 29, 1961

Actual construction work shall begin on or before September 11, 1962 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1963.

Complete application of the water to the proposed use shall be made on or before October 1, 1964.

WITNESS my hand this 11th day of September 1961

LEWIS A. STANLEY STATE ENGINEER

By Max F. Rogers, Deputy

Application No. 55092
Permit No. 27481

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 29th day of June 1961, at 1.00 o'clock P. M.

Returned to applicant:

Approved: September 11, 1961
Recorded in book No. 75
Permits on page 7181

LEWIS A. STANLEY STATE ENGINEER
Drainage Basin No. 7 page 139

Fees