

RECEIVED
JUN 19 1961

Permit No. 27541

STATE ENGINEER
SALEM, OREGON

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Marion Ethel Deach (Name of applicant)

of Alice (Residing address)

State of Oregon, do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is on unnamed slough with any deficiency in that source being made up by appropriation from (Name of stream)

the Grande Ronde River a tributary of Snake River and ~~unnamed slough~~

2. The amount of water which the applicant intends to apply to beneficial use is 3.35 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located _____ ft. _____ and _____ ft. _____ from the corner of _____ (N. or S.) _____ (E. or W.)

south 73° 20' east 878 feet from the northwest corner of the northeast quarter of the southeast quarter of Section 4, Township 2 South, Range 39 East W. M. and

north 6° 30' west from the corner common to Sections 3, 4, 9 and 10, Township 2 South, Range

39 East W. M. Slough pump S 32° 15' West 1518 feet from the NW corner of (If practicable, give distance and bearing to section corner)

the NE 1/4 SE 1/4 being within the NW 1/4 SE 1/4 (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the northeast quarter of the southeast quarter of Sec. 4, Tp. 2, outh _____ (Give smallest legal subdivisions) (N. or S.)

R. 39 East, W. M., in the county of Union (E. or W.)

5. The _____ to be _____ (Main ditch, canal or pipe line) (Miles or feet)

(x length, terminating in the northwest quarter of the south east quarter 4 of Sec. _____, Tp. 2 South _____ (Smallest legal subdivisions) (N. or S.)

R. 39 East, W. M., the proposed location being shown throughout on the accompanying map. (E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam none feet, length on top _____ feet, length at bottom _____ feet; material to be used and character of construction _____ (Loose rock, concrete, masonry, rock and brush, timber arch, etc., waterway over or around dam)

(b) Description of headgate none (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description Wade Rain Pump (f-8.7M6) powered by _____ (Name and type of pump) sixty horsepower 3-phase electric motor (Name and type of engine or motor to be used, total head water to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.
**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Public Utility Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

1124

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 1/2 mile x ft.; size at intake, six in.; size at ft. from intake in.; size at place of use seven in.; difference in elevation between intake and place of use, varies from 0. to x ft. Is grade uniform? No Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township North or South	Range E. or W. of Williams Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated	Actual
2 South	39 East	4	southeast quarter of the north- west quarter,	40	37.64
2 South	39 East	4	southwest quarter of the northeast quarter	40 (less dyke)	36.45
2 South	39 East	4	southeast quarter of the northeast quarter	9.12	9/12
2 South	39 East	4	northeast quarter of the southwest quarter	40 (less buildings)	35.29
2 South	39 East	4	northwest quarter of the southeast quarter	40 (less slough and dyke)	27.15
2 South	39 East	4	southeast quarter of the southwest quarter	40 (less buildings)	34.22
2 South	39 East	4	southwest quarter of the southeast quarter	40 (less slough and dyke and 3.75 acres east of slough)	11.52
2 South	39 East	9	northwest quarter northwest quarter of the	40	37.85
2 South	39 east	9	northeast quarter	40 (less slough and dyke)	36.31
Total acres to be irrigated					265.53

(If more space required, attach separate sheet)

(a) Character of soil sandy loam

(b) Kind of crops raised small grains, alfalfa and pasture

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.

(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.

(Legal subdivision)

Tp., R., W. M.

(No. N. or S.)

(No. E. or W.)

(f) Is water to be returned to any stream?

(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.

(No. N. or S.)

(No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply

- 20. (A) To supply the city of _____
County, having a present population of _____
and an estimated population of _____ in 19____.
- (B) For domestic use state number of families to be supplied _____
- 21. Estimated cost of proposed works, \$ _____
- 22. Construction work will begin on or before _____ forthwith _____
- 23. Construction work will be completed on or before _____ forthwith _____
- 24. The water will be completely applied to the proposed use on or before _____ forthwith _____

X. Marissa Kinard O'Leary
(Signature of applicant)

Remarks: water will be diverted from the Grande Ronde River at the point indicated on the map attached into a presently existing slough, from which it will be pumped at the point marked "pump" and applied to the property described by a system of sprinkler irrigation. While the slough is not located upon a "storage work" it is contemplated that at times it will not be necessary to divert water from the river in order to pump from the slough, since the level of the slough, which was originally directly connected with the river, and is presently so connected at times of high water, maintains itself sufficiently through a portion of the year.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion completion completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ~~September 5~~, 19 ~~61~~
~~November 7~~, ~~1961~~
November 27, 1961

WITNESS my hand this ~~5th~~ day of ~~July~~, 19 ~~61~~
~~7th~~ ~~September~~ 1961
25th September 1961

LEWIS A. STURLEY
STATE ENGINEER

Walter H. Perry
Walter H. Perry
ASSISTANT

RECEIVED SEP 27 1961
RECEIVED SEP 18 1961
RECEIVED AUG 29 1961
STATE ENGINEER SALEM, OREGON
STATE ENGINEER SALEM, OREGON
STATE ENGINEER SALEM, OREGON

PERMIT

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 3-35 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from unnamed slough and Grande Ronde River; water to be diverted from unnamed slough when available and any deficiency in the available supply in unnamed slough is to be made up by diversion from Grande Ronde River, providing that the total quantity diverted from both streams shall not exceed 400 c.f.s. for each acre irrigated.

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/400 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the right to use is limited to the period when the flow of the Lower Grande Ronde River is more than 300 c.f.s. at U.S.G.S. Gage No. 3325 and more than 420 c.f.s. at U.S.G.S. Gage No. 3330,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is June 19, 1961

Actual construction work shall begin on or before October 20, 1962 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1963

Complete application of the water to the proposed use shall be made on or before October 1, 1964

WITNESS my hand this 20th day of October 1961

Lewis A. Stanley STATE ENGINEER

Application No. 35246 Permit No. 27541

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 19th day of June 1961, at 8:00 o'clock A.M.

Returned to applicant:

Approved:

October 20, 1961

Recorded in book No. 75 of

Permits on page 27541

LEWIS A. STANLEY STATE ENGINEER

Drainage Basin No. 8 page 12

Fees