* Permit No. 2761

APPLICATION FOR A PERMIT

To Appropriate the Public Waters of the State of Oregon

of Corvallis (Patonics) State of Cregon (Patonics) If the applicant is a corporation, give date and place of incorporation. 1. The source of the proposed appropriation is Middle Pork of Rock Creek (Patonics) (Patonic	<i>I,</i>	Water Commission of the C	ity of Corvallis		·
State of Cregon do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, subject to existing rights: If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is Middle Pork of Rock Creak Name of stream) tributary of Rock Creak Name of stream of	αf	Corvallis	County of	Benton	
State of	0/	(Postoffice)	, County of		
1. The source of the proposed appropriation is Riddle Fork of Rock Creek Name of stream) 1. The source of the proposed appropriation is Rock Creek 1. The source of the proposed appropriation is Rock Creek 2. The amount of water which the applicant intends to apply to beneficial use is. 1. The use to which the water is to be applied is. 2. The use to which the water is to be applied is. 3. The use to which the water is to be applied is. 4. The point of diversion is located (Ore distance and bearing to section corner) 5. The point of diversion is located (Ore distance and bearing to section corner) 6. The pripe line (Give small or type line) 1. The proposed location being shown throughout on the accompanying map. 6. The name of the ditch, canal or other works is. City Woter Works of the City of Corvallis, Benton County, State of Gregon DESCRIPTION OF WORKS DIVERSION WORKS— 7. (a) Height of dam three feet, length on top sixteen feet, length at bottom sixteen feet; material to be used and character of construction. Log, was teway over dam (Loces rock, concrete the number and size of openings) (Thislest concrete, etc., number and size of openings)	State of	Oregon do l	rereby make applica	ion for a permit to a	ppropriate the
1. The source of the proposed appropriation is Middle Fork of Rock Creek Name of stream) , tributary of Rock Creek 2. The amount of water which the applicant intends to apply to beneficial use is. me and one-half cubic feet per second. 3. The use to which the water is to be applied is. (Irrigation, power, mining, manufacturing demostle supplies, sec.) 4. The point of diversion is located. *1450 feet north and 20 feet West of the 3k corn of Sec. 24 T 12 S R 7 W.W.h. being within the Middle for the Sky (Give similar legal subdivision) for Sec. 24 T 12 S R 7 W.W.h. being within the Rock of the Sky (Give smallest legal subdivision) Fig. 7 W (No. E. or W.) 5. The pipe line has disch, canal or pipe line) being the terminating in the Sky (Smallest legal subdivision) for Sec. 19 Tp. 12 S R 6 W (No. E or W.) W. M., the proposed location being shown throughout on the accompanying map. 6. The name of the ditch, canal or other works is. City Weter Works of the City of Corvallis, Benton County, State of Gragon DESCRIPTION OF WORKS 7. (a) Height of dam three feet, length on top sixteen feet, length at bottom sixteen feet; material to be used and character of construction. (Loose rock, concrete, Log, number and site of opening) (Cimber conserve, etc. number and site of opening)	following	g described public waters of the State of	f Oregon, subject to	existing rights:	
### Rock Creek 2. The amount of water which the applicant intends to apply to beneficial use is	If t	he applicant is a corporation, give date	and place of incorp	poration	·
2. The amount of water which the applicant intends to apply to beneficial use is no and one-half 3. The use to which the water is to be applied is. Circuiton, power, mining, manufacturing domestic supplies, etc.) 4. The point of diversion is located **1450 feet morth and 20 feet West of the 32 corn of Sec. 24 T 12 S R 7 W.W.L. being within the Mid-1 of the Sid-2 of the Sid-2 of Sec. 24, Tp. 12 S (Give smallest legal subdivision) R. 7 W. M., in the county of Benton (No. E or W.) 5. The Main ditch, canal or pipe line) Length, terminating in the Mid-1 of the Sid-2 of the Sid-2 of Sec. 19, Tp. 12 S R . 6. W. (Smallest legal subdivision) W. M., the proposed location being shown throughout on the accompanying map. 6. The name of the ditch, canal or other works is. City Water Works of the City of Corvallis, Benton County, State of Oregon DESCRIPTION OF WORKS DIVERSION WORKS— 7. (a) Height of dam. three feet, length on top sixtoen feet, length at bottom sixtoen feet; material to be used and character of construction. Log, wasteway over dam manoury, rock and truth, timber orb, etc., wasteway over or around dam) (Timber, concrete, etc., number and size of openings)	1.	The source of the proposed appropriation	on is Middle F	ork of Rock Creek	<u></u>
ne and one-holf cubic feet per second. 3. The use to which the water is to be applied is. Cirrigation, power, mining, manufacturing demonstrate supplies, etc.) 4. The point of diversion is located '1450 feet north and 20 feet west of the 35 corn of Sec. 24 T 12 S R 7 W.W. H. being within the 1512 Of the 1512 Of the 1513 Of Sec. 24 Of Sec. 25 Of Sec. 26 Of Sec. 26 Of Sec. 26 Of Sec. 27 Of Sec. 27 Of Sec. 27 Of Sec. 27 Of Sec. 28 Of Sec. 29 Of Sec. 20 Of S		, tribi	itary of Rock Cr	9 6 k	
A. The use to which the water is to be applied is. (Irrigation, power, mining, manufacturing domestic supplies, etc.) 4. The point of diversion is located. *1450 feet morth and 20 feet west of the SE Corn of Sec. 24 T 12 S R 7 W.W.h. being within the limb of the SE (No. N. or S.) being within the limb of the SE (No. N. or S.) R. 7 W. W. M., in the county of Benton (No. E or W.) 5. The Main ditch, canal or pipe line) length, terminating in the limb of the SE (Smallest legal subdivision) W. M., the proposed location being shown throughout on the accompanying map. 6. The name of the ditch, canal or other works is. City Water Works of the City of Corvallis, Benton County, State of Oragon. DESCRIPTION OF WORKS DIVERSION WORKS— 7. (a) Height of dam three feet, length on top. sixteen feet, length at bottom sixteen feet; material to be used and character of construction. Log, Wasteway over dam (Locae rock, concrete Log, wasteway over of around dam) (Timber, concrete, etc., number and size of openings)	2.	The amount of water which the appl	icant intends to appl	y to beneficial use is.	
domestic supplies, etc.) 4. The point of diversion is located. *1450 feet north and 20 feet west of the 3E corn of Sec. 24 T 12 S R 7 W.W.k. being within the No. of the 3E (Give smallest legal subdivision) R. 7 W , W. M., in the country of Benton (No. E or W.) 5. The Main ditch, canal or pipe line) length, terminating in the No. of the 3E (Smallest legal subdivision) W. M., the proposed location being shown throughout on the accompanying map. 6. The name of the ditch, canal or other works is. City Water Works of the City of Corvallis, Benton County, State of Gregon DESCRIPTION OF WORKS 7. (a) Height of dam three feet, length on top sixteen feet, length at bottom sixteen feet; material to be used and character of construction. Log, wasteway over dam masonry, rock and brush, under cith, etc., wasteway over or around dam) (Timber, coacrete, etc., number and size of openings)	ne and	one-half cubic feet per second	·		
4. The point of diversion is located. *1450 feet north and 20 feet west of the SE Corn of Sec. 24 T 12 S R 7 W.W.L. of Sec. 24 T 12 S R 7 W.W.L. being within the MD of the SD (Give smallest legal subdivision) of Sec. 24	3.	The use to which the water is to be ap	Municipa ded is	l Supplies (Irrigation, power, mini	ng, manufacturing,
of Sec. 24 T 12 S R 7 W.W.L. being within the Note of the Sharmalist legal subdivision) R. 7 W	domestic	supplies, etc.)			
being within the Note of the Ship (Give smallest legal subdivision) R. 7 W , W. M., in the county of Benton 5. The pipe line			(Give distance and	i bearing to section corner	the SK corner
R. 7 W , W. M., in the county of Benton (No. E. or W.) 5. The pipe line to be 5,000 feet was in the set of the SE4 of the SE4 of Sec. 19 , Tp. 12 S , R. 6 W (Smallest legal subdivision) W. M., the proposed location being shown throughout on the accompanying map. 6. The name of the ditch, canal or other works is City Weter Works of the City of Corvallis, Benton County, State of Oregon DESCRIPTION OF WORKS DIVERSION WORKS— 7. (a) Height of dam three feet, length on top sixteen feet, length at bottom sixteen feet; material to be used and character of construction. Log, wasteway over dem masonry, rock and brush, timber crib, etc., wasteway over or around dam) (Cloose rock, concrete the difference of the concrete, etc., number and size of openings)					
length, terminating in the NH of the SH of Sec. 19 , Tp. 12 S , R. 6.W (No. N. or S.) (No. E. or W.) W. M., the proposed location being shown throughout on the accompanying map. 6. The name of the ditch, canal or other works is. City Water Works of the City of Corvallis, Benton County, State of Oregon. DESCRIPTION OF WORKS DIVERSION WORKS— 7. (a) Height of dam. three feet, length on top sixteen feet, length at bottom sixteen feet; material to be used and character of construction. Log, wasteway over dam (Loose rock, concrete Log, wasteway over or around dam) (Loose rock, concrete the dam) (Loose rock) Concrete dam (Timber, concrete, etc., number and size of openings)	(No	. E. or W.)			
City Water Works of the City of Corvallis, Benton County, State of Oregon DESCRIPTION OF WORKS DIVERSION WORKS— 7. (a) Height of dam		terminating in the NH4 of the SH4	of Sec. 1		
DESCRIPTION OF WORKS DIVERSION WORKS— 7. (a) Height of dam three feet, length on top sixteen feet, length at bottom sixteen feet; material to be used and character of construction (Loose rock, concrete Log, was teway over dam masonry, rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate Headgate within intake box above log dam (Timber, concrete, etc., number and size of openings)	W. M., t	he proposed location being shown through	hout on the accompan	iying map.	
DESCRIPTION OF WORKS 7. (a) Height of dam	6.	The name of the ditch, canal or other	works is		
7. (a) Height of dam three feet, length on top sixteen feet, length at bottom sixteen feet; material to be used and character of construction (Loose rock, concrete Log, wasteway over dam masonry, rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate Headgate within intake box above log dam (Timber, concrete, etc., number and size of openings)	(City Water Works of the City of C	orvallis, Benton	County, State of	Oregon
7. (a) Height of dam feet, length on top sixteen feet, length at bottom sixteen feet; material to be used and character of construction (Loose rock, concrete Log, wasteway over dam masonry, rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate Headgate within intake box above log dam (Timber, concrete, etc., number and size of openings)	Diversion		ION OF WORKS		
Log, was toway over dam masonry, rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate Headgate within intake box above log dam (Timber, concrete, etc., number and size of openings)			et, length on top	sixtoon feet, le	ngth at bottom
Log, Wasteway over dam masonry, rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate Headgate within intake box above log dam (Timber, concrete, etc., number and size of openings)	ainto.	~ ~		ction	
masonry, rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate Headgate within intake box above log dam (Timber, concrete, etc., number and size of openings)		Too works and down		(Lo	ose rock, concrete,
(b) Description of headgate Headgate within intake box above log dam (Timber, concrete, etc., number and size of openings)	masonry, 1	ock and brush, timber crib, etc., wasteway over or	around dam)		•
	` غر ۱	(b) Description of headgate Headgat	e within intake	oox above log dam	<u> </u>
			· · · · · · · · · · · · · · · · · · ·		

CANAL SYSTEM—		
8. (a) Give dimensions at each point of	canal where materially cha	nged in size, stating miles
from headgate. At headgate: Width on top (a	t water line)	feet; width on botton
feet; depth of water	feet; grade	feet fall per on
thousand feet.		
(b) Atmiles from her	adgate. Width on top (at i	vater line)
feet; width on bottom	feet; depth of we	iterfeet
grade feet fall per one thousand	d feet.	
and the second of the second o	Section 1985	The same to data early the control of

FILL IN THE FOLLOWING INFORMA		
FILL IN THE FOLLOWING INFORMA	ATION WHERE THE WAT	TER IS USED FOR:
FILL IN THE FOLLOWING INFORMA IRRIGATION— 9. The land to be irrigated has a total area	ATION WHERE THE WAT	TER IS USED FOR:acres, located in each
FILL IN THE FOLLOWING INFORMA IRRIGATION— 9. The land to be irrigated has a total area smallest legal subdivision, as follows: (Give area)	ATION WHERE THE WAT	TER IS USED FOR: acres, located in each lision which you intend to irrigate)
FILL IN THE FOLLOWING INFORMA IRRIGATION— 9. The land to be irrigated has a total area smallest legal subdivision, as follows: (Give area)	a of	TER IS USED FOR: acres, located in each ision which you intend to irrigate)
FILL IN THE FOLLOWING INFORMA IRRIGATION— 9. The land to be irrigated has a total area smallest legal subdivision, as follows: (Give area)	a of	TER IS USED FOR: acres, located in each ision which you intend to irrigate)
FILL IN THE FOLLOWING INFORMA IRRIGATION— 9. The land to be irrigated has a total area smallest legal subdivision, as follows: (Give area)	ATION WHERE THE WAT	TER IS USED FOR: acres, located in each
FILL IN THE FOLLOWING INFORMA IRRIGATION— 9. The land to be irrigated has a total area smallest legal subdivision, as follows: (Give area)	a of	TER IS USED FOR: acres, located in each
FILL IN THE FOLLOWING INFORMA IRRIGATION— 9. The land to be irrigated has a total area smallest legal subdivision, as follows: (Give area)	ATION WHERE THE WAT	TER IS USED FOR: acres, located in each ision which you intend to irrigate)
FILL IN THE FOLLOWING INFORMA IRRIGATION— 9. The land to be irrigated has a total area smallest legal subdivision, as follows: (Give area)	a of	TER IS USED FOR: acres, located in each ision which you intend to irrigate)
FILL IN THE FOLLOWING INFORMA IRRIGATION— 9. The land to be irrigated has a total area smallest legal subdivision, as follows: (Give area)	a of	TER IS USED FOR: acres, located in each ision which you intend to irrigate)

(If more space is required, attach separate sheet) POWER, MINING, MANUFACTURING, OR TRANSPORTATION PURPOSES-10. (a) Total amount of power to be developed.....theoretical horsepower. (b) Total fall to be utilized.....feet. (c) The nature of the works by means of which the power is to be developed...... (d) Such works to be located in (Legal subdivision) Tp....., R...., W. M. (No. N. or S.) (No. E. or W.) (e) Is water to be returned to any stream? (Yes or No) (f) If so, name stream and locate point of return..... ______, Sec.______, Tp._______, R._______, W. M. (No. N. or S.) (g) The use to which power is to be applied is..... (h) The nature of the mines to be served......

Municipal Supply— in part
11. To supply the city of Corvallis
Benton County, having a present population of 6,000(estimated), and an (Name of)
estimated population ofin 191
(Answer questions 12, 13, 14, and 15 in all cases)
12. Estimated cost of proposed works, \$ 2.000.00
13. Construction work will begin on or before July 1, 1916
Nov. 1, 1916 14. Construction work will be completed on or before
15. The water will be completely applied to the proposed use on or before
Duplicate maps of the proposed ditch or other works, prepared in accordance with the rules of the State Water Board, accompany this application. Water Commission of the City of Corvallis, Oreg
(Name of applicant) B J Thatcher, Chairman
Floyd E Bogue, Clerk
Signed in the presence of us as witnesses:
E I Strange. Corvallis. Oregon
(1) (Name) (Address of witness)
(2) Louise Musgrave, Corvallis, Oregon (Name) (Address of witness) (Phys. Middle, Bark hands of Rock (reck in Address of witness)
Remarks: The Middle Fork branch of Rock Creek is a spring branch emptying into Roc. Creek within the NE4 of the SE4 Sec. 19 T 12 S R 6 W.W.M.
It is proposed to appropriate the water of said Middle Fork branch of Rock Creek and pipe same to and connect into the two main pipe lines of
the City Water Works of the City of Corvallis, at a point within the
$\mathbb{N}^{\frac{1}{4}}$ of the $\mathbb{S}^{\frac{1}{4}}$ Sec. 19 T 12 S R 6 W.W.M.
·
STATE OF OREGON, County of Marion State of Oregon, State of Oregon, State of Oregon,
This is to certify that I have examined the foregoing application, together with the accompanying
maps and data, and return the same for correction or completion, as follows:
In order to retain its priority, this application must be returned to the State Engineer, with
corrections, on or before, 191
WITNESS my hand thisday of, 191
State Engineer.

2

Application 1	467 5 Vo
Permit No.	2761

PERMIT

TO APPROPRIATE
THE PUBLIC WATERS OF
THE STATE OF OREGON

	This instrument was first received
	the office of the State Engineer as
	ulem, Oregon, on the 8th
$d\epsilon$	vy of Dec., 191
at	8:30 o'clock a. m.
R	eturned to applicant for correction
	Corrected application received
	Approved: Jan. 4 1916
	Jan. 4 1916
	Jan. 4 1916 Recorded in Book No. 11 o
 P	Jan. 4 1916 Recorded in Book No. 11 o ermits, on Page 2761
 P	Jan. 4 1916 Recorded in Book No. 11 o

STATE OF OREGON,

88

County of Marion

subject to the following limitations and conditions	foregoing application and do hereby grant the sams: If for irrigation, this appropriation shall be limited to equivalent, for each acre irrigated, and shall be
	be ordered by the proper State officershall be limited to water for municipal sup
	and the second s
rotation. The priority date of this permit is	Dec. 8, 1915 before January 4, 1917
	e diligence and be completed on or before
Complete application of the water to the pr	roposed use shall be made on or before
	October 1, 1919
•	
•	day of January, 1916

Permits for power development are subject to the limitation of franchise as provided in Sec. 6633, Lord's Oregon Laws, and the payment of annual fees as provided in Chapter 213, Laws of 1915.