## PAPPLICATION FOR PERSON

## To Appropriate the Public Waters of the State of Oregon

Section of the company of the state of the State of Oregon, SUBJECT TO EXISTING RIGHTS:  If the applicant is a corporation, give date and place of incorporation Oregon 1999  1. The source of the proposed appropriation is Morth Santiam River Offices of attention a tributary of Santiam River Offices of attention a tributary of Santiam River Offices of attention a tributary of Santiam River  2. The amount of water which the applicant intends to apply to beneficial use is 10.0  ***3. The use to which the water is to be applied is Irrigation and industrial Oregon 19.0 a.f. a. for Dragation and 1.0 c.f.s. for Industrial 4. The point of diversion is located fit.  ***3. The use to obtain the industrial intends to apply to beneficial use is 10.0  ***4. The point of diversion is located fit.  ***3. The point of diversion is located fit.  ***4. The point of diversion is located fit.  ***5. The States of approx. 10 chains.  ***6. The sum and the last is a distance of approx. 10 chains.  ***6. The sum and the last is a distance of approx. 10 chains.  ***7. The sum and the last is a distance of approx. 10 chains.  ***1. The source of the proposed location being shown throughout on the accompanying map.  ***2. **1. **3. **1. **1. **1. **1. **1. **1	1, Stdney Trrigation Cooperative	
blowing described public senters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:  If the applicant is a corporation, give date and place of incorporation  Oregon 1939  1. The source of the proposed appropriation is North Santiam River  Outside the proposed appropriation is North Santiam River  2. The amount of senter which the applicant intends to apply to beneficial use is 10.0  which feet per second.  (If water to be used from more than are source, pro questive from each)  **3. The use to which the water is to be applied is Irrigation, and industrial  **3. The use to which the water is to be applied is Irrigation, and industrial  4. The point of diversion is located ft.  (If water to be used from more than are source, pro questive from each contained to a supplied in the contained to the	Jefferen, Gregon	
blowing described public senters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:  If the applicant is a corporation, give date and place of incorporation  Oregon 1939  1. The source of the proposed appropriation is North Santiam River  Outside the proposed appropriation is North Santiam River  2. The amount of senter which the applicant intends to apply to beneficial use is 10.0  which feet per second.  (If water to be used from more than are source, pro questive from each)  **3. The use to which the water is to be applied is Irrigation, and industrial  **3. The use to which the water is to be applied is Irrigation, and industrial  4. The point of diversion is located ft.  (If water to be used from more than are source, pro questive from each contained to a supplied in the contained to the	(Multing address)	hansky make application for a pageit to appropriate t
If the applicant is a corporation, give date and place of incorporation  Oragon , 1999  1. The source of the proposed appropriation is Morth Santiam River  Osmo of stream)  , a tributary of Santiam River  2. The amount of water which the applicant intends to apply to beneficial use is 10.0  sold feet per second.  Of water to be used from new home as warm, for smaller from each)  sold feet per second.  Of water to be used from new home as warm, for smaller from each)  sold feet per second.  Of water to be used from new home as warm, for smaller from each)  sold for feet per second.  Of water to be applied is Irrigation and industrial Corporate per second industrial  4. The point of diversion is located from for Irrigation and industrial smaller from the Center of Santiam 3b , T 9 S, R 2 W  Contain we substrate to the corporate for the Canter of Santiam 3b , T 9 S, R 2 W  Contain we substrate occurry  Contain we substrate occurry  (of them is have home as not sold of diversion and bearing to section occurry)  (of them is have home as the sold of diversion and bearing to section occurry)  (of them is have home as the sold of diversion and bearing to section occurry)  (of them is have home as the sold of diversion and bearing to section occurry)  (of them is have home as the sold of diversion and bearing to section occurry)  (of them is have home as the sold of diversion occurry)  (of them is have home as the sold occurry of Sec. 3b , Tp. 9 S		•
1. The source of the proposed appropriation is North Santiam River  (Comment decemb)  (A tributary of Santiam River  2. The amount of water which the applicant intends to apply to beneficial use is 10.0  (B water to be used from more than one waves, sire quantity from each)  *2. The use to which the water is to be applied is Irrigation, and industrial consists applied. A for Irrigation and Irrigation an	ollowing described public waters of the State of	Oregon, SUBJECT TO EXISTING RIGHTS:
1. The source of the proposed appropriation is North Santiam River  Office of diversity of Santiam River  2. The smooth of sector which the applicant intends to apply to beneficial use is 10.0  whice feet per second.  Off water to be be applied is Irrigation, and industrial  Page 3. The use to which the water is to be applied is Irrigation, and industrial  Office is new, which many the applicant intends to apply to beneficial use is 10.0  \$\frac{4.0.0}{2.0.0}\$ Irrigation and 1.0 c.f.s. for Irrigation and industrial  Office is new to which the water is to be applied is Irrigation and industrial  Office is new to which the water is to be applied is Irrigation and industrial  Office is new to water is located  \$\frac{1}{2.0}\$ C. \$\frac{1}{2.0}\$ for Irrigation and \$\frac{1}{2.0}\$ C. \$\frac{1}{2.0}\$ for Irrigation and \$\frac{1}{2.0}\$ C. \$\frac{1}{2.0}\$ for Irrigation and \$\frac{1}{2.0}\$ for the Cents or of Santian 3th 1. T. 9. S. R. 2. W  Bast a distance of approx. 10 chains.  Office is new to water is new to water is applied to section corner)  Office is new to water is new to water is new to water in the section of the country of Sec. 3th 1. T. 9. S. C. or s.)  Office is new to water is new to wate	If the applicant is a corporation, give date a	nd place of incorporation
a tributary of Santiam River  2. The emount of sester which the applicant intends to apply to beneficial use is	Oregon , 1939	
a tributary of Santiam River  2. The emount of sester which the applicant intends to apply to beneficial use is	1. The equipme of the proposed appropriation	. North Santiam River
2. The amount of water which the applicant intends to apply to beneficial use is 10.0 million feet per second.  (If water he is to be applied is Irrigation and Industrial Critical prove million, neumberture, demands morphin, etc.)  9.0 G.2.8a. for Irrigation and 1.0 G.5.s. for Industrial  4. The point of diversion is located ft. Gr. and ft.		(Manual or any and
The use to which the water is to be applied is	and the state of t	
**S. The use to which the voter is to be applied is	2. The amount of water which the applicant	t intends to apply to beneficial use is10.0
**3. The use to which the voter is to be applied is Irrigation and industrial Criterious, power mining, manuschelering, described, section power mining, manuschelering, described, etc.)  2.0 Calaba for Irrigation and la0 Calaba for Industrial  4. The point of diversion is located ft. Calaba for Industrial  4. The point of diversion is located ft. Calaba for Industrial  **Core 2.**  **Checking and ft. Calaba for Cal	ubic feet per second.	
4. The point of diversion is located ft. (R. or E.)  1. The point of diversion is located ft. (R. or E.)  1. The point of diversion is located ft. (R. or E.)  1. The point of diversion is located ft. (R. or E.)  1. The point of diversion is located ft. (R. or E.)  1. The point of diversion is located ft. (R. or E.)  1. The point of diversion is located ft. (R. or E.)  1. The point of diversion is located ft. (R. or E.)  1. The point of diversion or subdivision)  1. The point of a point is located ft. (R. or E.)  1. The point of the second ft. (R. or E.)  1. The point of the second ft. (R. or E.)  1. The point of the point of diversion or subdivision or subdivision ft. (R. or E.)  1. The point of the second ft. (R. or E.)  1. The point of the point o	· · · · · · · · · · · · · · · · · · ·	
4. The point of diversion is located		
Bast a distance of approx. 10 chains.  (E prederable, give dictance and bearing to section corner)  (If these is more than one point of diversion, such must be described. Use separate sheet if necessary)  being within the SM IN SE (Give similated logal subdivision)  R. 2 W (N. M., in the county of Marion  5. The Sidney Canal to be 12 5/8 Hiles  (Retain dish, send or play line)		
City structures and beauting to section corner)  (If there is more than one point of diversion, such must be described. Use separate sheet if necessary)  (City smallest legal subdivision)  R. 2 W (N. M., in the country of Marion  (City smallest legal subdivision)  5. The Sidney Canal to be 12 5/8 Hiles  (City smallest legal subdivision)  (City smallest legal subdivision)  (City smallest legal subdivision)  (City smallest legal subdivision)  (R. or R.)  (R. or R.)  (R. or R.)  (R. or R.)  DESCRIPTION OF WORKS  Diversion Works—  6. (a) Height of dam 6 feet, length on top 80 feet, length at bottom feet; material to be used and character of construction loose rock fill (Loose rock, concrete, mason rock and brush, timber orb, site, westerway ever or around dam)  (b) Description of headgate Concrete with 3 openings 3ft wide by 8 ft high (Tanker, concrete, etc., manuber and sites of openings)	4. The point of diversion is located	ft and ft from the Centu (E. or E.)
City structures and beauting to section corner)  (If there is more than one point of diversion, such must be described. Use separate sheet if necessary)  (City smallest legal subdivision)  R. 2 W (N. M., in the country of Marion  (City smallest legal subdivision)  5. The Sidney Canal to be 12 5/8 Hiles  (City smallest legal subdivision)  (City smallest legal subdivision)  (City smallest legal subdivision)  (City smallest legal subdivision)  (R. or R.)  (R. or R.)  (R. or R.)  (R. or R.)  DESCRIPTION OF WORKS  Diversion Works—  6. (a) Height of dam 6 feet, length on top 80 feet, length at bottom feet; material to be used and character of construction loose rock fill (Loose rock, concrete, mason rock and brush, timber orb, site, westerway ever or around dam)  (b) Description of headgate Concrete with 3 openings 3ft wide by 8 ft high (Tanker, concrete, etc., manuber and sites of openings)	orner of Saction 34 T 9 S. R 2 W	
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  being within the Sift NE and Net Sigh (Otto smallest legal meditrision)  R. 2 W , W. M., in the country of	East a distance of approx. 10 chain	(Section or subdivision)
Deling within the SM ME and MW SE Of Sec. 34 , Tp. 9 S (N. or 2.)  R. 2 W , W. M., in the county of Marion  (C. or W.)  5. The Sidney Canal to be 12 5/8 Miles  (Million othin, some or pep line)  (Million othin)  (	······································	
5. The Sidney Canal to be 12 5/8 Miles  (Miles or feet)	being within the SN4 MB4 and MW4 SB4	on) of Sec. 34 Tp. 9 S
In length, terminating in the SN 1804 of Sec. 8 , Tp. 9 S  (R. 3 W		
in length, terminating in the SN 1804 of Sec. 8 , Tp. 9 S  (Bonellost legal subdivision) of Sec. 8 , Tp. 9 S  (R. or S.)  R. 3 W	5. The Sidney Canal	to be 12 5/8 Miles
DESCRIPTION OF WORKS  Diversion Works—  6. (a) Height of dam 6 feet, length on top 80 feet, length at botto  feet; material to be used and character of construction loose rock fill  (Loose rock, concrete, macon rock and brush, timber orth, etc., westerver ever or around dam)  (b) Description of headgate Concrete with 3 openings 3ft wide by 8 ft high  (Timber, concrete, etc., number and size of openings)  (c) If water is to be pumped give general description (Size and type of pump)	in length terminating in the SVA NVA	of Sec. 8 To 9 S
DESCRIPTION OF WORKS  Diversion Works—  6. (a) Height of dam		
Diversion Works—  6. (a) Height of dam	R, W. M., the proposed location	being shown throughout on the accompanying map.
Diversion Works—  6. (a) Height of dam	DESCRIP	TION OF WORKS
feet; material to be used and character of construction loose rock fill (Loose rock, concrete, maso rock and brush, timber crib, etc., westeway over or around dam)  (b) Description of headgate Concrete with 3 openings 3ft wide by 8 ft high  (Timber, concrete, etc., number and size of openings)  (c) If water is to be pumped give general description (Size and type of pump)	Diversion Works—	
(b) Description of headgate  Concrete with 3 openings 3ft wide by 8 ft high  (Timber, concrete, etc., number and size of openings)  (c) If water is to be pumped give general description  (Elize and type of pump)	6. (a) Height of dam6	et, length on top80 feet, length at bot
(c) If water is to be pumped give general description  (dispersion of headgate give general description (Rise and type of pump)	feet; material to be used and ch	aracter of construction loose rock fill
(b) Description of headgate	•	
(c) If water is to be pumped give general description	rock and brush, timber crib, etc., westeway over or around dom)	
(Sine and type of pump)	(b) Description of headgateConcrete	(Timber, concrete, etc., number and size of openings)
(Sine and type of pump)	·····	
(Sine and type of pump)	(c) If water is to be numbed aims assessed	description
(files and type of engine or meter to be used, total head water is to be lifted, etc.)	(3) a) water. It to be painted give general	(Sine and type of pump)
	(Size and type of engine or motor t	to be used, total head water is to be lifted, etc.)
	*A different form of application is provided where storage w	werks are contemptated.

te. At head	gate: width on	top (at water l	ine)30	feet; width on bottom
nd feet.	eet; depth of u	oster 8 ft	feet; grade2	feet fall per one
(b) At	***************************************	miles from her	adgate: width on top (at water	r line)
<b>1</b>	eet; width on b	ottom	feet; depth of w	ater feet;
***************************************	feet fal	l per one thous	and feet.	4
(c) Length	of pipe,	ft.;	size at intake,	in.; size at ft
ntake	in.,	size at place o	f use in.; dif	ference in elevation between
•			grade uniform?	
	sec. ft.			
8. Location	of area to be	irrigated, or pla	ice of use	
Potrackip	Range 2. or V. of	Section	Porty-acre Tract	Number Acres To Be Irrigated
	ached sheet	for listing	of 732 acres within To	enship 9 S. Range 3 W
and Town	aship 10 S.	Ranges 2 and		
<u>Industria</u>	use:		2/54	
10 S	3 W.	. 2	NEX WILL	ζ,
/ <b>@</b> S	3 W	35	NWHSH	
			·	
<del></del>	<u> </u>		<u> </u>	
•				
	<u> </u>	(If more space	required, attach separate shoot)	<u> </u>
(a) Ch	aracter of soil	Silty cla	ıys	•
(b) Ki	nd of crops rais	ed Vegetabl	les, pasture, mint	
er or Mining	Purposes-			
9. (a) To	tal amount of	power to be dev	eloped	theoretical horsepower
(b) Qı	untity of wate	r to be used for	powers	ec. ft.
(c) To	tal fall to be u	tilized	feet.	s.
(d) Th	e nature of the	works by mea	ns of which the power is to be	e developed
		,	***************************************	***************************************
(e) Su	ch works to be	located in	(Legal subdivision)	of Sec
			· =	
		. E. er W.)		
(f) Is		•	tream?(Yes or No)	
			aint of veture	***************************************
	so, name strea	m ana locate p	one of recurre	***************************************

o Q
J.
of Q
of Q
ey
- Q
dj
<b>67</b>
<b>S</b>
-1
perala
Secy 1
•••••••••••••••••••••••••••••••••••••••
· · · · · · · · · · · · · · · · · · ·
***************************************
•••••••••••••••••••••••••••••••••••••••
**********
companying

2

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 10.0 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from North Santiam River The use to which this water is to be applied is irrigation and supplemental irrigation and industrial; being 9.0 c.f.s. for irrigation and supplemental irrigation and 1.0 e.f.s. for industrial. ... of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2% agre feet per agre for each agre irrigated during the irrigation..... season of each year and the right allowed hereunder for the appropriation of water for lands having a valid prior right shall be limited to the amount necessary to make up any deficiency in water available to said lands under said prior right and the amount allowed herein, together with the amount secured under any other wight existing for said lands, shall be limited by the duty of water as fixed herein, and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. Actual construction work shall begin on or before January 9, 1963 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19.63.. Complete application of the water to the proposed use shall be made on or before October 1, 19....64 WITNESS my hand this ..... This instrument was first received in the office of the State Engineer at Salem, Oregon, LEWIS A. STANIEY APPROPRIATE THE PUBLIC Application No. 16290 WATERS OF THE STATE Recorded in book No. 76... 27631 January 9, 1962 OF OREGON PERMIT S day of 19.59, at 3: 40. o'clock V Returned to applicant: Š. Permit No. Permits on page Basin

Drainage

Fees

SW SE NE NY SW	JS (Personal Property	30.0	10.0 25.0 5.0		25.0								
338	8				25.0								
38	x	30.0	10.0										
+		30.0										•	
SH						,	<b>807-88</b>					·	
_		15.0					732 ac		·			-	
Z		0.01			25.0		TOTAL						
22			10.0		25.0								
SE	20.69 19.31	00°04	* <u>.</u> .	0.9					<i>,</i>		•		
35	·	00.04											
M		12.00									,		
Ä	9.28 30.72	12.00		8.00					tion				
SE	14.53 10.47			12.00			,	ation	1rrig				
	5.03 34.97	15.00	20.00	12.00	•			r irrig	mental				
M	30.0	5.0		0.04				primar	euppl				-
Ä	5.0			0.04				L D.	တ				
	64 83	ρ,	ٺ	p.	, <b>6</b> 4								
	1	×		~~~								····	
	ownship 9 S. ange 3 W.		ownship 10 S ange 3 W		ownship 10 S ange 2 W					٠			
	NA SW SE NE NA SW KE NA	NE         NW         SW         SW         NW         SW         NW         NW<	35 P 5.0 5.03 14.57 10.47 30.72 12.00 40.00 40.00 40.0	35         P         5.0         5.03         114.53         9.26         20.69         NR         NR         SW         SS         NR         NN           36         P         5.0         15.00         12.00         12.00         10.00         10.00         10.00         10.00           1         P         P         20.00         20.00         20.00         20.00         12.00         10.00         10.00         10.00	35         F         5.0         5.03         14,53         9.26         NV         SV         NB         NV           36         F         5.0         34,97         10.47         30.72         20.69         20.69         19.31         10.00           36         F         5.0         15.00         12.00         12.00         12.00         10.00         10.00         10.0           1         F         10.0         12.00         20.00         8.00         10.00         10.0         10.0	35         F         5.03         14,53         9.28         NN         SN         SS         NN           36         F         5.03         14,53         9.28         8.20.69         19.31         8.00         19.31         8.00         19.31         8.00         19.00         19.00         10.00	35         F         5.0         5.03         14,53         9.28         NV         SN         SS         NV           36         F         5.0         15.00         10.47         30.72         12.00         10.00         10.00         10.00         10.00           1         F         15.00         20.00         20.00         20.00         12.00         12.00         10.00         10.00         10.0           6         F         10.0         12.00         12.00         8.00         6.00         25.0         25.0         25.0	35 P 5:0 30.0 34.97 10.47 30.72 19.28 19.31 30.0 40.00 50.09 10.00 15.00 12.00 12.00 40.00 10.00 15.00 15.00 12.00	NE   NW   SW   SE   NN   SW   SE   NN   SW   SE   NN   SW     35	NE   NW   SW   SW   NB   NW   SW   SW   NB   NW   SW     35	NE   NW   SW   SW   SW   NW   SW   SW   SW	NE	NE   NW   SW   SE   NR   SW   SE   NW   SW   SW