

RECEIVED
 JUNE 1 1961
 STATE ENGINEER
 SALEM, OREGON

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, HERBERT ROBERTS
(Name of applicant)

of Route 2, Box A26-G, Forest Grove, Oregon
(Mailing address)

State of OREGON, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Duxin Branch
(Name of stream), a tributary of Sain Creek

2. The amount of water which the applicant intends to apply to beneficial use is 0.605 cubic feet per second. ~~Fish pond only and none will be retained, except initial filling of the reservoir which contains 4.5 acre feet of water.~~
(If water is to be used from more than one source, give quantity from each)

*3. The use to which the water is to be applied is to maintain fish pond for production
(Irrigation, power, mining, manufacturing, domestic supplies, etc.) of fish.

4. The point of diversion is located 1765 ft. N. and 860 ft. W. from the S. E. corner of SW¹ of Section 13, T18, R5W
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NE¹ of SW¹ of Sec. 13, Tp. 1 S.
(Give smallest legal subdivision) (N. or S.)

R. 5 W., W. M., in the county of Washington
(E. or W.)

5. The dam to be cover 3/4 of acre of ground
(Main ditch, canal or pipe line) (Miles or feet)
 extending ~~to~~ NE¹ of the SW¹ of Sec. 13, Tp. 1 S.,
(Smallest legal subdivision) (N. or S.)

R. 5 W., W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam nine (9) feet, length on top 120 feet, length at bottom 100 feet; material to be used and character of construction earth
(Loose rock, concrete, masonry, etc.)

wasteway is around dam
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate Timber - 2 feet high, 8 feet long, 7 feet wide.
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description No. pumping
(Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

10. (a) To supply the city of _____
County, having a present population of _____
and an estimated population of _____ in 19_____

(b) If for domestic use state number of families to be supplied Fish pond only

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$450.00
- 12. Construction work will begin on or before at once
- 13. Construction work will be completed on or before 6 months
- 14. The water will be completely applied to the proposed use on or before 1 year

Best Hordrup
(Signature of applicant)

Remarks: The pond will be stocked with a 1000 newly hatched trout and will be harvested by being caught by petitioner, his children and grandchildren.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19_____

WITNESS my hand this _____ day of _____, 19_____

STATE ENGINEER

By _____ ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.05 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Durin Branch

The use to which this water is to be applied is maintenance of pond for fish culture to be constructed under application No. R-36799, permit No. R- 2694

If for irrigation, this appropriation shall be limited to - - of one cubic foot per second or its equivalent for each acre irrigated

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is August 10, 1961

Actual construction work shall begin on or before January 9, 1963 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1963.

Complete application of the water to the proposed use shall be made on or before October 1, 1964

WITNESS my hand this 9th day of January 19 62

Lewis A. Stanley
STATE ENGINEER

Application No. 36800
Permit No. R7640

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 10th day of August, 1961, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

January 9, 1962
Recorded in book No. 76 of

Permits on page 22610

LEWIS A. STANLEY
STATE ENGINEER

Drainage Basin No. R page 62A18

Fees