*APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

£,	Douglas Cor					
***************************************	1058 West	darvard St., Rosel	urg	••••••		
ste of	Oregon	, do hereby m	ake application	for a pe	ermit to app	ropriate t
		rs of the State of Oregon,				,
If the	applicant is a corpor	ration, give date and place	of incorporation	n	DougLAS (OUNTY
S	CHOOL DISTRICT	LA POLITICAL SUB-D	(XISION)	•••••••		
1. The	source of the propo	sed appropriation is	outh Umpqu	a Riv	er	
************		a tributary d	o f	tame of str	•am)	
		hich the applicant intends	•			
bic feet pe	r second.	(If water to to be used from a				
••3. The	e use to which the w	ater is to be applied is	đọn Trrigation, power, mini	estio	eturing, comments	gotion supplies, etc.)
4 Th	noist of disersion	is located 1000.5 # N	496.	5+ 1	······································	the Sec
	common to	is located 1000.5 ft. N	ers.)		i. or W.)	ine
		Secs. 5,6,7, and		***************************************	•••••••	••••••
	(Pt. of D	Iversion located	n Sec • 5)			
	(If there is note than		ng to section corner)	sheet if nec	, Tp	275 (N. er 8.)
ting within	the SW 1/4	(If profurable, give distance and bears one point of diversion, each must be d of SW 1/4 re amaliest legal subdivision) entry of	ng to section corner) corribed. Use separate	sheet if nec		
ring within 6V	the SW 1/4	(If profurable, give distance and bears one point of diversion, each must be d of SW 1/4 re amaliest legal subdivision) entry of	ng to section corner) corribed. Use separate	sheet if nec		
oling within 6V (L = V.) 5. Th	the SW 1/4 W. M., in the core pipeli	(If preferable, give distance and bearf one point of diversion, each must be d Of SW 1/4 re emailest legal subdivision) entry of Dougle.s	ng to section corner) secribed. Use separate	shoot if noc	1500.ft	•
oing within 6 W C. a.w.) 5. The length, te	the SV 1/4 W. M., in the cone pipeli can rminating in the SV	(If profurable, give distance and bears one point of diversion, each must be d of SW 1/4 re amaliest legal subdivision) entry of	of Sec	sheet if noc	1500 . ft (Miles er feet	•) 27 S (N. er s.)
ing within 6 W 5. Th length, te 6 W	the SW 1/4 (can be more than be	(If preferable, give distance and bearing one point of diversion, each must be de Of SW 1/4 re emailer legal subdivision) entry of Douglass ne	to section corner) secribed. Use separate to the common of Sec	sheet if noc	1500 . ft (Miles er feet	•) 27 S (N. er s.)
ing within 6 W 3. Th length, te	the SW 1/4 (Company of the Company of the SW 1/4 (Company of the SW	one peshet of diversion, each must be do of SW 1/4 re smallest legal subdivision) gesty of	to section corner) secribed. Use separate constant of Sec	shoot if noc 5	1500 ft Office or feet	• • • • • (N. or S.) • ng map.
ing within 6 W 5. Th length, te 6 W iversion W 6. (a)	the SW 1/4 (can be seen to be seen the	(If preferable, give distance and bears one point of diversion, each must be d Of SW 1/4 re amaliest legal subdivision) enty of Douglas De in 6th, send or pipe line) 1/4 of NW 1/4 (Smallest legal subdivision) proposed location being she	to be	sheet if need 5	1500 .ft (Miles er feet ,, Tp	(N. or S.) ng map.
ting within (I. = W.) 5. The length, te 6W (I. = W.)	the SW 1/4 (Case) a more than the Con- e Dipeli rminating in the HW	(if professible, give distance and bearing one point of diversion, each must be do of SW 1/4 re-emailert legal mibilization) entry of	to be	sheet if need 5	1500 .ft (Miles er feet ,, Tp	(N. or S.) ng map.
ting within (I. erw.) 5. The length, te 6W 6. (a)	the SW 1/4 (Case)	(If professible, give distance and beart one point of diversion, each must be d of SW 1/4 re emailest legal subdivision) enty of	to section corner) secribed. Use separate of Sec. to be of Sec. own throughout WORKS on top construction	8 on the o	1500 .ft (Idles or feet , Tp	(N. or S.) th at bott
ting within (I. er W.) 5. The length, te 6W G. er iversion W 6. (a)	the SW 1/4 (Case)	(if professible, give distance and bearing one point of diversion, each must be do of SW 1/4 re-emailert legal mibilization) entry of	to section corner) secribed. Use separate of Sec. to be of Sec. own throughout WORKS on top construction	8 on the o	1500 .ft (Idles or feet , Tp	(N. or S.) th at bott
ting within 6 W 5. Th length, te 6 W 6. (a)	the SW 1/4 (can , W. M., in the con e pipeli con rminating in the SW, W. M., the p orks Height of dam	(If preferable, give distance and bearing can point of diversion, each must be do of SW 1/4 re smallest legal subdivision) saty of Douglas De mosth, senal or pipe line) 1/4 of NW 1/4 (Smallest legal subdivision) proposed location being sho DESCRIPTION OF feet, length to be used and character of or or around dam) site (Timber	to be	8 on the o	1500 .ft (Miles or feet,, Tp Iccompanyiifeet, leng (Loose reck,	(N. or S.) ng map. th at bott
ting within (I. er W.) 5. The length, te 6W (I. er iversion W 6. (a)	the SW 1/4 (Case In more than the Congress of the SW 1/4 (Case In Manager of the SW 1/4 (Case	(If professible, give distance and beart one point of diversion, each must be d of SW 1/4 re emailest legal subdivision) enty of	to section corner) secribed. Use separate construction to be construction construction construction secrets, sec., number	8 on the o	1500 .ft (Miles or feet,, Tp Iccompanyiifeet, leng (Loose reck,	(N. or S.) ng map. th at botte

"Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Rydroelectric Commission. Either of the above forms may be escured, without cost, tegether with instructions by addressing the fitte Engineer, finless. Orages.

	ing of the second			•	
nel System or Pi		e in the later of the S	e tra li		
					in size, stating miles
elgate. At heady	ute: width on t	op (at water	line)	***************************************	feet; width on b
wand feet.	et; depth of w	Ker	feet; gre	de	feet fall pe
(b) At		niles from h	radgate: width on to	op (at water li	ne)
fc	et; width on bo	ttom	feet,	; depth of wate	er
ıde		•			
			•	2 1 /2 :-	.; size at 1500
					rence in elevation be
ake and place o	f use,85	ft. 1	is grade uniform?	J.6.5	Estimated cap
2 Location		riosted or n	lace of use		
		rigates, or p	T		
Township North or South ,	Range B. or W. of Willemotto Moridian	Coction	Porty-acre T		Number Acres To Be Ma
275	6 V	5	SW 1/4 SW	1/4	2.1 \$ /
278	6M	. 8	NW 1/4 NW	1/4	4.0 F L
					
		·		•	
		•			
	•				
	·	•			
	,	3		•	
		·			
 	<u> </u>	(If more spe	ce required, attach separate	sheet)	
(a) Cho	racter of soil				
		:d	***************************************		
Power or Mining	=				
					theoretical hors
			r power		.ft.
(c) To	tal fall to be uti	lized	(Hend)	feet.	
			•		eveloped
	····				
(e) Su	ch morks to be	located in			of Sec
				ivision)	of Sec
Tp(No. N. or S	.,				
			stream?(Yes er No)		
(-) Ys	so, name stream	n and locate	point of return		
(g) 13	•				

(b) If for demonstic use state number of families to be supplied (construction work will begin on or before approval of application herewith 12. Construction work will be completed on or before two weeks after approval 14. The water will be completely applied to the proposed use on or before approval of this application and approval from State Sanitary Authority. Approx. Bov.15.1961 Douglas Gounty School District 44 by Authority. Remarks: A MULTIPURPOSE BUILDING IS NOW UNDER CONSTRUCTION AT THIS SITE VHICH WILL BE SHOWER ROOMS FOR BOYS AND GIRLS, SIX TOILETS, IN THE BUILDING THERE WILL BE SHOWER ROOMS FOR BOYS AND GIRLS, SIX TOILETS, THREE URINALS, FOUR LANATORIES, AND A DEFINKING FOUNTAIN. WE WOULD LIKE TO AMEND SECTION 8 OF THE APPLICATION TO COVER IRRIGATION WATER FOR PLAYFIELDS, SHRUBS, AND TREES AT THIS SCHOOL. This is to certify that I have examined the foregoing application, together with the accompanyings and data, and return the same for completion. In order to retain its priority, this application must be returned to the State Engineer, with cornions on or before January 9, 19 62 WITNESS my hand this 9th day of Kovenber 19 61	County, hasting a prosi I dis autimatika populaistan of	Fart of Douglas County Dist of Helrose School plan estimate for 200 studen
12. Construction work will begin on or beforeAPPROVAL Of application herewith 12. Construction work will be completed on or beforetwo weeks after approval 14. The water will be completely applied to the proposed use on or before _APPROVAL Ofthis application and approval from State Sanitary Authority . Approx. Nov.15.1961	(b) If for domestic use state number of	f families to be supplied
12. Construction work will begin on or before approval of application herewith 13. Construction work will be completed on or before two weeks after approval 14. The weter will be completely applied to the proposed use on or before approval of this application and approval from State Sanitary Authority. Approx. Box.15,1961 Douglas Gounty School District 44 by Land Remarks: A MULTIPURPOSE BUILDING IS NOW UNDER CONSTRUCTION AT THIS SITE WHICH WILL BE PARTLY IN SECTION 8, TOWNSHIP 27 SOUTH, RANGE (WEST. IN THE SUILBING THERE WILL BE SHOWER ROOMS FOR BOYS AND GIRLS, SIX TOILETS, INTREE URINALS, FOUR LAVATORIES, AND A DRINKING FOUNTAIN. WE WOULD LIKE TO AMEND SECTION 8 OF THE APPLICATION TO COVER IRRIGATION WATER FOR PLAYFIELDS, SHRUBS, AND TREES AT THIS SCHOOL. This is to certify that I have examined the foregoing application, together with the accompanyings and data, and return the same for completion In order to retain its priority, this application must be returned to the State Engineer, with corrions on or before January 9, 19 62		
13. Construction work will be completed on or before two weeks after approval 14. The weter will be completely applied to the proposed use on or before approval of this application and approval from State Sanitary Authority. Approx. Bov.15,1961 Douglas County Reheal District \$4 by Remarks: A MULTIPURPOSE BUILDING IS NOW UNDER CONSTRUCTION AT THIS SITE WHICH WILL BE SHOWER ROOMS FOR BOYS AND GIRLS, SIX TOILETS, IN THE BUILDING THERE WILL BE SHOWER ROOMS FOR BOYS AND GIRLS, SIX TOILETS, THREE URINALS, FOUR LAYATORIES, AND A DRINKING FOUNTAIN. WE WOULD LIKE TO AMEND SECTION \$ OF THE APPLICATION TO COVER IRRIGATION WATER FOR PLAYFIELDS, SHRUBS, AND TREES AT THIS SCHOOL. THIS is to certify that I have examined the foregoing application, together with the accompanyings and data, and return the same for Completion In order to retain its priority, this application must be returned to the State Engineer, with cornions on or before Jamanary 9, 19 62		
14. The water will be completely applied to the proposed use on or before approval of this application and approval from State Sanitary Authority. Approx. Bov.15,1961 Douglas Gounty School District 44 by Jewill I will be applicated by Jewill I will be applicated by Jewill I will be applicated by Jewill I will be partly in Section 3, Township 27 South, Range 6 West. In the suitbing there will be shower gooms for soys and circs, six toilets, in the suitbing there will be shower gooms for soys and circs, six toilets, in the suitbing there will be shower gooms, and the application. We would like to amend section 3 of the application to cover irrigation water for playfields, shrubs, and trees at this school. This is to certify that I have examined the foregoing application, together with the accompanyings and data, and return the same for completion In order to retain its priority, this application must be returned to the State Engineer, with cornions on or before January 9, 19 62		
Approx. Bov.15,1961 Douglas Gounty School District 4 by Construction at Remarks: A MULTIPURPOSE BUILDING 13 NOW UNDER CONSTRUCTION AT THIS SITE WHICH WILL BE PARTLY IN SECTION 8, TOWNSHIP 27 SOUTH, RANGE 6 WEST. IN THE BUILDING THERE WILL BE SHOWER ROOMS FOR BOYS AND GIRLS, SIX TOILETS, INTHEE URINALS, FOUR LAVATORIES, AND A DRINKING FOUNTAIN. WE WOULD LIKE TO AMEND SECTION 8 OF THE APPLICATION TO COVER IRRIGATION WATER FOR PLAYFIELDS, SHRUBS, AND TREES AT THIS SCHOOL. TATE OF OREGON, This is to certify that I have examined the foregoing application, together with the accompanyings and data, and return the same for completion In order to retain its priority, this application must be returned to the State Engineer, with cornions on or before January 9, 19, 62	13. Construction work will be completed on	or before two weeks after approval
Approx. Bov.15,1961 Remarks: A MULTIPURPOSE BUILDING IS NOW UNDER CONSTRUCTION AT THIS SITE WHICH WILL BE PARTLY IN SECTION 8, TOWNSHIP 27 SOUTH, RANGE 6 WEST. IN THE BUILDING THERE WILL BE SHOWER ROOMS FOR BOYS AND GIRLS, SIX TOILETS, THREE URINALS, FOUR LAYATORIES, AND A DRINKING FOUNTAIN. WE WOULD LIKE TO AMEND SECTION 8 OF THE APPLICATION TO COVER IRRIGATION WATER FOR PLAYFIELDS, SHRUBS, AND TREES AT THIS SCHOOL. TATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanyings and data, and return the same for completion. In order to retain its priority, this application must be returned to the State Engineer, with cornions on or before January 9, 19.62		
Remarks: A MULTIPURPOSE BUILDING IS NOW UNDER CONSTRUCTION AT WIS SITE WHICH WILL BE PARTLY IN SECTION 8, TOWNSHIP 27 SOUTH, RANGE 6 WEST. IN THE BUILDING THERE WILL BE SHOWER ROOMS FOR BOYS AND GIRLS, SIX TOILETS, WE WOULD LIKE TO AMEND SECTION 8 OF THE APPLICATION TO COVER IRRIGATION WATER FOR PLAYFIELDS, SHRUBS, AND TREES AT THIS SCHOOL. TATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying and data, and return the same for completion In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before January 9, 19.62	this application and approve	al from State Sanitary Authority ,
Remarks: A MULTIPURPOSE BUILDING IS NOW UNDER CONSTRUCTION AT THIS SITE WHICH WILL BE PARTLY IN SECTION 8, TOWNSHIP 27 SOUTH, RANGE 6 WEST. IN THE BUILDING THERE WILL BE SHOWER ROOMS FOR BOYS AND GIRLS, SIX TOILETS, THREE URINALS, FOUR LAVATORIES, AND A DRINKING FOUNTAIN. WE WOULD LIKE TO AMEND SECTION 8 OF THE APPLICATION TO COVER IRRIGATION WATER FOR PLAYFIELDS, SHRUBS, AND TREES AT THIS SCHOOL. THAT OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanyinaps and data, and return the same for completion In order to retain its priority, this application must be returned to the State Engineer, with corrigons on or before January 9, 19 62	Approx. Wov.15,1961	Douglas County School District #4
TATE OF OREGON, County of Marion. This is to certify that I have examined the foregoing application, together with the accompanyinaps and data, and return the same for completion must be returned to the State Engineer, with correspondence on or before	A MIN TIBUDDAES	
TATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanyings and data, and return the same for completion In order to retain its priority, this application must be returned to the State Engineer, with correspondence on or before January 9, 19 62	and the same of th	
TATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanyings and data, and return the same for completion In order to retain its priority, this application must be returned to the State Engineer, with correlations on or before Jenuary 9 , 19 62		·
TATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanyinaps and data, and return the same for completion In order to retain its priority, this application must be returned to the State Engineer, with correlations on or before James 9, 19 62		,
TATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanyinaps and data, and return the same for	HREE URINALS, FOUR LAVATORIES, AND A I	DRINKING FOUNTAIN.
TATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanyings and data, and return the same for completion In order to retain its priority, this application must be returned to the State Engineer, with correions on or before January 9 , 19 62	ME MOULD LIKE	TO AMEND SECTION 8 OF THE APPLICATION
TATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanyinaps and data, and return the same for completion In order to retain its priority, this application must be returned to the State Engineer, with correspondence on or before January 9 , 19 62		
TATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanyinaps and data, and return the same for completion In order to retain its priority, this application must be returned to the State Engineer, with correspondence on or before	- A-14"	
County of Marion, This is to certify that I have examined the foregoing application, together with the accompanyings and data, and return the same for completion In order to retain its priority, this application must be returned to the State Engineer, with correspond on or before January 9 , 19 62		
County of Marion, This is to certify that I have examined the foregoing application, together with the accompanyings and data, and return the same for completion In order to retain its priority, this application must be returned to the State Engineer, with correspond on or before January 9 , 19 62		
County of Marion, This is to certify that I have examined the foregoing application, together with the accompanyings and data, and return the same for completion In order to retain its priority, this application must be returned to the State Engineer, with correspond on or before January 9, 19 62		
In order to retain its priority, this application must be returned to the State Engineer, with correspond to the State Engineer, with the Engineer Eng	} ss.	
In order to retain its priority, this application must be returned to the State Engineer, with correions on or before	This is to certify that I have examined th	e foregoing application, together with the accompanyi
ions on or before January 9 , 19 62	aps and data, and return the same forCo	ompletion
ions on or before January 9 , 19 62		
ions on or before January 9 , 19 62	In order to retain its priority, this applica	ition must be returned to the State Engineer, with corre
	•	
Wilmings 1 1.1. Oth . Managhan		,
	•	

LEWIS A. STANLEY

POTATE ENGINEER

ARGISTANT

The r	ight berein grant	ted is limited to th	e amount of wa	ter which co	m be applied	to beneficial use
and shall no	e exceedO.	18 cubic fee	st per second me	easured at t	he point of div	persion from the
streem, or i	ts equivalent in c	case of rotation wi	th other water i	users, from .	South Umpqu	as River
		·	······································			
***************************************		••••••	•			
The w	use to which this	water is to be app	lied is domest	ic use in	school and	irrigation;
heing 0.1	O.s.f.s. for	domestic and O	OB cafes fo	r irrigati	. 	••••••
If for	irrigation, this a	ppropriation shall			* · · · · · · · · · · · · · · · · · · ·	ne cubic foot per
	4.	each acre irrigated				
. •		re feet per ac				
		provided furthe				
		low in the Sout				
mouth.						•
		•				
	in the state of th					•
\						
		reasonable rotatio				
	_	his permit is				
		vork shall begin o				and shall
		ith reasonable dili				
_		of the water to the				
		-			_	
₩11	NESS my nana t	his	uay 0)	Huri	o a. Sta	lev
					eqjue	STATE ENGINEER
	1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -		•			
		This instrument was first received in the office of the State Engineer at Salem, Oregon, on the American	j		76 of 50	Drainage Basin No. 16 page 30G.
	BLIC	h, Or	* /			32
Application No. 37/20 Permit No. 27660	PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON	receit Saler	19.6.(, at		² 92	IEMIS A. STANIEX BROWER BOTHER
37.	HE S	first er at			Aanuary 9, 1962 Recorded in book No. 76. Permits on page 27660	C LANE
9, 10	PERMIT DPRIATE THI RS OF THE S OF OREGON	was gine	clock it:		8 8 CM	A. S.
tion N	PE OPRI RS C OF O	nent ite Er day	19.6.(, a t		huar. book	LEWIS Asaasin No.
olicat mit	PPR(e Sta	7.7 o app		Jar ed in 1 pag	Drainage Basin Fees 25"
A P	₹	# # A	g g	Approved:	ord.	Drainage B
`	2		. F	. 8	2 .≌	