AL HUY EN 1961

*APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

public waters of the it is a corporation, g	, do hereby make State of Oregon, SUB ive date and place of i copriation isLambe	neorporation	
public waters of the it is a corporation, g	State of Oregon, SUB ive date and place of i	neorporation	NG RIGHTS:
of the proposed app	ive date and place of i	ncorporation	
of the proposed app	opriation isLambe		
	_	rt Slough	
	_		
t of spater enhich the			
, wince site	applicant intends to a	pply to beneficial u	se is0.20
	water is to be used from more ti	ten one seurce, give quantit	y from each)
and the second s			
	(Briga	tion, power, mining, manufi	icturing, domestic supplies, etc.)
of diversion is locate	d ft	andft	from the
me points as cov	ered in WR permit	13847 any point	where my property
	_		
		••••••••••••	
(H prefer			
the Set 18 an	the Mark Shi	A. Use separate sheet if no	dennery)
CONTRACTOR OF THE COLUMN			
(——		(N. or S.)
		40 ha 3.00	00 ft.
	el er pipo lino) Ji	10 00	(Miles er feet)
ig in the MIT OF S	ilest legal subdivision)	of Sec	, Tp 5 5 (N. or S.)
W. M., the proposes	location being shown	throughout on the	accompanying map.
I	ESCRIPTION OF WO	ORKS	
of dam	feet length on	ton	feet length at hottom
•		-	
ii, material to be us	u una character of com	struction	(Loose rock, concrete, masonr;
	dam)		
		•	
iation 11ft 10-2	rt.	(ace and	(Type or pump)
(Size and type of engi	ne or motor to be used, total head	d water is to be lifted, etc.)	
	which the water is to of diversion is locate me points as cove s slough partice EXEMPTION The Of preferat a the Sai Mile and have a men then we put to (Give smallest i ortable pipe One of Si ortable pipe One of Si in the proposed D of dam et; material to be use the waterny over a sound on of headgate s to be pumped give is to be pumped give	which the water is to be applied is	(Give smallest legal subdivision) M., in the county of

idgate. At head	dgate: width on to	op (at water	line)	feet; width on botton
			feet; grade	
rusand feet.		+ D		
		- 4	readgate: width on top (at wat	
	feet; width on bo	ttom	feet; depth of	water feet
ıde	feet fall	per one tho	usand feet.	
(c) Lengti	h of pipe, 3,00	0 ft.	; size at intake,6	in.; size at 3,000
m intake	6 in.;	nize at place	of use in.; d	ifference in elevation betwee
take and place	of use 10	ft.	Is grade uniform?	Estimated capacit
8. Locatio	sec. ft. on of area to be ir	rigated, or 1	place of use	
Township	Range B. or W. of Willmette Meridien	Section	Forty-acre Tract	Number Acres To Be Irrigated
			oul se uni	10.0
5 S	3 W	. 3	SWA of NEA	
<u>5 s</u>	3 W -		NW1 of SE	6.0
			TOTAL	16.0
· .		·		
				•
	· · · · · · · · · · · · · · · · · · ·			
(n) ('hanastan of noil	-	ace required, attach separate sheet)	
	•		neral Farm	
o) K Power or Minii	• •	a		
	-	ower to be d	leveloped	theoretical horsepou
			or power	
			(Head)	
(d) 1	The nature of the	works by m	eans of which the power is to	be developed
***************************************		,		
(e) S	Such works to be l	located in	(Legal subdivision)	of Sec.
	, R			
			stream?(Yes or No)	
			(Yes or No) point of return	
			, Tp(No. N or	
		C		

cipal or Domestic Supply—	27688
10. (a) To supply the city of	
	ent population of
n estimated population of	in 19
(b) If for domestic use state number of	of families to be supplied
	11, 62, 13, and 14 in all cases)
11. Estimated cost of proposed works, \$Sm	
	ore _lune 1, 1862
· · · · · · · · · · · · · · · · · · ·	s or before August 1, 1962
	the proposed use on or before August 1, 1962
14. The water will be completely applied to	the proposed use on or before
	U.S. alderman
	(Bignature of applicant)
Remarks: Portable pumping equi	pment is already being used as described in
W R permit 13847	
Lots 10, 11 and 12 of Section	m 3 in Township 5 South, Range 3 West of the
Willamette Meridian in Yamhill Co	unty, Oregon, containing 74.64 acres, more or
	unty, Oregon, containing 74.64 acres, more or
ALSO: All of the J. M. Form	eunty, Oregon, containing 74.64 acres, more or est and wife Donation Land Claim, Notification 5 South, Range 3 West of the Willamette Merid South of the Willamette Slough, Containing 35
ALSO: All of the J. M. Form No. 1029, in Section 3, Township in Yashill County, Oregon lying S	rest and wife Donation Land Claim, Notification 5 South, Range 3 West of the Willamette Merid
ALSO: All of the J. M. Form No. 1029, in Section 3, Township in Yamhill County, Oregon lying S more or less.	est and wife Donation Land Claim, Notification 5 South, Range 3 West of the Willamette Merid South of the Willamette Slough, Containing 35
ALSO: All of the J. M. Form No. 1029, in Section 3, Township in Yashill County, Oregon lying S	est and wife Donation Land Claim, Notification 5 South, Range 3 West of the Willamette Merid South of the Willamette Slough, Containing 35
ALSO: All of the J. M. Form No. 1029, in Section 3, Township in Yamhill County, Oregon lying S more or less.	est and wife Donation Land Claim, Notification 5 South, Range 3 West of the Willamette Merid South of the Willamette Slough, Containing 35
ALSO: All of the J. M. Form No. 1029, in Section 3, Township in Yamhill County, Oregon lying S more or less.	est and wife Donation Land Claim, Notification 5 South, Range 3 West of the Willamette Merid South of the Willamette Slough, Containing 35
ALSO: All of the J. M. Form No. 1029, in Section 3, Township in Yamhill County, Oregon lying S more or less.	est and wife Donation Land Claim, Notification 5 South, Range 3 West of the Willamette Merid South of the Willamette Slough, Containing 35
ALSO: All of the J. M. Form No. 1029, in Section 3, Township in Yamhill County, Oregon lying S more or less.	est and wife Donation Land Claim, Notification 5 South, Range 3 West of the Willamette Merid South of the Willamette Slough, Containing 35
ALSO: All of the J. M. Form No. 1029, in Section 3, Township in Yamhill County, Oregon lying S more or less. ATE OF OREGON,	est and wife Donation Land Claim, Notification 5 South, Range 3 West of the Willamette Merid South of the Willamette Slough, Containing 35
ALSO: All of the J. M. Form No. 1029, in Section 3, Township in Yamhill County, Oregon lying S more or less. ATE OF OREGON, County of Marion,	est and wife Donation Land Claim, Notification 5 South, Range 3 West of the Willamette Merid South of the Willamette Slough, Containing 35
ALSO: All of the J. M. Form No. 1029, in Section 3, Township in Yashill County, Oregon lying S more or less. ATE OF OREGON, County of Marion, This is to certify that I have examined to	est and wife Donation Land Claim, Notification 5 South, Range 3 West of the Willamette Merid South of the Willamette Slough, Containing 35
ALSO: All of the J. M. Form No. 1029, in Section 3, Township in Yashill County, Oregon lying S more or less. ATE OF OREGON, County of Marion, This is to certify that I have examined to	sest and wife Donation Land Claim, Notification 5 South, Range 3 West of the Willamette Merid South of the Willamette Slough, Containing 35 South of the Willamette Merid South of the Willamette Slough, Containing 35 South of the Williamette Slough, Containing 35 South of the Williamette Slough of the Will
ALSO: All of the J. M. Form No. 1029, in Section 3, Township in Yashill County, Oregon lying S more or less. ATE OF OREGON, County of Marion, This is to certify that I have examined to the same for	sest and wife Donation Land Claim, Notification 5 South, Range 3 West of the Willamette Merid South of the Willamette Slough, Containing 35 South of the Willamette Merid South of the Willamette Slough, Containing 35 South of the Williamette Slough, Containing 35 South of the Williamette Slough of the Will
ALSO: All of the J. M. Form No. 1029, in Section 3, Township in Yashill County, Oregon lying S more or less. ATE OF OREGON, County of Marion, This is to certify that I have examined to the ps and data, and return the same for	South, Range 3 West of the Willamette Merid South of the Willamette Slough, Containing 35 the foregoing application, together with the accompanying cation must be returned to the State Engineer, with corrections and the state Engineer, where the state Engineer is the
ALSO: All of the J. M. Form No. 1029, in Section 3, Township in Yashill County, Oregon lying S more or less. ATE OF OREGON, County of Marion, This is to certify that I have examined to the same for	South, Range 3 West of the Willamette Merid South of the Willamette Slough, Containing 35 the foregoing application, together with the accompanying cation must be returned to the State Engineer, with corrections and the state Engineer, where the state Engineer is the
ALSO: All of the J. M. Form No. 1029, in Section 3, Township in Yashill County, Oregon lying S more or less. ATE OF OREGON, County of Marion, This is to certify that I have examined to the same for	South, Range 3 West of the Willamette Merid South of the Willamette Slough, Containing 35 the foregoing application, together with the accompanying application must be returned to the State Engineer, with correct must be returned to the State Engineer, with correct must be returned to the State Engineer, with correct must be returned to the State Engineer, with correct must be returned to the State Engineer, with correct must be returned to the State Engineer, with correct must be returned to the State Engineer, with correct must be returned to the State Engineer, with correct must be returned to the State Engineer, with correct must be returned to the State Engineer, with correct must be returned to the State Engineer, with correct must be returned to the State Engineer, with correct must be returned to the State Engineer, with correct must be returned to the State Engineer, with correct must be returned to the State Engineer, with correct must be returned to the State Engineer, with correct must be returned to the State Engineer, with correct must be returned to the State Engineer, with correct must be returned to the State Engineer must be returned to the State Engin
ALSO: All of the J. M. Form No. 1029, in Section 3, Township in Yashill County, Oregon lying S more or less. ATE OF OREGON, County of Marion, This is to certify that I have examined to the same for	South, Range 3 West of the Willamette Merid South of the Willamette Slough, Containing 35 the foregoing application, together with the accompanying cation must be returned to the State Engineer, with corrections and the state Engineer, where the state Engineer is the
ALSO: All of the J. M. Form No. 1029, in Section 3, Township in Yashill County, Oregon lying S more or less. ATE OF OREGON, County of Marion, This is to certify that I have examined to the same for	South, Range 3 West of the Willamette Merid South of the Willamette Slough, Containing 35 the foregoing application, together with the accompanying application must be returned to the State Engineer, with correct must be returned to the State Engineer, with correct must be returned to the State Engineer, with correct must be returned to the State Engineer, with correct must be returned to the State Engineer, with correct must be returned to the State Engineer, with correct must be returned to the State Engineer, with correct must be returned to the State Engineer, with correct must be returned to the State Engineer, with correct must be returned to the State Engineer, with correct must be returned to the State Engineer, with correct must be returned to the State Engineer, with correct must be returned to the State Engineer, with correct must be returned to the State Engineer, with correct must be returned to the State Engineer, with correct must be returned to the State Engineer, with correct must be returned to the State Engineer, with correct must be returned to the State Engineer, with correct must be returned to the State Engineer must be returned to the State Engin
ALSO: All of the J. M. Form No. 1029, in Section 3, Township in Yashill County, Oregon lying S more or less. ATE OF OREGON, County of Marion, This is to certify that I have examined to the same for	South, Range 3 West of the Willamette Merid South of the Willamette Slough, Containing 35 the foregoing application, together with the accompanying application must be returned to the State Engineer, with correct must be returned to the State Engineer, with correct must be returned to the State Engineer, with correct must be returned to the State Engineer, with correct must be returned to the State Engineer, with correct must be returned to the State Engineer, with correct must be returned to the State Engineer, with correct must be returned to the State Engineer, with correct must be returned to the State Engineer, with correct must be returned to the State Engineer, with correct must be returned to the State Engineer, with correct must be returned to the State Engineer, with correct must be returned to the State Engineer, with correct must be returned to the State Engineer, with correct must be returned to the State Engineer, with correct must be returned to the State Engineer, with correct must be returned to the State Engineer, with correct must be returned to the State Engineer, with correct must be returned to the State Engineer must be returned to the State Engin

The	use to which this	case of rotation with water is to be applie sppropriation shall be	d is	irrigati	m Lambe	rt Slough	c foot per
998.5CB (of each year,	ore feet per acr					
The Acti thereafter Con	priority date of the ual construction used to prosecuted with the	reasonable rotation his permit is work shall begin on a ith reasonable dilige of the water to the p his	or before	Janua completed or see shall be mu	10, 1961 17 9, 196 n or before (ade on or be	3 October 1, 19	and shall
Application No. 3/16.7. Permit No. 7/6.8.8.	PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON	This instrument was first received in the office of the State Engineer at Salem, Oregon, on the LOM day of Nauchalla.	Returned to applicant:	Approved:	Jarmary 9, 1962 Recorded in book No. 76. of	Permits on page 27688. LEWIS A. STANLEY. ENGINEER	Drainage Basin No. 2 page 76 Als