

*APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

Steamboat Ranger Station, Idley1d				••••••
ate of Oregon do hereby	Park		***************************************	···········
	nake application	for a per	nit to appropri	ate ti
llowing described public waters of the State of Oregon				
If the applicant is a corporation, give date and place	e of incorporation	on		
		****	•••	· · · · · · · · · · · · · · · · · · ·
1. The source of the proposed appropriation isB	ogus Creek			
, a tributary				
2. The amount of water which the applicant intends	-			
•		-		•••••••
bic feet per second. (If water is to be used from				•••••
**3. The use to which the water is to be applied is \(\mathbb{Q}\)	ampground I	Orinkin	g Water iring, domestic supplie	16, etc.)
			•••••••••••	•••••
4. The point of diversion is located ft	= and _==	ft 	from the	=
rner of N 70"38' W from Section Corner				
T 26 S, RIW, WM a distance of	1486 feet		·····	
(If there is more than one point of diversion, each must be	described. Use separate	_		
eing within the SW+ Of SE+ (Give smallest legal subdivision)			, 179 207	# 8.)
1 W , W. M., in the county of Douglas				
5. The Pipeline (Main ditch, canal or pipe line)	to be .	2204	feet (Miles or feet)	
n length, terminating in the NET OF NET	of Sec	10	, Tp. 265	er S.)
DESCRIPTION O	F WORKS	•		
Diversion Works—		_		
6. (a) Height of daml feet, lengt	h on top	8	feet, length at	bott
9	of construction	Cor	Crete	
	n culvert o	pening		
ock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headcasts Concrete wit		er and size of	openings)	
ock and brush, timber crib, etc., wasteway over or around dem) (b) Description of headgate Concrete with (Tunb	er, concrete, etc., numb			
(b) Description of headgate Concrete with (Tember 1997)	per, concrete, etc., numb			
	per, concrete, etc., numb	(Size and ty	pe of pump)	
(b) Description of headgate Concrete with (Tember 1997)	ion		pe of pump)	

[&]quot;A current form or application is provided where strongs works are consempasted."

"Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem Oregon.

laate. At head	gate: width on t	top (at water li	ine)	feet; width on bottom
				feet fall per one
and fact			•	'
and the second second				ter line)
	feet; width on b	ottom	feet; depth of	water feet
io .	feet fall	ner one thous	and feet.	•
*				in.; size at f
n intake	in.;	size at place of	f useltin.;	difference in elevation between
ike and place	of use. 108	ft. Is	grade uniform? Ye	S Estimated capacity
8. Locatio	n of area to be i	irrigated, or pl	ace of use Bogus Cree	k Campground
Township	Range 2. or W. of	Section	Forty-acre Tract	Number Acres To Be Irrigated
North or South	Williamotto Moridian			
766	-		SN4 of 584	Domestic use
T26S	RIW	10	E's of the NE	Campground use
		<u> </u>		
•				
•				
		<u> </u>		
<u> </u>				
				•
			required, attach separate sheet)	,
(a) C	haracter of soil		e required, actuach separate succes;	
			•	
-		sed		
	ng Purposes—	. 1 . 1	lauad	theoretical horsepor
(b) (Quantity of wate	er to be used for	r power	sec. ft. •
(c) 1	Total fall to be t	ıtilized	feet	. .
				to be developed
(4)	ine nature of the			
4.,		•		
. (e)	Such works to b	e located in	(Legal subdivision)	of Sec.
	, R			
(4)			stream?(Yes or No)	
	If so, name stre	am and locate	point of return	

County, having a present population of action of county, having a present population of in 18 (b) If for domestic uses state number of families to be supplied 30 maximum Line 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	10. (a) To supp			
11. Estimated population of the state number of families to be supplied 30. maximum. 12. Construction work will begin on or before Databax 1. 1961. 13. Construction work will be completed on or before Databax 1. 1961. 14. The water will be completely applied to the proposed use on or before May 1. 1962. Remarks: Mile The facilities will consist of ten self-closing fancets on stand pipes, for drinking water only. The Begus Creek laway ground is already dead of the proposed use on the foregoing fancets on stand pipes, for drinking water only. The Begus Creek laway ground is already dead to the proposed use on the foregoing fancets on stand pipes, for drinking water only. The second of the second of the second of private of the second of the private of the second of the private of the second o	化二氢甲烷二烷二十二烷二烷 药			······································
(b) If for domestic use state number of families to be supplied 30 maximum 11. Estimated cost of proposed works, \$2000 12. Construction work will begin on or beforeDatabar 1, 1961 13. Construction work will be completed on or beforeDatabar 1, 1961 14. The water will be completely applied to the proposed use on or beforeMay 1, 1962 Place Place Place Place Place Place	(Plane of)			**************************************
11. Estimated cost of proposed works, 2 2000 12. Construction work will begin on or beforeOctober 1, 1961 13. Construction work will be completely applied on or beforeRecember 1, 1961 14. The water will be completely applied to the proposed use on or beforeHay 1, 1962 Please	en estimated popu	ulation of	in 19	
11. Estimated cost of proposed works, \$ 2000. 12. Construction work will begin on or before October 1, 1961. 13. Construction work will be completed on or before December 1, 1961. 14. The water will be completely applied to the proposed use on or before May 1, 1962. Remarks: Idd. The facilities will consist of ten self-closing funcets on stand pipes, for drinking water only. The facilities will consist of ten self-closing funcets on stand pipes, for drinking water only. The facilities will consist of ten self-closing funcets on stand pipes, for drinking water only. The facilities will consist of ten self-closing funcets on stand pipes, for drinking water only. The facilities will consist of ten self-closing funcets on stand pipes, for drinking water only. The facilities will consist of ten self-closing funcets on stand pipes, for drinking water only. The facilities will consist of ten self-closing funcets on stand pipes, for drinking water only. The facilities will consist of ten self-closing funcets on stand pipes, for drinking water only. The facilities will consist of ten self-closing funcets on stand pipes, for drinking water only. The facilities will consist of ten self-closing funcets on stand pipes, for drinking water only. The facilities will consist of ten self-closing funcets on stand pipes, for drinking water only. The facilities will consist of ten self-closing funcets on stand pipes. The facilities will consist of ten self-closing funcets on stand pipes. The facilities will be completely on stand pipes. The facilities will be completely on self-closing funcets on stand pipes. The facilities will be completely on self-closing funcets on stand pipes. The facilities will be completely on self-closing funcets on stand pipes. The facilities will be completely on self-closing funcets on stand pipes. The facilities will be completely on self-closing funcets on stand pipes. The facilities will be consistent will be completely on self-closing funcets on self-closing funcets on self-c	(b) If for d	iomestic use state num	ber of families to be supplie	d 30 maximum
12. Construction work will begin on or before Databar 1, 1961 13. Construction work will be completed on or before Databar 1, 1961 14. The water will be completely applied to the proposed use on or before May 1, 1962 Please Langer Remarks: The facilities will consist of ten self-closing functs on stand pipes, for drinking water only. The Begins Creek Carry ground is already described to the face of the self-closing functs on the present the face of the self-closing functs on the present the face of the self-closing functs on the present the face of the self-closing functs on the face of the self-closing functs of the self-closing functs on the self-closing functs on the face of the self-closing functs on the self-closing functs on the self-clos			alligns 10, 48, 18, and 14 in all cases	
12. Construction work will begin on or before Databar 1, 1961 13. Construction work will be completed on or before Databar 1, 1961 14. The water will be completely applied to the proposed use on or before May 1, 1962 Please Langer Remarks: The facilities will consist of ten self-closing functs on stand pipes, for drinking water only. The Begins Creek Carry ground is already described to the face of the self-closing functs on the present the face of the self-closing functs on the present the face of the self-closing functs on the present the face of the self-closing functs on the face of the self-closing functs of the self-closing functs on the self-closing functs on the face of the self-closing functs on the self-closing functs on the self-clos	11. Estimated o	net of proposed sporter. I	2000	ali esa.
12. Construction work will be completely applied to the proposed use on or before. May 1, 1962 Personal Construction will be completely applied to the proposed use on or before. May 1, 1962 Personal Construction of ten self-closing functs on stand pipes, for drinking water only. The Begins Couch Carry ground is already dead to the foreign sites and to press. It is already dead to the foreign sites and the presset. Personal Country of Marion, 22. 13 14 15 15 15 15 15 15 15				961
Remarks: The Social tenself-closing fancets on stand pipes, for drinking water only. The facilities will consist of tenself-closing fancets on stand pipes, for drinking water only. The Begus Creek Cacep ground is already dead. Less Piped water to these the foreign stand of the prime its sold of prime its sold of the stand of		•		
Remarks: Ide. The facilities will consist of ten self-closing fancets on stand pipes, for drinking water only. The Begus Creek Caung ground is already dead to the State Engineer, with corresponded to the State Engineer to the State Engine		•		_
The facilities will consist of ten self-closing faucets on stand pipes, for drinking water only. The Begus Greek Cacer ground is allowed dead accorded to the state of the pression of the pr	14. The water u	vill be completely appli	ed to the proposed use on or	before May 1, 1902
The facilities will consist of ten self-closing faucets on stand pipes, for drinking water only. The Begus Greek Cacer ground is allowed dead accorded to the state of the pression of the pr				
The facilities will consist of ten self-closing faucets on stand pipes, for drinking water only. The Begus Greek Cacer ground is allowed dead accorded to the state of the pression of the pr			Tenel	Calm
The facilities will consist of ten self-closing faucets on stand pipes, for drinking water only. The Begus Greek Cacer ground is allowed dead accorded to the state of the pression of the pr			Distri	d Canger
ATE OF OREGON, This is to certify that I have examined the foregoing application, together with the accompanying sand data, and return the same for completion In order to retain its priority, this application must be returned to the State Engineer, with correspondence of the same parameters, and or the same for to retain its priority, this application must be returned to the State Engineer, with correspondence or the same for th	Remarks: Z	4		0
ATE OF OREGON, This is to certify that I have examined the foregoing application, together with the accompanyings and data, and return the same for completion In order to retain its priority, this application must be returned to the State Engineer, with correspondence on or before January 22 1962. WITNESS my hand this 21st day of November 16 16 16 16 16 16 16 16 16 16 16 16 16	The faciliti	ies will consist of	ten self-closing fance	ts on stand pipes. for
ATE OF OREGON, Country of Marion, This is to certify that I have examined the foregoing application, together with the accompanying and data, and return the same for completion In order to retain its priority, this application must be returned to the State Engineer, with corrus on or before January 22 WITNESS my hand this 21st day of November , 1:61			•	•
ATE OF OREGON, Sss. County of Marion, This is to certify that I have examined the foregoing application, together with the accompanyings and data, and return the same for completion. In order to retain its priority, this application must be returned to the State Engineer, with corrus on or before January 22 19.62. WITNESS my hand this 21st day of November , 1.61.		Re March	()	in almost decil
ATE OF OREGON, Sss. County of Marion, This is to certify that I have examined the foregoing application, together with the accompanyings and data, and return the same for completion. In order to retain its priority, this application must be returned to the State Engineer, with corrus on or before January 22 19.62. WITNESS my hand this 21st day of November , 1.61.		egis are k	accept of occiden	13 alleady cuccio
ATE OF OREGON, Sss. County of Marion, This is to certify that I have examined the foregoing application, together with the accompanyings and data, and return the same for completion. In order to retain its priority, this application must be returned to the State Engineer, with corrus on or before January 22 19.62. WITNESS my hand this 21st day of November , 1.61.	end ec	taux 1	9 earing sites	and 10 premie
ATE OF OREGON, Sss. County of Marion, This is to certify that I have examined the foregoing application, together with the accompanyings and data, and return the same for completion. In order to retain its priority, this application must be returned to the State Engineer, with corrus on or before January 22 19.62. WITNESS my hand this 21st day of November , 1.61.	sites. F	iped wate	r to these	recisation Si
ATE OF OREGON, Sss. County of Marion, This is to certify that I have examined the foregoing application, together with the accompanyings and data, and return the same for completion. In order to retain its priority, this application must be returned to the State Engineer, with corrus on or before January 22 19.62. WITNESS my hand this 21st day of November , 1.61.	1		-1	- dl - 1 - 1
ATE OF OREGON, Sss. County of Marion, This is to certify that I have examined the foregoing application, together with the accompanyings and data, and return the same for completion. In order to retain its priority, this application must be returned to the State Engineer, with corrus on or before January 22 19.62. WITNESS my hand this 21st day of November , 1.61.	3 DECA	ed 111 cx	acric max	e there isab
ATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanyings and data, and return the same for			•	
ATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanyings and data, and return the same for		,	***************************************	······································
ATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanyings and data, and return the same for				***************************************
ATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanyings and data, and return the same for				······································
ATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanyings and data, and return the same for				<u></u>
ATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanyings and data, and return the same for				
ATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanyings and data, and return the same for	· ·			
County of Marion, This is to certify that I have examined the foregoing application, together with the accompanyings and data, and return the same for		······		
County of Marion, This is to certify that I have examined the foregoing application, together with the accompanyings and data, and return the same for				
County of Marion, This is to certify that I have examined the foregoing application, together with the accompanyings and data, and return the same for				
In order to retain its priority, this application must be returned to the State Engineer, with corr ns on or before January 22 , 19.62. WITNESS my hand this 21st day of November , 1.61				
In order to retain its priority, this application must be returned to the State Engineer, with corr ns on or before January 22 , 19.62. WITNESS my hand this 21st day of November , 1.61	TATE OF OREG	ON,) ss.		
In order to retain its priority, this application must be returned to the State Engineer, with corr ns on or before January 22 , 19.62. WITNESS my hand this 21st day of November , 1.61	FATE OF OREG	ON, ss.		
In order to retain its priority, this application must be returned to the State Engineer, with corr ns on or before January 22, 19.62 WITNESS my hand this 21st day of November, 1.61	TATE OF OREG	ON, on, ss. rtify that I have exami	ned the foregoing application	n, together with the accompanyi
ns on or before January 22, 19.62 WITNESS my hand this 21st day of November, 1.61	CATE OF OREG County of Mario This is to cer aps and data, and	ON, ss. rtify that I have exami	ned the foregoing application	n, together with the accompanyi
WITNESS my hand this 21st day of November , 1 61	CATE OF OREG County of Mario This is to cer aps and data, and	ON, ss. rtify that I have exami	ned the foregoing application	n, together with the accompanyi
	CATE OF OREG County of Mario This is to cer aps and data, and	ON, ss. on, ss. rtify that I have exami	ned the foregoing application	n, together with the accompanyi
	CATE OF OREG County of Mario This is to cer aps and data, and In order to	on, ss. rtify that I have exami I return the same for	ned the foregoing application completion application must be returned	n, together with the accompanyi
	CATE OF OREG County of Mario This is to cer aps and data, and In order to	on, ss. rtify that I have exami I return the same for	ned the foregoing application completion application must be returned	n, together with the accompanyin
1961 TRUTS A. STANLEY	TATE OF OREG County of Mario This is to cer aps and data, and In order to r	ON, ss. rtify that I have exami I return the same for retain its priority, this of January 22	ned the foregoing application completion application must be returned . 19 62	n, together with the accompanying the state Engineer, with corre
1961 LEWIS A. STANLEY	TATE OF OREG County of Mario This is to cer aps and data, and In order to r	ON, ss. rtify that I have exami I return the same for retain its priority, this of January 22	ned the foregoing application completion application must be returned . 19 62	n, together with the accompanyir to the State Engineer, with corre
	COUNTY OF OREGING This is to certaps and data, and In order to rooms on or before	ON, ss. rtify that I have exami I return the same for retain its priority, this of January 22	ned the foregoing application completion application must be returned . 19 62	n, together with the accompanying the state Engineer, with corre
	ATE OF OREGO County of Mario This is to cer ps and data, and In order to r ns on or before	ON, ss. on, ss. rtify that I have exami I return the same for retain its priority, this of January 22 ny hand this 21st	ned the foregoing application completion application must be returned , 19 62 day of November	n, together with the accompanyi to the State Engineer, with corr

By Walter N. Perty

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

	0.01 cubic feet p	er second measure	d at the point of	diversion from the
ream, or its equivalent in	•			
	•			
The use to which thi	s water is to be applied	is cublic c	ampground use	
If for irrigation, this	appropriation shall be	limited to	o	f one cubic foot per
cond or its equivalent for				
•		*		
<u> </u>				
nd shall be subject to suc	h reasonable rotation s	ystem as may be or	dered by the prope	er state officer.
nd shall be subject to suc	h reasonable rotation sy	ystem as may be or	dered by the prope	er state officer.
nd shall be subject to suc The priority date of Actual construction	h reasonable rotation sy this permit is work shall begin on or	ystem as may be on ctaber 15, 20	dered by the property	er state officer.
nd shall be subject to suc The priority date of Actual construction hereafter be prosecuted t	h reasonable rotation sy this permit is work shall begin on or with reasonable diligen	etaber 15. Seb	dered by the property of the p	er state officer
nd shall be subject to suc The priority date of Actual construction hereafter be prosecuted to Complete application	this permit is	r before	dered by the property of the p	and shall ober 1, 19
nd shall be subject to suc The priority date of Actual construction hereafter be prosecuted to Complete application	h reasonable rotation sy this permit is work shall begin on or with reasonable diligen	r before	dered by the property of the p	and shallober 1, 19
nd shall be subject to suc The priority date of Actual construction hereafter be prosecuted to Complete application	this permit is	r before	dered by the property of the p	and shal
nd shall be subject to suc The priority date of Actual construction hereafter be prosecuted to Complete application	this permit iswork shall begin on or with reasonable diligence n of the water to the protection of the water to the protection.	r before	dered by the property of the p	er state officer. and shall ober 1, 19
nd shall be subject to suc The priority date of Actual construction hereafter be prosecuted v Complete applicatio WITNESS my hand	this permit iswork shall begin on or with reasonable diligence n of the water to the protection of the water to the protection.	r before	dered by the property of the p	er state officer. and shall ober 1, 19
nd shall be subject to suc The priority date of Actual construction hereafter be prosecuted v Complete applicatio WITNESS my hand	this permit iswork shall begin on or with reasonable diligence n of the water to the protection of the water to the protection.	r before	dered by the property of the p	and shall ober 1, 19
nd shall be subject to suc The priority date of Actual construction hereafter be prosecuted v Complete applicatio WITNESS my hand	this permit iswork shall begin on or with reasonable diligence n of the water to the protection of the water to the protection.	r before	dered by the property of the p	er state officer. and shall ober 1, 19 controller 1, 19 ty STATE ENGINEER
nd shall be subject to suc The priority date of Actual construction hereafter be prosecuted v Complete applicatio WITNESS my hand	this permit iswork shall begin on or with reasonable diligence n of the water to the protection of the water to the protection.	pstem as may be ore controlled to the complete composed use shall be gof	dered by the property of the p	and shall ober 1, 19
nd shall be subject to suc The priority date of Actual construction hereafter be prosecuted v Complete applicatio WITNESS my hand	this permit iswork shall begin on or with reasonable diligence n of the water to the protection of the water to the protection.	pstem as may be ore controlled to the complete composed use shall be gof	dered by the property of the p	and shall ober 1, 19
The priority date of Actual construction hereafter be prosecuted a Complete applicatio WITNESS my hand	this permit is	r before	d on or before Octor made on or before Deput	and shall ober 1, 19