

## \*APPLICATION FOR PERMIT

## To Appropriate the Public Waters of the State of Oregon

Reno.   Klamath County   Children sideman   do hereby make application for a permit to appropriate the solution of charges.   do hereby make application for a permit to appropriate the sollowing described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:  If the applicant is a corporation, give date and place of incorporation  1. The source of the proposed appropriation is   an implaned   atream   (forms of division)	Reno.   Clamath County   Charge election   Cha	I, Gene R. Guptil	(Please of applicant)
do hereby make application for a permit to appropriate the solitowing described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:  If the applicant is a corporation, give date and place of incorporation  1. The source of the proposed appropriation is an unpassed appropriation is an unpassed appropriation.  2. The amount of water which the applicant intends to apply to beneficial use is 0,59 while feet per second.  (If water 2 is be used from more than one source, give quantity from each)  **3. The use to which the water is to be applied is Irrigation.  (Irrigation, source, mining, manufacturing, demonstr supples, etc.)  4. The point of diversion is located 311 ft. S. and 764 ft. W. from the N2 corner of SE4 - NN2 , Section 1, T. 40S. D. S. W. M. (Gestion or manufacturing)  (If there is near the manufacturing is not be applied to several applications)  (If there is near the proposed location and backup to method the separate that if necessary)  (If there is near that applied of diversion, such made to described the separate that if necessary)  (If there is near that applied of diversion, such made to described the separate that if necessary)  (If there is near that applied of diversion, such made to described the separate that if necessary)  (If there is near that applied of diversion, such made to described the separate that if necessary)  (If there is near that applied to diversion, such made to described the separate that if necessary)  (If there is near that applied to diversion, such made to described the separate that if necessary)  (If there is near that the proposed location being shown throughout on the accompanying map.  (If the is necessary to the separate that the control of the proposed location being shown throughout on the accompanying map.  (If the is not true that the proposed location being shown throughout on the accompanying map.  (If the is not true that the proposed location being shown throughout on the accompanying map.  (If the is not true that the proposed location being	do hereby make application for a permit to appropriate the state of Oregon, SUBJECT TO EXISTING RIGHTS:  If the applicant is a corporation, give date and place of incorporation  1. The source of the proposed appropriation is	Keno, Klamath Cour	
If the applicant is a corporation, give date and place of incorporation	If the applicant is a corporation, give date and place of incorporation	\	do hereby make application for a permit to appropriate the
If the applicant is a corporation, give date and place of incorporation  1. The source of the proposed appropriation is	If the applicant is a corporation, give date and place of incorporation  1. The source of the proposed appropriation isa_numpagedstream		
1. The source of the proposed appropriation is	1. The source of the proposed appropriation is	ollowing described public waters	of the state of Oregon, SUBJECT TO EXISTING RIGHTS:
1. The source of the proposed appropriation is	1. The source of the proposed appropriation is	If the applicant is a corpora	tion, give date and place of incorporation
		1. The source of the propose	ed appropriation isan unnamed,stream
2. The amount of water which the applicant intends to apply to beneficial use is 0,59.  """  """  """  """  """  """  """	2. The amount of water which the applicant intends to apply to beneficial use is 0.59 which feet per second.  (If water is to be used from more than one source, tive quantity from each)  **3. The use to which the water is to be applied is Irrigation (Progettin, power, mining, manufacturing, demantic supplies, etc.)  4. The point of diversion is located 811 ft. S. and 764 ft. W from the NE orner of SE\$\frac{1}{2} - NV\$\frac{1}{2} , Section 1, T. 40S. R. 6E. W. M. (Bestion or subdivision)  (If there is more than one point of diversion, such most be described. The separate sheet if secondary)  (If there is more than one point of diversion, such most be described. The separate sheet if secondary)  (If there is more than one point of diversion, such most be described. The separate sheet if secondary)  (If there is more than one point of diversion, such most be described. The separate sheet if secondary)  (If there is more than one point of diversion, such most be described. The separate sheet if secondary)  (If there is more than one point of diversion, such most be described. The separate sheet if secondary)  (If there is more than one point of diversion and bestfrates)  (If there is no point of diversion is a continue sheet s		
**3. The use to which the water is to be applied is	whice feet per second.  (If water is to be used from more than one nature, give quantity from each)  **3. The use to which the water is to be applied is		
4. The point of diversion is located 811 ft. S. and 764 ft. W. from the NO. (R. or W.)  4. The point of diversion is located 811 ft. S. and 764 ft. W. from the NO. (R. or W.)  Corner of SE4 - NW4 Section 1, T. 40S. R. 6E. W. M. (Median corner)  (If there is now then was public of diversion, such must be described. The repeated short if incompre)  (If there is now then was public of diversion, such must be described. The repeated short if incompre)  (If there is no wear then was public of diversion, such must be described. The repeated short if incompre)  (If there is no wear then was public of diversion, such must be described. The repeated short if incompre)  (If there is no wear then was public of diversion. Such must be described. The repeated short if incompre)  (If was no wear the was public of diversion. Such must be described. The repeated short if incompression is located in the such must be described. The repeated short in length, terminating in the SW4 - JR3 (Result)  (If was no wear the was not be such and the such must be described with the such must be desc	4. The point of diversion is located 811 ft. S. and 764 ft. W. from the NE order of SE4 - NW4 Section 1, T. 40S. R. 82 W. M. M. (Recurrence)  (If there is near the new point of diversion, such must be described. The separate short if securery)  (If there is new then was point of diversion, such must be described. The separate short if securery)  (If there is new then was point of diversion, such must be described. The separate short if securery)  (If there is new then was point of diversion, such must be described. The separate short if securery)  (If there is new then was point of diversion, such must be described. The separate short if securery)  (If there is new then was point of diversion, such must be described. The separate short is securery)  (If there is new then was point of diversion, such must be described. The separate short is securery)  (If there is new then was point of diversion, such must be described. The separate short is secured.  (Rec. w. M. M. in the country of the separate short is secured. The secure of the s		
(If preferable, give distance and bearing to mertion corner)  (If preferable, give distance and bearing to mertion corner)  (If there is more than one point of diversion, such must be described. Use superrise sheet if secondary)  being within the \$\frac{5.2}{5.2} - \text{NV}\frac{1}{2}\$. (No. 1)  (Obversalled legal subdivision)  (If there is more than one point of diversion, such must be described. Use superrise sheet if secondary)  being within the \$\frac{5.2}{5.2} - \text{NV}\frac{1}{2}\$. (Obversalled legal subdivision)  R. \$\frac{6.}{6.} , W. M., in the county of Klamath  (In the field, count or plus libes)  (In the field county)  (In the	(If preferrible, give difference and bearing to section corner)  (If there is more than one point of diversion, such must be described. Use separate short if incomery)  (If there is more than one point of diversion, such must be described. Use separate short if incomery)  (If there is more than one point of diversion, such must be described. Use separate short if incomery)  (If there is more than one point of diversion, such must be described. Use separate short if incomery)  (If there is more than one point of diversion, such must be described. Use separate short if incomery)  (If there is more than one point of diversion, such must be described. Use separate short if incomery)  (If there is more than one point of diversion, such must be described. Use separate short if incomery)  (If there is more than one point of diversion, such must be described. Use separate short if incomery)  (If there is more than one point of diversion of Sec. 1, Tp. 405.  (If or it is to be 1100, fact.  (Indice or fact)  (Indic		
(If preferable, give distance and bearing to section exemer)  (If there is more than one point of diversion, each must be described. Use separate short if security)  being within the \$\frac{52}{32} - \text{NW}\frac{1}{2}\$ (Give smallest legal mobilizations)  R. \$\frac{62}{62}\$, W. M., in the county of Klamatth (Give smallest legal mobilizations)  5. The liain ditches (Sink estal explosions)  in length, terminating in the \$\frac{52}{32} - \text{NW}\frac{1}{2}\$ (We ex 5.)  (Reserve)  DESCRIPTION OF WORKS  Diversion Works—  6. (a) Height of dam \$\frac{6.0}{6.0}\$ feet, length on top \$\frac{240}{340}\$ feet, length at botton 100. feet; material to be used and character of construction \$\frac{340}{600}\$ feet, length at botton 100. Description of headgate \$\frac{10^{11}}{10^{11}}\$ Corrigated culvert with cast-i ron slide gate (Thinber, concrete, etc., number and diss of openings)	(If preferable, give distance and bearing to section corner)  (If there is more than one point of diversion, each must be described. Use separate shoot if seconstry)  (If there is more than one point of diversion, each must be described. Use separate shoot if seconstry)  (If there is more than one point of diversion, each must be described. Use separate shoot if seconstry)  (If there is more than one point of diversion, each must be described. Use separate shoot if seconstry)  (If there is more than one point of diversion, each must be described. Use separate shoot if seconstry)  (If you have been shoot if the seconstry)  (If you have been shoot if seconstry)  (If you have shoot if seconstry)  (	**3. The use to which the wat	ler is to be applied isIrrigation
(If preferable, give distance and bearing to section exemer)  (If there is more than one point of diversion, each must be described. Use separate short if security)  being within the \$\frac{52}{32} - \text{NW}\frac{1}{2}\$ (Give smallest legal mobilizations)  R. \$\frac{62}{62}\$, W. M., in the county of Klamatth (Give smallest legal mobilizations)  5. The liain ditches (Sink estal explosions)  in length, terminating in the \$\frac{52}{32} - \text{NW}\frac{1}{2}\$ (We ex 5.)  (Reserve)  DESCRIPTION OF WORKS  Diversion Works—  6. (a) Height of dam \$\frac{6.0}{6.0}\$ feet, length on top \$\frac{240}{340}\$ feet, length at botton 100. feet; material to be used and character of construction \$\frac{340}{600}\$ feet, length at botton 100. Description of headgate \$\frac{10^{11}}{10^{11}}\$ Corrigated culvert with cast-i ron slide gate (Thinber, concrete, etc., number and diss of openings)	(If preferable, give distance and bearing to section corner)  (If there is more than one point of diversion, each must be described. Use separate shoot if seconstry)  (If there is more than one point of diversion, each must be described. Use separate shoot if seconstry)  (If there is more than one point of diversion, each must be described. Use separate shoot if seconstry)  (If there is more than one point of diversion, each must be described. Use separate shoot if seconstry)  (If there is more than one point of diversion, each must be described. Use separate shoot if seconstry)  (If you have been shoot if the seconstry)  (If you have been shoot if seconstry)  (If you have shoot if seconstry)  (		
(If there is more than our point of diversion, each must be described. Use separate sheet if necessary)  being within the \$\frac{\text{S}^2}{2} - \text{NW}^2\$ (Give smallest legal subdivision) of Sec. \( \lambda\$, \( \text{Tp}\$, \text{QS}\$, \( \text{CN} \) (Nors.)  R. \( \frac{G}{G} \), W. M., in the county of \( \text{Klamath} \)  5. \( \text{The} \) (Value of page line) (Sition of page line) (Sition of feet, canal or page line) (Sition of feet)  in length, terminating in the \( \text{SW}^2 \) - \( \text{NP}^2 \) (Smallest begal subdivision) of Sec. \( \text{L} \), \( \text{Tp} \), \( \text{QS} \) (Nors.)  R. \( \frac{G}{G} \), W. M., the proposed location being shown throughout on the accompanying map.  DESCRIPTION OF WORKS  Diversion Works—  6. \( (a) \) Height of dam \( \frac{G}{G} \) feet, length on top \( \frac{240}{G} \) feet, length at botton of the standard	(If there is more than one point of diversion, each must be described. Des separate sheet if security)  peing within the SEZ - NWZ Of Sec. 1 , Tp. 40S.  (R. or N.)  (R. or N.	4. The point of diversion is	located 811 ft. S. and 764 ft. W from the NE.
(If there is more than our point of diversion, each must be described. Use separate sheet if necessary)  being within the \$\frac{\text{S}^2}{2} - \text{NW}^2\$ (Give smallest legal subdivision) of Sec. \( \lambda\$, \( \text{Tp}\$, \text{QS}\$, \( \text{CN} \) (Nors.)  R. \( \frac{G}{G} \), W. M., in the county of \( \text{Klamath} \)  5. \( \text{The} \) (Value of page line) (Sition of page line) (Sition of feet, canal or page line) (Sition of feet)  in length, terminating in the \( \text{SW}^2 \) - \( \text{NP}^2 \) (Smallest begal subdivision) of Sec. \( \text{L} \), \( \text{Tp} \), \( \text{QS} \) (Nors.)  R. \( \frac{G}{G} \), W. M., the proposed location being shown throughout on the accompanying map.  DESCRIPTION OF WORKS  Diversion Works—  6. \( (a) \) Height of dam \( \frac{G}{G} \) feet, length on top \( \frac{240}{G} \) feet, length at botton of the standard	(If there is more than one point of diversion, each must be described. Des separate sheet if security)  peing within the SEZ - NWZ Of Sec. 1 , Tp. 40S.  (R. or N.)  (R. or N.		
(If there is more than one point of diversion, each sound be described. The separate sheet if necessary) being within the	(If there is more than one point of diversion, each sout be described. The separate shoot if necessary)  eing within the	•	(Bettion of substrumon)
R	R	being within the SEL - NWL Colors  R. GE , W. M., in the count (E. or W.)  5. The Sain ditche: (Main	of Sec. 1, Tp. 40S  machinet legal subdivision)  Ity of Klamath  S to be 1100 foot  (Miles or feet)
DESCRIPTION OF WORKS  Diversion Works—  6. (a) Height of dam	DESCRIPTION OF WORKS  Diversion Works—  6. (a) Height of dam	in length, terminating in the	SW2 - NF2
6. (a) Height of dam 6.0 feet, length on top 240 feet, length at botto  100 feet; material to be used and character of construction rolled garth (Loose rock, concrete, mason rock and brush, timber crib, etc., wasteway over or around dam)  (b) Description of headgate 10" Corrigated culvert with cast-iron slide gate (Timber, concrete, etc., number and size of openings)  (c) If water is to be pumped give general description (Size and type of pump)	Diversion Works—  6. (a) Height of dam 6.0 feet, length on top 240 feet, length at botto  100 feet; material to be used and character of construction rolled earth (Loose rock, concrete, mason ock and brush, timber crib, etc., wasteway over or around dam)  (b) Description of headgate 10" Corrigated culvert with cast-iron slide gate (Timber, concrete, etc., number and size of openings)  (c) If water is to be pumped give general description (Size and type of pump)	R	roposed location being shown throughout on the accompanying map.
6. (a) Height of dam 6.0 feet, length on top 240 feet, length at botto  100 feet; material to be used and character of construction rolled garth (Loose rock, concrete, mason rock and brush, timber crib, etc., wasteway over or around dam)  (b) Description of headgate 10" Corrigated culvert with cast-iron slide gate (Timber, concrete, etc., number and size of openings)  (c) If water is to be pumped give general description (Size and type of pump)	Diversion Works—  6. (a) Height of dam 6.0 feet, length on top 240 feet, length at botto  100 feet; material to be used and character of construction rolled earth (Loose rock, concrete, mason ock and brush, timber crib, etc., wasteway over or around dam)  (b) Description of headgate 10" Corrigated culvert with cast-iron slide gate (Timber, concrete, etc., number and size of openings)  (c) If water is to be pumped give general description (Size and type of pump)		DESCRIPTION OF WORKS
100. feet; material to be used and character of construction	100. feet; material to be used and character of construction		
(Loss rock, concrete, mason rock and brush, timber crib, etc., wasteway over or around dam)  (b) Description of headgate 10" Corrigated culvert with cast-iron slide gate (Timber, concrete, etc., number and size of openings)  (c) If water is to be pumped give general description  (Size and type of pump)	(Loose rock, concrete, masson ock and brush, timber crib, etc., wasteway over or around dam)  (b) Description of headgate 10" Corrigated culvert with cast-iron slide gate (Timber, concrete, etc., number and size of openings)  (c) If water is to be pumped give general description (Size and type of pump)	6. (a) Height of dam6	.0 feet, length on top 340 feet, length at bottom
(b) Description of headgate 10" Corrigated culvert with cast-iron slide gate  (Timber, concrete, etc., number and size of openings)  (c) If water is to be pumped give general description (Size and type of pump)	(b) Description of headgate 10" Corrigated culvert with cast-iron slide gate  (Timber, concrete, etc., number and size of openings)  (c) If water is to be pumped give general description  (Size and type of pump)	feet; material to	be used and character of constructionrolled_earth
(c) If water is to be pumped give general description (Sine and type of pump)	(c) If water is to be pumped give general description (Sine and type of pump)	rock and brush, timber crib, etc., wasteway over	
(c) If water is to be pumped give general description	(c) If water is to be pumped give general description (Sine and type of pump)	(b) Description of headgat	(Timber, concrete, etc., number and size of openings)
(fitze and type of engine or motor to be used, total head water is to be lifted, etc.)	(Size and type of engine or motor to be used, total head water is to be lifted, etc.)	(c) If water is to be pumpe	ed give general description
		(Size and ty)	pe of engine or motor to be used, total head water is to be lifted, etc.)

<sup>\*</sup>A different form of application is provided where storage works are contemplated.

<sup>\*</sup>Application for permits to appropriate water for the generation of electricity, with the exception of maintabilities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

gete. At hea	dgate: width on to	p (at water l	ine) 2.6	feet; width on botto
1.0	feet; depth of wa	ter Q.S	feet; grade1r:	igular feet fall per or
sand feet. (b) At		riles from he	adgate: width on top (at wo	ter line)
	feet: width on bot	tom	feet: depth of	water fee
	feet fall			•
	, , ,	."	•	in.; size at
•	•	•		•
		•		difference in elevation betwe
ke and place	of use,	ft. Is		Estimated capaci
8. Locatio	sec. ft. on of area to be ir	rigated, or pl	NW4-NE4 (LOT ace of use of Sec. 1, T	2), SW4-NE4 and S2-NW4. 40S., R. 6E, W. M.
Township	Range E. or W. of	Section	Forty-acre Tract	Number Acres To Be Irrigated
North or South	Williamotte Meridian			
40 8	6E	1	SW{-NE}	19.6 acres
		· · · · · · · · · · · · · · · · · · ·	SEA-NEA	3.8 "
				23.4 acres
· · · · · · · · · · · · · · · · · · ·				
	_			
		•		
				·
***************************************			required, attach separate sheet)	The second section of the second section sec
(a) C	haracter of soil	Sandy c	lay loam	· · · · · · · · · · · · · · · · · · ·
(b) F	Kind of crops raised	d Grains,	grasses and row crop	
	ng Purposes—		,	
				theoretical horsepor
		•	power	sec. ft.
(c) 1	Total fall to be util	ize <b>d</b>	(Head)	
(d) ?	The nature of the t	vorks by mea	ns of which the power is to	he developed
				· · · · · · · · · · · · · · · · · · ·
(e) S	Such works to be l	ocated in	(Legal subdivision)	of Sec.
	rs.) (No.1			
			tream? (Yes or No.)	
			•	
	If so, name stream	and locate p	oint of return	

The same of the control of the contr		
16. (a) To supply the city of		
Couple	y, having a present population of	
m estimated population of	and the state of t	
(b) If for domestic use	state number of families to be supplied	,
	Convergential R. St. 15, and H is all const	
	ed works, \$200.00	
•	begin on or beforeOntoher_1, 1962	
13. Construction work will i	be completed on or beforeQstober 1, 1963	••••
14. The water will be comple	letely applied to the proposed use on or before October 1	
	/S/ Gene R. Guptil	·•····
	BY William F. Wales	••
Barracker No other	Engineer rirrigation water is svailable to these lands and	·has
	•	
• • • • • • • • • • • • • • • • • • • •	the cost of the improvements In filing this appli	
the applicant does not	waive.or.abandon.any.wested.right.appertenantto.ss	iid.
lands.		
***************************************		
. 4.4.7.1.4.4.4.4.4.4.4.4.4.4.4.4.4.4.4.4.		•••••
	·	
		•••••
•		
ATE OF OREGON,	•	
County of Marion,		
County of Marion,	nave examined the foregoing application, together with the accom	ıpar
County of Marion, \begin{cases} ss. \\ This is to certify that I had been considered.	nave examined the foregoing application, together with the accom	
County of Marion, \begin{cases} ss. \\ This is to certify that I had been considered.	•	
County of Marion, \begin{aligned} Ss. This is to certify that I has an and return the same and the same are t	•	
County of Marion,  This is to certify that I has and data, and return the same in the same	ority, this application must be returned to the State Engineer, wit	
County of Marion, )  This is to certify that I has and data, and return the so	ority, this application must be returned to the State Engineer, wit	
County of Marion,  This is to certify that I has possible and data, and return the second In order to retain its priors on or before	ority, this application must be returned to the State Engineer, wit	h co

PECEIVED

JAN 17 10:1

STATE ENGINEER By
SALEM, ORBGON

LEMIS A. STANLEY

TATE ENGINEER

Walter N. Perry

ASSISTANT

## STATE OF OREGON,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

		ed is limited to the as				o beneficial use
nd shall no	x exceed 0.5	2 cubic feet p	er second m	easured at	the point of div	ersion from the
		case of rotation with a				•
The 1	use to which this	water is to be applied	is ir	rigation		····
	irrigation, this a	ppropriation shall be l	imited to	1/40tb	of o	ne cubic foot per
		ach acre irrigatedal				
of not to	exceed 3 acr	e feet per nore f	or each as	re irri.	nted during to	ne irrigation
season o	f each year:				·····	
					•	·····
	•		•			
·••••	······································		••••••			
	<del></del>		•••••		••••••	
<u></u>			·····			·
		reasonable rotation sy				
		his permit is				
Actı	ial construction u	vork shall begin on or	before	epru.	<u></u>	and shall
thereafter	be prosecuted wi	ith reasonable diligend	ce and be co	mpleted or	n or before Octob	er 1, 19.5.2
Com	plete application	of the water to the pr	oposed use	shall be m	ade on or before (	October 1, 19
win	TNESS my hand t	his day	of	diwir <b>y</b>		•
		•		No. 3k	miner	
				,	Deputy	STATE ENGINEER
				2 -	•	
ı		, n, he	I		8	<b>E</b>
	ပ္	in t rego				Sasin No. / 4 page 12 A
	ELI	m, O M.		`		e E
0 0	<b>PERMIT</b> APPROPRIATE THE PUB WATERS OF THE STATE OF OREGON	ecei Sale			19, 1962 76 <b>27711</b>	EY STAT pag
2 2	E HE ON	rat rat			7 8	¥ \
Application No. 577. Permit No. 777.	PERMIT DPRIATE THI RS OF THE S OF OREGON	us fi inee			81 , 13 <b>SA</b>	क्ष म
Application No. 377/5.f Permit No. 277//	RIA OF	t we Engi	ant:		uar; ok N	MIS A.
ition No.	OP SOP	men tate da	plic		ebra n bo ige	I u
plico mit	PPF	stru ne Si 5.75	to a		Red i	Bas
Ap. Per	PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON	This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 25th day of October.	Returned to applicant:	Approved:	Recorded in book No. 76 of Permits on page	STATE ENGINEES  STATE ENGINEES  Drainage Basin No. / 4 page 12 A
	F	Thi fice the	etur	ppro	Re	Drainage
		og og	ı ĕ	: <b>4</b>		IAA