Permit No 2772

CERTIFICATE NO. 3353

APPLICATION FOR A PERMIT

To Appropriate the Public Waters of the State of Oregon

(Posteties) (Posteties) (County of Josephine (Posteties) (County of Oregon Ado hereby make application for a permit to appropriate the following described public waters of the State of Oregon, subject to existing rights: If the applicant is a corporation, give date and place of incorporation. 1. The source of the proposed appropriation is East Fork of Williams Creek Name of atream) tributary of Applegate River 2. The amount of water which the applicant intends to apply to beneficial use is			Tes E Kose	(Name of App	plicant)			
tate of	f	Williams		·,	County of	of	Josephine	
ollowing described public waters of the State of Oregon, subject to existing rights: If the applicant is a corporation, give date and place of incorporation. 1. The source of the proposed appropriation is. Sast Fork of Williams Creek Name of stream) Applegate River 2. The amount of water which the applicant intends to apply to beneficial use is. 1			(Postoffice)				•	
If the applicant is a corporation, give date and place of incorporation East Fork of Villiams Creek Name of stream) Applicate River 2. The amount of water which the applicant intends to apply to beneficial use is. 1	tate of			, do hereby m	ake apple	ication fo	or a permit to	appropriate th
1. The source of the proposed appropriation is Name of wirann Name of wirann	ollowin	$g\ described\ pub$	lic waters of the S	tate of Oregon	, subject	to existiv	ig rights:	•
1. The source of the proposed appropriation is. Name of stream) tributary of Applegate River 2. The amount of water which the applicant intends to apply to beneficial use is. 1	If t	he applicant is	a corporation, give	e date and pla	ce of inc	corporation	on	·
1. The source of the proposed appropriation is. Name of stream) tributary of Applegate River 2. The amount of water which the applicant intends to apply to beneficial use is. 1	•				Mast Fo	rk of W	illiama Cre	
2. The amount of water which the applicant intends to apply to beneficial use is	1.	The source of	the proposed approp	priation is		Name	of stream)	****
Comments supplies, etc.) 3. The use to which the water is to be applied is. (Irrigation (Irrigation, power, mining, manufacturing, country supplies, etc.) 4. The point of diversion is located. (Give smallest legal subdivision) 5. W. W. M., in the county of Josephine (No. E. or W.) 5. The Main ditch, canal or pipe line) 6. The name of the ditch, canal or other works is. DESCRIPTION OF WORKS 7. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concret Temporary rock, brush & dirt dam, removable at ond of each season. Timber, 3\frac{1}{2} ft. wide (Timber, concrete, etc., number and size of openings)								
3. The use to which the water is to be applied is (Irrigation, power, mining, manufacturing to mestic supplies, etc.) 4. The point of diversion is located. 4. The point of Sec. 14 Tp. 39 S R 5 W. discounts of Sec. 14 Tp. 39 S (No. N. or S.) 4. The point of No. N. or S.) 5 W (No. N. or S.) 5 W (No. N. or S.) 6 The name of the ditch, canal or other works is (Loose rock, concret test, material to be used and character of construction (Loose rock, concret test, material to be used and character of construction (Loose rock, concret test, material to be used and character of construction (Loose rock, concret test, material to feed, wasteway over or around dam) (b) Description of headgate Timber, 3½ ft. wide (Timber, concrete, etc., number and size of openings)		7			ends to a	pply to b	eneficial use i	i8
Commercial Supplies, etc. Seast Dank of East Fork of Williams Creek, at a section for the point of diversion is located. East Dank of East Fork of Williams Creek, at a section to bearing south 50° (degrees) East from the Williams Care of the Williams Creek, at a section some of the section some of the Williams Creek, at a section some of the section section some of the section some of the section some of the section section section some of the section sect					Irri	gation		
East bank of East Fork of Williams Creek, at a soint bearing south 50° (degrees) East from the Woor. Sec. 14 Tp. 39 S R 5 W. discontinuous dis	3.	The use to whi	ch the water is to b	e applied is				ning, manufacturing
East bank of Wast Fork of Williams Creek, at a soint bearing south 50° (degrees) East from the Woor. Sec. 14 Tp. 39 S R 5 W. disconsisted within the SE4 of NW2 of Sec. 14 Tp. 39 S R 5 W. disconsisted within the SE4 of NW2 of Sec. 14 Tp. 39 S R 5 W. disconsisted within the SE4 of NW2 of Sec. 14 Tp. 39 S R 5 W. disconsisted within the SE4 of NW2 of Sec. 14 Tp. 39 S R 5 W. disconsisted within the SE4 of NW2 of Sec. 14 Tp. 39 S R 5 W. disconsisted within the SE4 of NW2 of Sec. 14 Tp. 39 S R 5 W. disconsisted within the SE4 of SW4 of Sec. 14 Tp. 39 S R 5 W. disconsisted within the SE4 of Sec. 14 Tp. 39 S R 5 W. disconsisted within the SE4 of Sec. 14 Tp. 39 S R 5 W. disconsisted within the SE4 of Sec. 14 Tp. 39 S R 5 W. disconsisted within the SE4 of Sec. 14 Tp. 39 S R 5 W. disconsisted within the SE4 of Sec. 14 Tp. 39 S R 5 W. disconsisted within the SE4 of Sec. 14 Tp. 39 S R 5 W. disconsisted within the SE4 of Sec. 14 Tp. 39 S R 5 W. disconsisted within the SE4 of Sec. 14 Tp. 39 S R 5 W. disconsisted within the SE4 of Sec. 14 Tp. 39 S R 5 W. disconsisted within the SE4 of Sec. 14 Tp. 39 S R 5 W. disconsisted within the SE4 of No. N. or S.) Sec. 14 Tp. 39 S R 5 W. disconsisted within the SE4 of No. N. or S.) (No. N. or S.) What is disconsisted within the section south the section within								
point bearing south 50° (degrees) East from the NN cor. Sec. 14 Tp. 39 S R 5 W. dig. 9 chains eing within the SEA of NA (Give smallest legal subdivision) 5 W Josephine (No. E. or W.) Main ditch, canal or pipe line) SWA (Smallest legal subdivision) 5 W Josephine (No. N. or S.) Main ditch, canal or pipe line) SWA (Smallest legal subdivision) Fig. 35 S W (No. N. or S.) Of Sec. 35 Tp. 38 S R 5 W. dig. (No. N. or S.) Main ditch, canal or pipe line) SWA (Smallest legal subdivision) Of Sec. 35 Tp. 38 S R 5 W. (No. N. or S.) Of Sec. 35			• • . • • •			t Fork	of Williams	creek, at a
eing within the SE of No. 1	4.	The point of d	version is located	(Gi Kast from th	ive distance	and bearing	ng to section corn	er) SR5W. die
cing within the SE of NE of NE of NE of NE of NE of Sec. 14 , Tp. 39 S (Give smallest legal subdivision) 5 W , W. M., in the county of Josephine (No. E. or W.) 6 Itch			r oo (degrees)	TAGE OF TACKET	70 MH OC		TT The 01	
Josephine Josephine	y cha	ıns						
Josephine (No. E. or W.) ditch 5. The Main ditch, canal or pipe line) SW4 of SW4 of SW4 (Smallest legal subdivision) 7. M., the proposed location being shown throughout on the accompanying map. 6. The name of the ditch, canal or other works is DESCRIPTION OF WORKS IVERSION WORKS— 7. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concret Temporary rock, brush & dirt dam, removable at end of each season. asonry, rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate Timber, 3½ ft. wide (Timber, concrete, etc., number and size of openings)		ithin the SE	of W ¹ / ₄	0	of Sec	14	T_{D} .	39 S
5. The		icitim cite	(Give smallest legal sul	odivision)	, Boo		······································	(No. N. or S.)
Main ditch, canal or pipe line) SW\(\frac{1}{4}\) of SW\(\frac{1}{4}\) of Sec	, ,•	5 W , И . E. or W.)	. M., in the county	of	Joseph	ine		
Main ditch, canal or pipe line) SW\(\frac{1}{4}\) of SW\(\frac{1}{4}\) of Sec	5	The	litch		t	to be	4년	miles i
(Smallest legal subdivision) (Smallest legal subdivision) (No. N. or S.) (No. E. or W. W. M., the proposed location being shown throughout on the accompanying map. 6. The name of the ditch, canal or other works is	σ.	1100	Main ditch, canal or	r pipe line)				
DESCRIPTION OF WORKS 7. (a) Height of damfeet, length on topfeet, length at bottonfeet; material to be used and character of construction(Loose rock, concret Temporary rock, brush & dirt dam, removable at end of each season. (b) Description of headgate	ength,	terminating in	the SW4 OI SW4	of	Sec	,	Tp.	,
DESCRIPTION OF WORKS OIVERSION WORKS— 7. (a) Height of dam		`. 						, , , , , , , , , , , , , , , , , , , ,
DESCRIPTION OF WORKS 7. (a) Height of dam								
7. (a) Height of dam	6.	The name of	the ditch, canal or	other works	is	-	•••••	
7. (a) Height of damfeet, length on topfeet, length at bottonfeet; material to be used and character of construction(Loose rock, concret Temporary rock, brush & dirt dam, removable at end of each season. [Assonry, rock and brush, timber crib, etc., wasteway over or around dam] [Assonry, rock and brush, timber crib, etc., wasteway over or around dam] [Assonry, rock and brush, timber crib, etc., wasteway over or around dam] [Assonry, rock and brush, timber crib, etc., wasteway over or around dam] [Assonry, rock and brush, timber crib, etc., wasteway over or around dam]							·	
7. (a) Height of damfeet, length on topfeet, length at bottomfeet; material to be used and character of construction(Loose rock, concret Temporary rock, brush & dirt dam, removable at end of each season. asonry, rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgateTimber, 3½ ft. wide			DESC	RIPTION OF	' WORKS	3		
feet; material to be used and character of construction [Loose rock, concrete Temporary rock, brush & dirt dam, removable at end of each season. [asonry, rock and brush, timber crib, etc., wasteway over or around dam] [Assonry, rock and brush, timber crib, etc., wasteway over or around dam] [Box around dam] [Coose rock, concrete and of each season. [Coose rock, concrete and each season. [Coose	IVERSI	ON WORKS—	DESC	7111111011 01	VI 0 2022	J	•	
Temporary rock, brush & dirt dam, removable at end of each season. (b) Description of headgate. Timber, 3½ ft. wide (Timber, concrete, etc., number and size of openings)	7.	(a) Height of	dam	feet, lengtl	h on top		feet,	length at bottor
Temporary rock, brush & dirt dam, removable at end of each season. (b) Description of headgate. Timber, 3½ ft. wide (Timber, concrete, etc., number and size of openings)		feet;	material to be used	l and character	r of cons	truction		T
asonry, rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate Timber, 3½ ft. wide (Timber, concrete, etc., number and size of openings)		•					(Loose rock, concret
(b) Description of headgate Timber, 3½ ft. wide (Timber, concrete, etc., number and size of openings)								
(a) controls, con, controls, con, controls, con, controls, con, controls, con, controls, con, controls,			4.7					
		(b) Descriptio	n of headgate	(Timber, co	oncrete, etc.	, number a	and size of openi	ings)
			•••••					
							forms on bo soo	

^{*} A different form of application is provided where storage works are contemplated. These forms can be secured, without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

	feet; depth of wat			- L	feet; widt	11.5
	feet; depth of wat	er	feet; graae		<u>v 104</u> jeet	jan per on
housand feet.	1 3/4 mil	es from heada	ate Width on t	ton (at was	ter line)	3 1/2
` •	feet; width on botto	and the second second				
	rod feet fall per of from headgate, 1					in. t
	g gyddiad gyrau		2- d			
	a a a a a a a a a a a a a a a a a a a	· · · · · · · · · · · · · · · · · · ·				
FILL IN	THE FOLLOWING	INFORMATI	ON WHERE TI	IE WATE	R IS USED	FOR:
RRIGATION-			Augustina (L.			
9. The land	l to be irrigated has	a total area of	Forty		acres, loc	cated in eac
	h livisian — ma fallanna					
,	35 acres in the	(Give area of late SW_4^1 of the	and in each smallest less Swallest less Sec. 35,	egal subdivisio Tp. 38 S	n which you into	end to irrigate
ynd if elystell oblig	five acres in					
	7					
			<u></u>			
1.24						
					·	
·					4 (4) ×	
·					4 (4) ×	
٠					4 (4) ×	
	(If more	space is required,	attach separate sheet	······································	4 (4) ×	
Power, Mining,	(If more MANUFACTURING, O	space is required,	attach separate sheet	:)		horsenovu
Power, Mining,	(If more MANUFACTURING, Olal amount of power	space is required, R TRANSPORTAT to be develop	attach separate sheet	:)		horsepowe
Power, Mining,	(If more MANUFACTURING, O	space is required, R TRANSPORTAT to be develop	attach separate sheet	:)		horsepowe
Power, Mining, 10. (a) Tot (b) Tot	(If more MANUFACTURING, Olal amount of power	space is required, R TRANSPORTAT to be develop (Head)	attach separate sheet	(i)	theoretical	v
Power, Mining, 10. (a) Tot	(If more MANUFACTURING, Of al amount of power al fall to be utilized	space is required, R TRANSPORTAT to be develop (Head)	attach separate sheet	(i)	theoretical	v
Power, Mining, 10. (a) Tot (b) Tot	(If more MANUFACTURING, Or al amount of power al fall to be utilized a nature of the work.	space is required, R TRANSPORTAT to be develop (Head) s by means of a	attach separate sheet FION PURPOSES— pedfeet. which the power	is to be dev	theoretical	
Power, Mining, 10. (a) Tot (b) Tot (c) The	(If more MANUFACTURING, Of al amount of power al fall to be utilized a nature of the work.	space is required, R TRANSPORTAT to be develop (Head) s by means of a	attach separate sheet TION PURPOSES— Ded. feet. which the power (Legal subdivision)	is to be dev	theoretical eloped	
Power, Mining, 10. (a) Tot (b) Tot (c) The (d) Suc	MANUFACTURING, Of al amount of power al fall to be utilized a nature of the work. The works to be located by the works to be located as the works to be located	space is required, R TRANSPORTAT to be develop (Head) s by means of a d in , W. M.	attach separate sheet FION PURPOSES— pedfeet. which the power and the power a	is to be dev	theoretical eloped	
Power, Mining, 10. (a) Tot (b) Tot (c) The (d) Suc	(If more MANUFACTURING, Of al amount of power cal fall to be utilized c nature of the work ch works to be locate, R (No. E. or W vater to be returned	space is required, R TRANSPORTAT to be develop (Head) s by means of a d in W. M.	attach separate sheet FION PURPOSES— ped feet. which the power (Legal subdivision) ?(Yes or No.	is to be dev	theoretical eloped	
Power, Mining, 10. (a) Tot (b) Tot (c) The (d) Suc Tp. (No. N. or S. (e) Is a (f) If s	(If more MANUFACTURING, Of al amount of power cal fall to be utilized c nature of the work ch works to be locate, R (No. E. or W vater to be returned co, name stream and	space is required, R TRANSPORTAT to be develop (Head) s by means of a d in W. M. to any stream locate point o	attach separate sheef FION PURPOSES— pedfeet. which the power	is to be dev	theoretical	
Power, Mining, 10. (a) Tot (b) Tot (c) The (d) Suc (Tp	(If more MANUFACTURING, Of al amount of power cal fall to be utilized c nature of the work ch works to be locate, R (No. E. or W vater to be returned co, name stream and	space is required, R TRANSPORTAT to be develop (Head) s by means of a d in W. M. to any stream locate point o	attach separate sheef FION PURPOSES— pedfeet. which the power	is to be dev	theoretical	
Power, Mining, 10. (a) Tot (b) Tot (c) The (d) Suc	(If more MANUFACTURING, Of al amount of power cal fall to be utilized c nature of the work ch works to be locate, R (No. E. or W vater to be returned	space is required, R TRANSPORTAT to be develop (Head) s by means of a d in W. M. to any stream locate point of	attach separate sheed FION PURPOSES— Ded. feet. which the power (Legal subdivision) (Yes or No. f return	is to be dev	theoretical eloped of Sec	, W. 1

11. 10 dupping the only of	
(Name of)	population of, and an
stimated population ofin 191.	
-	13, 14, and 15 in all cases)
12. Estimated cost of proposed works, \$	
13. Construction work will begin on or before	
14. Construction work will be completed on	
	o the proposed use on or before Dec. 20, 1918
	er works, prepared in accordance with the rules of th
State Water Board, accompany this application.	C E Rose
-	(Name of applicant)
Signed in the presence of us as witnesses: H H Davis	Williams, Ore.
(Name)	(Address of witness)
(2) E L Davis (Name)	Williams ** (Address of witness)
Remarks:	
STATE OF OREGON, County of Marion \{ \} ss.	
$STATE\ OF\ OREGON, \ County\ of\ Marion \ State This is to certify that I have examined the formula STATE\ OF\ OREGON$	oregoing application, together with the accompanyin
STATE OF OREGON, County of Marion This is to certify that I have examined the f maps and data, and return the same for correc	oregoing application, together with the accompanyin
STATE OF OREGON, County of Marion This is to certify that I have examined the f maps and data, and return the same for correc	oregoing application, together with the accompanyin tion or completion, as follows:
STATE OF OREGON, County of Marion This is to certify that I have examined the f maps and data, and return the same for correc	oregoing application, together with the accompanyin tion or completion, as follows:

15

Application	No.	4699
Permit No		2772

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

	Division No. 1	District No		en e	un gitt er
	This instrume	nt was first rec	eived		
	in the office of t	The second secon	er at	et alle	
***************************************	Salem, Oregon,	,	· · · · · · · · · · · · · · · · · · ·		e de la companya de
	day of Decemb		915,		A TOWN
	at 8:30 o	o'clock a. m.			1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -
The second of the second second	Returned to app	licant for corre	ction		of Marking
	Corrected ap	plication receive	ed		il mang util
The state of the s	· · · · · · · · · · · · · · · · · · ·	······································			
	Ap Jan 10 19	proved: 916			
		ook No. 11	of		
	Permits, on Pag John H Lev				
	1 map RS	State En	gineer.		£ 100 s
	\$9.	00		for the	a Escapa
STATE OF OREGON.)				is a street to the
County of Marion	\$8.	an e			
subject to such reasonable rotati	on system as may	be ordered by t	the proper	State officer	
				·	
The amount of water app	ropriated shall b		amount w	hich can be	and the state of t
ficial use and not to exceed		cubic feet	per second	l, or its equiv	alent in case of
rotation. The priority date of t	this permit is		December	28, 1915	
Actual construction work					
and shall thereafter be prosecut	ed with reasonabl	e diligence and	be complet	ted on or befo	re
and the second s			June 1,	1918	
Complete application of th	e water to the p	roposed use sha	ll be made	on or before	· · · · · · · · · · · · · · · · · · ·
				4 4 7 7 4 4 7 7 7	
WITNESS my hand this					
-					
A Company of the Comp		Jonn	n 16W1S	<u> </u>	<u> </u>
					State Engineer.