

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Alva E. Stovall, of the State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Un-Named Stream, a tributary of Coal Bank Slough

2. The amount of water which the applicant intends to apply to beneficial use is 10 g.p.m. cubic feet per second

3. The use to which the water is to be applied is Domestic (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located N 45 - 19 E 626 9' from the corner of Section 3 - 26 5, R 13 W 13 W M.

being within the NW 1/4 SW 1/4 of Sec. 2, Tp. 26 S, R. 13 W, W. M., in the county of Coos

5. The Pipe Line to be 1650 in length, terminating in the NE 1/4 SE 1/4 of Sec. 3, Tp. 26 S, R. 13 W, W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works-

(a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction

(b) Description of headgate 1 1/4" plastic pipe

(c) If water is to be pumped give general description

*A different form of application is provided where storage works are contemplated. **Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 1650 ft.; size at intake, 1 1/2 in.; size at 1650 ft. from intake 1 1/2 in.; size at place of use 1 1/2 in.; difference in elevation between intake and place of use, 90 ft. Is grade uniform? Yes Estimated capacity, 10 gpm - ~~20~~

8. Location of area to be irrigated, or place of use

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
<u>R6S</u>	<u>13W</u>	<u>3</u>	<u>NE 1/4 SE 1/4</u>	<u>Domestic</u>

(If more space required, attach separate sheet)

(a) Character of soil

(b) Kind of crops raised

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

10. (a) To supply the city of _____

City of _____ County, having a present population of _____

and an estimated population of _____ in 19_____

(b) If for domestic use state number of families to be supplied Twp

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 500

✓ 12. Construction work will begin on or before Nov 20, 1961

13. Construction work will be completed on or before Sept 15, 1962

14. The water will be completely applied to the proposed use on or before Sept 15, 1962

Oliver E. Stovall
(Signature of applicant)

Remarks: _____

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19_____

WITNESS my hand this _____ day of _____, 19_____

STATE ENGINEER

By _____

ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.02 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from unnamed stream

The use to which this water is to be applied is domestic use of two families

If for irrigation, this appropriation shall be limited to - - of one cubic foot per second or its equivalent for each acre irrigated

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is December 4, 1961

Actual construction work shall begin on or before February 15, 1962 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1962

Complete application of the water to the proposed use shall be made on or before October 1, 1962

WITNESS my hand this 21st day of February, 1962

Stanley A. Stanley
Deputy STATE ENGINEER

Application No. 37622
Permit No. 27740

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 14 day of December, 1961, at 2:11 o'clock A. M.

Returned to applicant:

Approved:

February 19, 1962

Recorded in book No. 76 of

Permits on page 27740

LEWIS A. STANLEY
STATE ENGINEER

Drainage Basin No. 17 page 106

Fees