PAPPLICATION FOR PERSON

To Apprepriate the Public Waters of the State of Oregon

I, RUBER J	(Plane of applicant)	######################################
/ P.O.BOX]	15 STAYTON	***************************************
Note of OREGON	do hereby make ap	plication for a permit to appropriate th
illowing described public on	sters of the State of Oregon, SUBJE	
And the state of t		prporation
	The state of the s	orporation
1. The source of the pro-	oposed appropriation is E.BRANCE	OF POISON CREEK, PRATHER
REER, CHANNEL CHANCE	SOLDIFR CR tributary of MA	(Flame of stream) LHEUR LAKE
		*
ubic feet per second. One	third from each stream	y to beneficial use is 3,25
**3. The use to which the	t water is to be applied isI	me source, give quantity from each) Pricetion
	and the suppose of	The state of the s
One point of di quarter (1) corner NW1 SE1 of Section	version is located 2600 of Section 6 Twp.23 S.R	feet North from the South lange 32 E.W.M.vithin the
One point of di quarter (2) corner NW2 SE2 of Section One point of di of Section 6 Twp.2 6 Twp.23 S.Range 3	version is located 2600 of Section 6 Twp.23 S.R. 6 Twp.23 S.Range 32 E.W. version is located 360 f 3 S.Range 32 E.W.M. with 32 E.W.M.	feet North from the South lange 32 E.W.M.vithin the '.M. eet West from the Southea in the SE2 SE2 OF Section
One point of di quarter (1) corner NW1 SE1 of Section One point of di of Section 6 Twp.2 6 Twp.23 S.Range 3	version is located 2600 of Section 6 Twp.23 S.R. 6 Twp.23 S.Range 32 E.X. version is located 360 ft S.Range 32 E.W.M. with 22 E.W.M.	feet North from the South lange 32 E.W.M.vithin the V.M. eet West from the Southea in the SE2 SE2 OF Section
One point of di quarter (1) corner NW1 SE1 of Section One point of di of Section 6 Twp.2 6 Twp.23 S.Range 3	version is located 2600 of Section 6 Twp.23 S.R. 6 Twp.23 S.Range 32 E.M. version is located 360 f 3 S.Range 32 E.W.M. with 2 E.W.M.	feet North from the South ange 32 E.W.M.vithin the J.M. eet West from the Southea in the SEL SEL OF Section to be about 2 miles
One point of di quarter (1) corner NW1 SE1 of Section One point of di of Section 6 Twp.2 6 Twp.23 S.Range 3	version is located 2600 of Section 6 Twp.23 S.R. 6 Twp.23 S.Range 32 E.M. version is located 360 ft 3 S.Range 32 E.W.M. with 2 E.W.M.	feet North from the South ange 32 E.W.M.vithin the J.M. eet West from the Southea in the SEL SEL OF Section to be about 2 miles (Miles or feet) Sec. 7, Tp. 23S.
One point of di quarter (1) corner NW1 SE1 of Section One point of di of Section 6 Twp.2 6 Twp.23 S.Range 3	version is located 2600 of Section 6 Twp.23 S.R. 6 Twp.23 S.Range 32 E.M. version is located 360 f 3 S.Range 32 E.W.M. with 2 E.W.M.	feet North from the South ange 32 E.W.M.vithin the J.M. eet West from the Southea in the SEL SEL OF Section to be about 2 miles (Miles or feet) Sec. 7, Tp. 23S.
One point of di quarter (1) corner NW1 SE1 of Section One point of di of Section 6 Twp.2 6 Twp.23 S.Range 3	version is located 2600 of Section 6 Twp.23 S.R 6 Twp.23 S.Range 32 E.M. version is located 360 f 3 S.Range 32 E.M.M. with 2 E.W.M. county of	feet North from the South ange 32 E.W.M.vithin the J.M. eet West from the Southea in the SEL SEL OF Section to be about 2 miles (More or feet) Sec. 7 , Tp. 23 S. (More a) oughout on the accompanying map.
o Twp.23 S. Range 3 One point of di quarter (1) corner Nw1 SE1 of Section One point of di of Section 6 Twp.2 6 Twp.23 S. Range 3	version is located 2600 of Section 6 Twp.23 S.R 6 Twp.23 S.Range 32 E.X version is located 360 f 3 S.Range 32 E.X.M. with 52 E.X.M. county of	feet North from the South lange 32 E.W.M.vithin the J.M. eet West from the Southea in the SEL SEL OF Section to be about 2 miles (Manus or test) Sec. 7 , Tp. 23 S. (M. or 8) Sughout on the accompanying map.
o Twp.23 S.Range 3 One point of di quarter (1) corner NW1 SE1 of Section One point of di of Section 6 Twp.2 6 Twp.23 S.Range 3	version is located 2600 of Section 6 Twp.23 S.R 6 Twp.23 S.Range 32 E.X version is located 360 f 3 S.Range 32 E.X.M. with 52 E.X.M. county of	feet North from the South lange 32 E.W.M.vithin the J.M. eet West from the Southea in the SEL SEL OF Section to be about 2 miles (Manus or test) Sec. 7 , Tp. 23 S. (M. or 8) Sughout on the accompanying map.
o Twp.23 S.Range 3 One point of di quarter (1) corner NW1 SE1 of Section One point of di of Section 6 Twp.2 6 Twp.23 S.Range 3	version is located 2600 of Section 6 Twp.23 S.R 6 Twp.23 S.Range 32 E.X version is located 360 f 3 S.Range 32 E.X.M. with 52 E.X.M. county of	feet North from the South lange 32 E.W. M. vithin the J.M. eet West from the Southea in the SE2 SE2 OF Section to be about 2 miles (M. cr.) Sec. 7 , Tp. 23 S. (M. cr.) oughout on the accompanying map.
One point of di quarter (1) corner NW1 SE1 of Section One point of di of Section 6 Twp.2 6 Twp.23 S.Range 3	version is located 2600 of Section 6 Twp.23 S.R 6 Twp.23 S.Range 32 E version is located 360 f 3 S.Range 32 E. W.M. with 22 E. W.M. county of	feet North from the South lange 32 E.W. M. vithin the J.M. eet West from the Southea in the SE2 SE2 OF Section to be about 2 miles (M. cr.) Sec. 7 , Tp. 23 S. (M. cr.) oughout on the accompanying map.
One point of di quarter (1) corner NW1 SE1 of Section One point of di of Section 6 Twp.2 6 Twp.23 S.Range 3	version is located 2600 of Section 6 Twp. 23 S.R. 6 Twp. 23 S.Range 32 E. N. version is located 360 f 3 S.Range 32 E. N.M. with 22 E. W.M. county of	feet North from the South ange 32 E.W.M.vithin the M.M. eet West from the Southea in the SEL SEL OF Section to be about 2 miles (Misses or feet) Sec. 7, Tp. 23 (M. or 8.) oughout on the accompanying map. SS. 8 and 18 feet, length at bottom wood headgates (Loose rock, concrete, masour
o lwp.23 S. Range 3 One point of di quarter (1) corner NW1 SE1 of Section One point of di of Section 6 Twp.2 6 Twp.23 S. Range 3	version is located 2600 of Section 6 Twp.23 S.R 6 Twp.23 S.Range 32 E.X version is located 360 f 23 S.Range 32 E.X.M. with 32 E.X.M. county of	feet North from the South lange 32 E.W. M. vithin the
One point of di quarter (1) corner NW1 SE1 of Section One point of di of Section 6 Twp.2 6 Twp.23 S.Range 3	version is located 2600 of Section 6 Twp.23 S.R. 6 Twp.23 S.Range 32 E.X. version is located 360 f 3 S.Range 32 E.X.M. with 52 E.X.M. county of	feet North from the South ange 32 E.W. M. vithin the J.M. eet West from the Southea in the SEL SEL OF Section to be about 2 miles (Market et feet) Sec. 7 , Tp. 23 S. (N. or E.) Dughout on the accompanying map. SS 8 and 10 feet, length at bottom wood headgates (Loose rock, concrete, masour or penings 6 feet width
Ole point of diquarter (1) corner NW1 SE1 of Section One point of di of Section 6 Twp.2 6 Twp.23 S.Range 3	version is located 2600 of Section 6 Twp.23 S.R. 6 Twp.23 S.Range 32 E.X. version is located 360 f 3 S.Range 32 E.X.M. with 52 E.X.M. county of	feet North from the South ange 32 E.W. H. vithin the J.M. eet West from the Southea in the SEL SEL OF Section to be about 2 miles (Miles or feet) Sec. 7, Tp. 23 S. (N. or S.) Dughout on the accompanying map. SS and 10 feet, length at bottom wood headgates (Loose rock, concrete, masour) Openings 6 feet width
One point of di quarter (1) corner NW1 SE1 of Section One point of di of Section 6 Twp.2 6 Twp.23 S.Range 3	version is located 2600 of Section 6 Twp.23 S.R. 6 Twp.23 S.Range 32 E.X. version is located 360 f 33 S.Range 32 E.X.M. with 52 E.X.M. county of	feet North from the South lange 32 E.W. H. vithin the J.M. eet West from the Southea in the SEL SEL OF Section to be about 2 miles (Miles or feet) Sec. 7

pute. At head	pate: width on t	op (at water i	tes)			feet; width on bot
and feet.	eet; depth of we	Ber	fest;	grede		feet fall per
(b) At	* 1000	niles from he	adgate: width	m top	(at water	line)
5	eet; width on bo	ttom		eet; d	epth of w	ater f
	feet fall		and feet.	***		
(c) Length	of pipe,		size at intake,			in.; size at
intoke		size at place o	f use	······································	in.; dif	ference in elevation betu
te and place of	of use,	ft. Is	grade uniforn	ı?		Estimated capa
	sec. ft. of area to be in	rioated, or pl	ice of use	: IYA I	OMENC.C	UNPY
Township	Range B. or W. of Willemetto Mortillas	Cortion		ore Tree		Number Acres To Be Irrigated
23 5.	72 B.	7	Lot 1			30.72
23 S.	32 E.	7	Lot 2			30.98
23 E.	32 E.	7		NE 1		40
23 S	32 E.	7		SE ¹ / ₄	NW 1	40
23 S.	32 E.	. 7		NW2	SE1	40
23 S.	32 E.	7		NE ¹ / ₄	SE ¹	40
23 5.	32 F.	?		SE2	SE	40
•						24/70
			,			
		~				1
(a) Cho	aracter of soil		required, attach sepa			
					_	•
wer or Mining	•		_			
9. (a) To	tal amount of po	wer to be dev	eloped	,		theoretical horsepo
(b) Q u	antity of water	to be used for	power		, se	ec. ft.
(c) To	tal fall to be util	lized	(Hond)	· · · · · · · · · · · · · · · · · · ·	feet.	
(d) Th	e nature of the t	works by mean	s of which the	powe	er is to be	developed
••						
			_	oubdivisi	on)	of Sec.
	, R. (No.1					
(f) Is	water to be retu					
		and locate n	oint of return		•••••••••	
						, R

7710		havidy a present p	opulation of		
	المستشمرين		4		
	for Contractor was a	30. 自 ,蒸 数1.9. a No.4			

	4.0				
	and sent of proposal				
71. Comes	rucilos mort will be	gla on or before	40x11 1961		*****
18- Care	ruelles work will be	complited on or l	efere _Oatober	1991 G	upletad
14. The to	with the annual of	ely applied to the p	reposed use on or	before Tung	1963 - I
<u> </u>		and the great state of the stat			
0.500			Mule	- 0	Jay
	The state of the s			(Canture of Applicant)	
A seite A	There ha	s been a num	ber of channe	l changes	of E.
70 749 75 10 10 10	of Polson Cr	and and this is a second	erica de la Carlo de la Car		
	s 5,6 and 8 T				
	The same of the same of the	기원들의 경화 환경 보기 그리			
and th	e diversions	would be dir	Terent from 1	he first a	pplicati
			P49		,
•	*****		************************************		
	1.14	The second secon			
Attack of the color of the reason and a trible of the second of the seco				1 4	
**************************************			**		***************************************
		,		***************************************	
	* **** *** *** *** *** *** *** *** ***				
-	**************				······································
STATE OF C	} ss.				
County of	Marion,				
County of This is	Marion, as. to certify that I ha	1 9	pregoing applicatio	n, together with	the accomp
County of This is	Marion,	1 9	pregoing applicatio	n, together with	the accomp
County of This is maps and dat	Marion, as. to certify that I ha	me for	pregoing applicatio	n, together with	the accomp
County of This is maps and dat	Marion, \begin{aligned} \text{ss.} & \text{to certify that } I \text{ ha} \\ \text{a, and return the sa.} \end{aligned}	me for	pregoing applicatio	n, together with	the accomp
County of This is maps and dat	Marion, \begin{aligned} \text{ss.} & \text{to certify that I had a, and return the sa.} \end{aligned}	me for	oregoing applicatio	n, together with	the accomp
County of This is maps and dat	Marion, \{ ss. \} to certify that I has a, and return the sa \} er to retain its prior	me for	oregoing applicatio	n, together with	the accomp
County of This is maps and dat In orde tions on or be	Marion, \{ ss. \} to certify that I has a, and return the sa \} er to retain its prior	me fority, this application	oregoing application n must be returned	n, together with	the accomp
County of This is maps and dat In orde tions on or be	Marion, }ss. to certify that I ha a, and return the sa er to retain its prior	me fority, this application	oregoing application n must be returned	n, together with	the accomp
County of This is maps and dat In orde tions on or be	Marion, }ss. to certify that I ha a, and return the sa er to retain its prior	me fority, this application	oregoing application n must be returned	n, together with	the accomp

ဥ

is is to certify that I have examined the foregoing application and do hereby grant the same, TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use ... cubic feet per second measured at the point of diversion from the its equivalent in case of rotation with other water users, from Bast Branch Poison Creek, Soldier Creek, being 1/3 from each source The use to which this water is to be applied is If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation segmen of each year, and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. January 9, 1962 The priority date of this permit is February 19, 1963 Actual construction work shall begin on or before thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19.63.... Complete application of the water to the proposed use shall be made on or before October 1, 1964. WITNESS my hand this This instrument was first received in the office of the State Engineer at Salem, Oregon, LEWIS A. STANLEY STATE ENGINEER APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON on the 2 day of Sankary Application No. 37295 8 February 19, 1962 Ċ Recorded in book No. PERMIT 1962, at 10.77 o'clock Permit No. Returned to applicant:

Basin No.

Drainage

Permits on page

Arproved