

STATE ENGINEER SALEM, ORBGON

## \*APPLICATION FOR PERMIT

## To Appropriate the Public Waters of the State of Oregon

L,	m H. Danth		·····
Route	2, Box 298, Corvallis		
(Meding Orego	address) B	make application for a -	
RE Of	, GO RETECY	make application for a p	ermit to appropriate t
lowing described public	waters of the State of Oregon	, Subject to existi	NG RIGHTS:
If the applicant is a c	orporation, give date and pla	ce of incorporation	
	•		
		Duffer Creak and were	
1. The source of the 1	proposed appropriation is	(Author of the	reem)
********************************	, a tributary	of Beaver Creek	
2. The amount of wa	ter which the applicant intend	ls to apply to beneficial i	use is .07
•			
osc jeet per second	ng .06 c.f.s. from Duff	n more than one source, give quantit	y from each)
**3. The use to which t	the water is to be applied is .	irrigation & d	omestic supplies
***************************************			
4 444	Daffy Cr.	e . 100 .	- Wi
	sion is located		
rner of Lot 4 in Se	ction 15, Township 13 S	outh, Range 6 West.,	V.M.
	om unnamed stream is lo		
2 0 11		, i	8
$3$ $\nu_{\bullet}$ $\sigma_{\bullet}$ $\sigma_{\bullet}$ $\sigma_{\bullet}$	max 1 Vot 4 1016	in the state of the	ر ب در ب <b>د</b>
o. from M.D. con	Merca of Late 4 No. 5	oring to section corner)	35 Kinge . D
ing within the	(M preferable, give distance and be re then one point of diversion, each must be Lot by SWA SWA (Give smallest legal subdivision) he county of Benton	ering to section corner)  e described. Use separate sheet if no	CESSETY)
ing within the	(M preferable, give distance and be re then one point of diversion, each must be Lot by SWA SWA (Give smallest legal subdivision) he county of Benton	ering to section corner)  e described. Use separate sheet if no	CESSETY)
ing within the	(M preferable, give distance and be re than one point of diversion, each must be Lot h	e described. Use separate sheet if ne of Sec	(Miller or feet)
ing within the	(M preferable, give distance and be re than one point of diversion, each must be Lot by SWASWA)  (Give smallest legal subdivision)  (Main ditch, each or pipe line)  (Main ditch, each or pipe line)  (Main ditch, each or pipe line)	oring to section corner)  a described. Use separate sheet if no of Sec15	(Miles or feet)  , Tp. 13 S (N. or S.)
ing within the	(M preferable, give distance and be re than one point of diversion, each must be Lot h	oring to section corner)  a described. Use separate sheet if no of Sec15	(Miles or feet)  , Tp. 13 S (N. or S.)
ing within the	(M preferable, give distance and be re than one point of diversion, each must be Lot by SWASWA)  (Give smallest legal subdivision)  (Main ditch, each or pipe line)  (Main ditch, each or pipe line)  (Main ditch, each or pipe line)	oring to section corner)  a described. Use reparate sheet if no of Sec. 15.  to be  of Sec. 15 shown throughout on the	(Miles or feet)  , Tp. 13 S (N. or S.)
(If there is me ing within the	(R preferable, give distance and be re than one point of diversion, each must be Lot k (SWA SWA)  (Give smallest legal subdivision)  re county of Benton  (Rain ditch, canal or pipe line)  to Lot k (Smallest legal subdivision)  the proposed location being to	oring to section corner)  a described. Use reparate sheet if no of Sec. 15.  to be  of Sec. 15 shown throughout on the	(Miles or feet)  , Tp. 13 S (N. or S.)
(M there is me ing within the	(R preferable, give distance and be re than one point of diversion, each must be Lot k (SWA SWA)  (Give smallest legal subdivision)  re county of Benton  (Rain ditch, canal or pipe line)  to Lot k (Smallest legal subdivision)  the proposed location being to	to be	(Miles or feet), Tp. 13 S (N. or S.)  (Miles or feet), Tp. 13 S (N. or S.)  accompanying map.
(It there is not ing within the	(M preferable, give distance and be no than one point of diversion, each must be Lot h	oring to section corner)  a described. Use separate sheet if no of Sec. 15.  to be	(Miles or feet)  Tp. 13 S (N. or S.)  (Miles or feet)  Tp. 13 S (N. or S.)  accompanying map.
(It there is not ing within the	(If preferable, give distance and be re than one point of diversion, each must be Lot k SWASWA (Give smallest legal subdivision)  (Cive smallest legal subdivision)  (Idain ditch, canal or pipe line)	oring to section corner)  a described. Use separate sheet if no of Sec. 15.  to be	(Miles or feet)  Tp. 13 S (N. or S.)  (Miles or feet)  Tp. 13 S (W. or S.)  accompanying map.
ing within the	(M preferable, give distance and be to then one point of diversion, each must be Lot h	oring to section corner)  a described. Use separate sheet if no of Sec. 15.  to be	(Miles or feet)  Tp. 13 S (N. or S.)  (Miles or feet)  Tp. 13 S (W. or S.)  accompanying map.
(If there is me ting within the	(M preferable, give distance and be to then one point of diversion, each must be Lot by SWASWA)  (Give smallest legal subdivision)  The county of Benton  (Main ditch, canal or pipe line)  Lot by (Manallest legal subdivision)  the proposed location being a DESCRIPTION (  The proposed location being a pipe line)  The proposed location being a pipe line of the pipe line of	to be	(Miles or feet)  Tp. 13 S (N. or S.)  (Miles or feet)  Tp. 13 S (N. or S.)  accompanying map.
(It there is me  ing within the	(M preferable, give distance and be to then one point of diversion, each must be Lot h	to be	(Miles or feet)  Tp. 13 S (N. or S.)  (Miles or feet)  Tp. 13 S (N. or S.)  accompanying map.
(If there is me ting within the  6 W , W. M., in th (E. ex W.)  5. The  length, terminating in th (E. ex W.)  (E. ex W.)  iversion Works—  6. (a) Height of dan  feet; mate (b) Description of h	(M preferable, give distance and be to then one point of diversion, each must be Lot he (Give smallest legal subdivision) the country of Benton  (Main ditch, canal or pipe line) the Lot he (Smallest legal subdivision) the proposed location being a DESCRIPTION ( the proposed location being a pipe line) the proposed location being a pipe line (Bmallest legal subdivision) the proposed location being a pipe line (Bmallest legal subdivision) the proposed location being a pipe line (Bmallest legal subdivision) the proposed location being a pipe line (Bmallest legal subdivision) the proposed location being a pipe line (Bmallest legal subdivision) the proposed location being a pipe line (Bmallest legal subdivision) the proposed location being a pipe line (Bmallest legal subdivision) the proposed location being a pipe line (Bmallest legal subdivision) the proposed location being a pipe line (Bmallest legal subdivision) the proposed location being a pipe line (Bmallest legal subdivision) the proposed location being a pipe line (Bmallest legal subdivision) the proposed location being a pipe line (Bmallest legal subdivision)	oring to section corner)  s described. Use separate sheet if no of Sec. 15	(Miles or fost)  (Miles or fost)  Tp. 13 S (N. or S.)  accompanying map.  (Loose rock, concrete, mass
(If there is me ing within the  6 W , W. M., in th (E. ex W.)  5. The  length, terminating in th (E. ex W.)  (R. ex W.)  iversion Works—  6. (a) Height of dan  feet; mate (b) Description of h	(M preferable, give distance and be to then one point of diversion, each must be Lot h	oring to section corner)  s described. Use separate sheet if no of Sec. 15  to be	(Miles or feet)  (Miles or feet)  , Tp. 13 S  (N. or S.)  accompanying map.  (Loose rock, concrete, mass of openings)
(If there is me ting within the  6 W , W. M., in th (E. ex W.)  5. The  length, terminating in th (E. ex W.)  (E. ex W.)  iversion Works—  6. (a) Height of dan  feet; mate (b) Description of h	(M preferable, give distance and be to then one point of diversion, each must be Lot he (Give smallest legal subdivision) the country of Benton  (Main ditch, canal or pipe line) the Lot he (Smallest legal subdivision) the proposed location being a DESCRIPTION ( the proposed location being a pipe line) the proposed location being a pipe line (Bmallest legal subdivision) the proposed location being a pipe line (Bmallest legal subdivision) the proposed location being a pipe line (Bmallest legal subdivision) the proposed location being a pipe line (Bmallest legal subdivision) the proposed location being a pipe line (Bmallest legal subdivision) the proposed location being a pipe line (Bmallest legal subdivision) the proposed location being a pipe line (Bmallest legal subdivision) the proposed location being a pipe line (Bmallest legal subdivision) the proposed location being a pipe line (Bmallest legal subdivision) the proposed location being a pipe line (Bmallest legal subdivision) the proposed location being a pipe line (Bmallest legal subdivision) the proposed location being a pipe line (Bmallest legal subdivision)	oring to section corner)  s described. Use separate sheet if no of Sec. 15  to be	(Miles or feet)  (Miles or feet)  , Tp. 13 S  (N. or S.)  accompanying map.  (Loose rock, concrete, mass of openings)

<sup>&</sup>quot;A circumst term of apparation in provided water storage works are consumptions."

"Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Rydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem Orescon.

eadgate. At head	lgate: width on	top (at water l	ine)	feet; width on bottom
	feet; depth of u	pater	feet; grade	feet fall per one
ousand feet. (b) At		miles from hea	adgate: width on top (at wa	ter line)
•				water feet
rade				•
		-	•	in.; size at 40 ft
	_			
			•	lifference in elevation between
•	•		•	Estimated capacity
		_	10 gal. per minute cap	pacity
Township North or South	Range S. or W. of Williamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
			_	
13 S	6 W	15	Govt. Lot 4	5 & domestic u
·			*	
•				
			•	
		'		
			·	•
				•
•			 required, attach separate sheet)	
			O&M	
•		ed pastur	e, garden, orchard	
Power or Mining	•	ower to be devi	eloned	theoretical horsepowe
			oower	-
				sec. ji.
			feet.	
(d) Ti	ie nature of the	works by mean	s of which the power is to l	be developed
••		••••••••••••••••••••••••••••••••••••••		
(e) Su	ich works to be	located in	(Legal subdivision)	of Sec.
	, R. (No.			
(f) Is	water to be reti	urned to any sti	ream?(Yes or No)	
			int of return	•
(9) 1)	,	it and locate po	•••• • • • • • • • • • • • • • • • • • •	***************************************

(i) The nature of the mines to be served

## STATE OF OREGON, County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

		ed is limited to the a	-			o beneficial use	
		cubic feet p					
100		case of rotation with o	•				
		water is to be applied					
		Creek for irrigat					
		d Stream					
		ppropriation shall be					
		ach acre irrigated					
		re feet per acre.					-1
seasono	f each year,	· · ·	·····	·····	<u></u>		
***************************************			·····			· · · · · · · · · · · · · · · · · · ·	
					·		
•••••	•••••				•••••		
					•••••		
***************************************					•••••		
			•••••		•••••		
and shall b	e subject to such	reasonable rotation s	ystem as may	be ordered b	y the proper :	tate officer.	
The	priority date of th	ris permit isJ	anuary 10,	1962			
Actu	ial construction u	vork shall begin on o	before	warch 22, 1	1963	and shall	
thereafter	be prosecuted wi	th reasonable diligen	re and be con	ipleted on or	before Octobe	er 1, 19 43	
Com	plete application	of the water to the pr	oposed use sh	all be made	on or before (	October 1, 1964 .	
wit	NESS my hand t	his 22nd day	of Kar		, 1952	 i. /:	
				1 luv	d. Ata	MULS STATE ENGINEER	
						<i>.</i> *	
1		on,	İ		g.	5 \	
	DI.	oreg			ं र्	87ATE ENGINEEN page 22E	
20	PUBI	ceivec contraction,			SC 2	ли в	
2 2	PERMIT APPROPRIATE THE PUB WATERS OF THE STATE OF OREGON	at Sa at Sa		_	76 277.30	c c	
22	PERMIT DPRIATE THI RS OF THE S OF OREGON	as fir ineer Ock		3		2	
n No	PRIA S OF F OF	nt w Eng ay of	cant	91	ook 1	ATE.	:
catio it No	PROI	State  A. d. d.	appli	0	l in b page	A. asin	:
Application No. 37296 Permit No. 27790	PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON	This instrument was first received in the office of the State Engineer at Salem, Oregon, on the L.M. day of Cancery 1962, at 8:00.0000000000000000000000000000000000	Returned to applicant:	ved:	Recorded in book No. 76 Permits on page 277	Drainage Basin No. 2	rees
-	TC	This fice o the	Ital	Approved:	Rec ermit	raina	: saa
1		5 6 2	ı ĕ	₹	. 4		-