

RECEIVED RECEIVED

Permit No. 27801

JAN 15 1962 JAN 22 1962
STATE ENGINEER STATE ENGINEER
SALEM, OREGON SALEM, OREGON

To appropriate the Public Waters of the State of Oregon

I, Grover A. Clark
(Name of applicant)
of Blodgett, Oregon (Summit Route)
(Mailing address)
State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Devitt Creek
(Name of stream)
, a tributary of Mary's River

2. The amount of water which the applicant intends to apply to beneficial use is 0.412
cubic feet per second. 1 inch hose and 3" pump - 2 sprinklers
(If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is Irrigation
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 350 ft. S and 580 ft. E from the NW 2 NE
(N. or S.) (E. or W.)
corner of NW 1/4, NE 1/4 Section 16, Twp 11 S, Range 7 W
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NW 1/4, NE 1/4 of Sec. 16, Tp. 11 S
(Give smallest legal subdivision) (N. or S.)

R. R 7 1/2 W. M., in the county of Benton
(E. or W.)

5. The Pipe Line to be 300 ft
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the NW 1/4, NE 1/4 of Sec. 16, Tp. 11 S
(Smallest legal subdivision) (N. or S.)

R. 7 W, W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom
..... feet; material to be used and character of construction
(Loose rock, concrete, masonry,
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description Electric Centrifugal
(Size and type of pump)
3/4 in pump
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

10. (a) To supply the city of _____
_____ County, having a present population of _____
and an estimated population of _____ in 19_____

(b) If for domestic use state number of families to be supplied _____

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 200
- 12. Construction work will begin on or before 6-1-62
- 13. Construction work will be completed on or before 6-1-62
- 14. The water will be completely applied to the proposed use on or before 8-1-62

Lawrence A. Schlarck
(Signature of applicant)

Remarks: This is for purpose of irrigating family garden, orchard, berries and lawn.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19_____.

WITNESS my hand this _____ day of _____, 19_____.

STATE ENGINEER

By _____ ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, }

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed .04 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Davitt Creek

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is January 22, 1962

Actual construction work shall begin on or before March 22, 1963 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1963

Complete application of the water to the proposed use shall be made on or before October 1, 1964

WITNESS my hand this 22nd day of March, 1962

Lewis A. Stanley
STATE ENGINEER

Application No. 37321
Permit No. 27801

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 22nd day of January, 1962, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

March 22, 1962

Recorded in book No. 76 of

Permits on page 27801

LEWIS A. STANLEY, STATE ENGINEER

Drainage Basin No. R page 22E

Fees