TO Appropriate the Public Waters of the State of Oregon

pr Bragoliti's address Helix, Oregon; Sandberg's address 1100 Southwest Myrtle Drive, Portland,					
tete ofOmgon	, do hereby make applica	tion for a permit to appropriate th			
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:					
If the applicant is a corporation, give date and place of incorporation					
1. The source of the proposed appr					
***************************************	, a tributary ofCather	ine Creek			
2. The amount of water which the	e applicant intends to apply to	beneficial use is 2.5			
ubic feet per second.	f water is to be used from more than one so	urce, give quantity from each)			
**3. The use to which the water is t	to be applied is irrigation, power	r, mining, manufacturing, domestic supplies, etc.)			
4. The point of diversion is locate	ed ft and				
orner of					
Diversion by means of por is causes the property to be irrigated from a point which is 30 feet not	table pump and sprinklers at steed, said creek flowing acr h of the southwest corner of				
Diversion by means of por ir cases the property to be irriga from a point which is 30 feet nort Township 3 South, Range 38 EWM to (If prefers	stable pump and sprinklers at stad, said creek flowing acr h of the southwest corner of a point which is 25 feet w while, stre distance and bearing to section cor	the property to be irrigated the southwest quarter of section est of the southeast corner of th			
Diversion by means of por- ir creases the property to be irriga- from a point which is 30 feet north Township 3 South, Range 38 EWM to (If prefers northeast quarter of section 36, tow (If there is more than one point o	stable pump and sprinklers of stad, said creek flowing acp h of the southwest corner of a point which is 25 feet w white, sive distance and bearing to section cor white, sive distance and bearing to section cor white, sive distance and bearing to section cor white, sive distance and bearing to section corner to section corner to section.	the property to be irrigated the southwest quarter of section est of the southeast corner of the ner) M. parate sheet if necessary)			
Diversion by means of por- it causes the property to be irriga- trom a point which is 30 feet north Township 3 South, Range 38 EWM. (If prefers northeast quarter of section 36, tow (If there is more than one point of	table pump and sprinklers at the described corner of the southwest corner of the government of the southwest of the whole, sive distance and bearing to section cor with 3 south, range 38 EW of diversion, each must be described. The sec- legal subdivision)	the property to be irrigated the southwest quarter of section est of the southeast corner of the ner) M. parate sheet if necessary) c			
Diversion by means of portion it causes the property to be irrige from a point which is 30 feet north Township 3 South, Range 38 EWM to 12 prefer northeast quarter of section 36, town (12 there is more than one point of the within the (Give smallest the county of the	table pump and sprinklers at the said creek flowing acre to the southwest corner of a point which is 25 feet while, give distance and bearing to section cornship 3 south, range 38 EW at diversion, each must be described. Use section of Section 1 subdivision)	the property to be irrigated the southwest quarter of section est of the southeast corner of the ner) M. parate sheet if necessary)			
Diversion by means of portion of portion a point which is 30 feet north Township 3 South, Range 38 EWM to (If prefers northeast quarter of section 36, town (If there is more than one point of seing within the (Give smallest R	table pump and sprinklers of the decided and creak flowing acre had not the southwest corner of a point which is 25 feet whate, sive distance and bearing to section cornship 3 south, range 38 EW at diversion, each must be described. Use section of Section and or pipe line)	the property to be irrigated the southwest quarter of section est of the southeast corner of the section est. M. parate short if necessary) Tp. (N. or S.)			
Diversion by means of portion is causes the property to be irrigated from a point which is 30 feet north Township 3 South, Range 38 EWM to (If preter northeast quarter of section 36, town (If there is more than one point of the grant within the (Give smallest R	table pump and sprinklers at the said creek flowing acre had not the southwest corner of a point which is 25 feet white, sive distance and bearing to section or wriship 3 south, range 38 EW of diversion, each must be described. Use section of Section 1 section 2 for section 2 for section 3 south, range 38 EW of diversion, each must be described. Use section 3 south, range 38 EW of diversion, each must be described. Use section 3 south, range 38 EW of section 3 south, range	the property to be irrigated the southwest quarter of section of the southeast corner of the southeast			
Diversion by means of portion is causes the property to be irrigated from a point which is 30 feet north Township 3 South, Range 38 EWM to (If preter northeast quarter of section 36, town (If there is more than one point of the grant within the (Give smallest R	table pump and sprinklers at the said creek flowing acre had not the southwest corner of a point which is 25 feet white, sive distance and bearing to section or wriship 3 south, range 38 EW of diversion, each must be described. Use section of Section 1 section 2 for section 2 for section 3 south, range 38 EW of diversion, each must be described. Use section 3 south, range 38 EW of diversion, each must be described. Use section 3 south, range 38 EW of section 3 south, range	the property to be irrigated the southwest quarter of section of the southeast corner of the southeast			
Diversion by means of portion it causes the property to be irrige from a point which is 30 feet north Township 3 South, Range 38 EWM to (If prefers northeast quarter of section 36, town (If there is more than one point of the county of the	table pump and sprinklers at the said creek flowing acre had not the southwest corner of a point which is 25 feet white, sive distance and bearing to section or wriship 3 south, range 38 EW of diversion, each must be described. Use section of Section 1 section 2 for section 2 for section 3 south, range 38 EW of diversion, each must be described. Use section 3 south, range 38 EW of diversion, each must be described. Use section 3 south, range 38 EW of section 3 south, range	the property to be irrigated the southwest quarter of section of the southeast corner of the southeast			
Diversion by means of portion it causes the property to be irrided from a point which is 30 feet north Township 3 South, Range 38 EWA. (If prefers northeast quarter of section 36, town (If there is more than one point of the county of the	table pump and sprinklers at the southwest corner of the southwest corner of a point which is 25 feet we will, give distance and bearing to section or making 3 south, range 38 EW at diversion, each must be described. The section of	the property to be irrigated the southwest quarter of section est of the southeast corner of the ner) M. parate short if necessary Tp. (N. or S.) be			
Diversion by means of portion it causes the property to be irrige from a point which is 30 feet north Township 3 South, Range 38 EWM to (If preters northeast quarter of section 36, town (If there is more than one point of the county of the	table pump and sprinklers at the said creek flowing acre to the southwest corner of a point which is 25 feet while, give distance and bearing to section cornership 3 south, range 38 EW at diversion, each must be described. Use section of Section and the section of Section and the section of Section and or pipe line) allest legal subdivision d location being shown throug DESCRIPTION OF WORKS feet, length on top	the property to be irrigated the southwest quarter of section est of the southeast corner of the ner) M. parate sheet if necessary) , Tp. (N. or S.) be			
Diversion by means of portion it causes the property to be irride from a point which is 30 feet north Township 3 South, Range 38 EWM to 12 preters northeast quarter of section 36, town (If there is more than one point of the county of the c	table pump and sprinklers at the said creek flowing acre to the southwest corner of a point which is 25 feet while, give distance and bearing to section cornership 3 south, range 38 EW at diversion, each must be described. Use section of Section and the section of Section and the section of Section and or pipe line) allest legal subdivision d location being shown throug DESCRIPTION OF WORKS feet, length on top	the property to be irrigated the southwest quarter of section est of the southeast corner of the ner) M. parate sheet if necessary) , Tp. (N. or S.) be			
Diversion by means of portion of portion a point which is 30 feet north Township 3 South, Range 38 EWA (If prefers northeast quarter of section 36, town (If there is more than one point of the county of the count	table pump and sprinklers at the southwest corner of the southwest corner of a continuous and bearing to section corners of the southwest and bearing to section cornership 3 south, range 38 EW at diversion, each must be described. The section of section cornership 3 south, range 38 EW of diversion, each must be described. The section of Section 1 of Sect	the southwest quarter of section est of the southwest quarter of section est of the southeast corner of the ner) M. parate sheet if necessary Tp. (N. or S.) be (Miles or feet) Tp. (N. or S.) hout on the accompanying map.			
Diversion by means of portion of trom a point which is 30 feet north trom a point which is 30 feet north Township 3 South, Range 38 EWM to (If preters northeast quarter of section 36, town (If there is more than one point of the county of t	table pump and sprinklers at the southwest corner of the southwest corner of a continuous and bearing to section corners of the southwest and bearing to section cornership 3 south, range 38 EW at diversion, each must be described. The section of section cornership 3 south, range 38 EW of diversion, each must be described. The section of Section 1 of Sect	the property to be irrigated the southwest quarter of section est of the southwest quarter of section (man) M. parate sheet if necessary)			

eadgate. At headgate: width on top (at water line)				feet; width on botton	
	feet; depth of wa	ter	feet; grade	feet fall per on	
ousand feet.	j.			ter line)	
······································	feet; width on bo	ttom	feet; depth of	water feet	
ade	feet fall	per one thous	and feet.		
(c) Lengti	h of pipe,	ft.;	size at intake,	in.; size at f	
٠.				lifference in elevation betwee	
take and place	of use	ft. Is	grade uniform?	Estimated capacity	
8. Locatio	on of area to be ir	rigated, or pl	ace of use		
Township North or South	Range E. or W. of Willemotto Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated	
3 \$	38 EWM	36	NE4 NE4	38.73	
3 5	38 EWM	36	NW4 NE4	40	
3 S 3 S	38 EWM	<u>36</u>	SE4 NE4	39.3	
35	38 EWM	25	SW4 NE4 SW4 SE4	40 38.7	
3 \$ 3 \$	38 EWM	25 25	SE4 SE4 NW4 SE4	8.3 9.1	
3\$	38 EWM	25	NW4 SW4	39025	
<u>3 S</u> 3 S	38 EWM 38 EWM	25 25	SW4 SW4 SE4 SW4	39.3 32.3	
3S	38 EWM	25	NE4 SW4	36.5	
		(If more space	required, attach separate sheet)		
(a) C	haracter of soil				
, (b) K	ind of crops raises	t peas and s	small arain		
Power or Minin	• •	# 		•	
	•	wer to be dev	eloped	heoretical horsepow	
			power	. sec. jt.	
(c) T	otal fall to be util	ized	(Head)		
				be developed	
(-) C					
				of Sec	
Tp(No. N. or	, R(No. 1	, W. i	M.		
(f) I	s water to be retu	rned to any s	tream?(Yes or No)		
	•		•		
_		_	•	, R, W.	
		Sec	7.00	K W	

ripal or Domestic Supply—	27816
10. (a) To supply the city of	
	nt population of
s estimated population of	in 19
(b) If for domestic use state number of	jamines to be supplied
(Answer greations II, 6	12, 12, and 14 in all cases)
11. Estimated cost of proposed works, \$ nil	***************************************
12. Construction work will begin on or before	no construction work
13. Construction work will be completed on a	or beforeno construction work
	ne proposed use on or before July 1, 1962
	010
	(Signapare of applicant)
	Mrs Ra progetti; Marion Drogo
Remarks:	X My Sandher
This appropriation is intended to be sur	pplemental to the application filed on even date
hecewith for appropriation from the Grans	le Ronde Wiver with respect to this and other prop
·	
V K v v	
es de la contraction de la con	4 () () () () () () () () () (
:	
TE OF OREGON,	
TE OF OREGON, ounty of Marion,	
ounty of Marion,	foregoing application, together with the accompanyin
ounty of Marion, \begin{aligned} aligne	rection
ounty of Marion, This is to certify that I have examined the first and data, and return the same for	foregoing application, together with the accompanying rection
ounty of Marion, This is to certify that I have examined the first and data, and return the same for corr	rection rection
ounty of Marion, This is to certify that I have examined the first and data, and return the same for correct In order to retain its priority, this application or before November 20	rection rection
ounty of Marion, This is to certify that I have examined the first and data, and return the same for corr corr. In order to retain its priority, this application on or before November 20 January 29	rection on must be returned to the State Engineer, with correct 1962. Sentember
ounty of Marion, This is to certify that I have examined the first and data, and return the same for correct In order to retain its priority, this application on or before November 20 January 29	rection rection on must be returned to the State Engineer, with correct

Walter N. Perry, Assistant

STATE OF OREGON,
County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

• •	pater is to be applied is			
				•
cond or its equivalent for ea			:	
ot to exceed 3 acre fo	et per acre for each	acre irrigated	during the irr	igation
eason of each year; t	_			
ands having a valid pr	-	•		
ny deficiency in water llowed herein, togethe				
aid lands, shall be li				
he right to use of mat				
s more than 300 cfs at	•	•		
d shall be subject to such re	easonable rotation system	as may be ordered l	by the proper stat	e officer.
The priority date of this	s permit is	February 7, 196	52	
	ork shall begin on or befo			_
nereafter be prosecuted with	_	-	•	
	f the water to the propose s		· 1	ber 1, 19.05
wiiness my nana thi	s aay of	may	: /	
		(/ Acting ST	ATE ENGINEER
UBLIC TE	This instrument was first received in the office of the State Engineer at Salem, Oregon, on the LL f day of Ally is f. 1964, at L.C. o'clock f' M.		is of	STATE ENGINEER
Permit No. 27246 PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON	This instrument was first received office of the State Engineer at Salem, on the LLL for day of ALLY CALLY C		Recorded in book No. 76 Permits on page 2.75 15	STA.
PERMIT PPRIATE THI RS OF THE SOF OREGON	was f nginee off.: 'clock		No.	7
No PE (OPRI ERS (ment f day	Returned to applicant: Approved:	r book ge	Act
mit ATI	e St	ap E		≢ ∦ ੱ
	2 2 7	Returned to Approved:	dec dec	•