

STATE ENGINEER SALEN, OREGON To Appropriate the Public Waters of the State of Oregon

Budy B. and Mandanta W. Markeys
T, Ridy R, and Mirjorie E. Walters (Home of applicant)
Route 4. Box 129. The Dalles
tete of Gragon, do hereby make application for a permit to appropriate the
ollowing described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
If the appacant is a corporation, give date and place of incorporation
1. The source of the proposed appropriation is an un-named stream ord Folsy Lakes (Name of stream) , a tributary of Columbia River
2. The amount of water which the applicant intends to apply to beneficial use is 20.66 which feet per second. Icrigation Control to be used from more than one source, give quantity from each)
(If water is to be unid from more than one source, give quantity from each)
**3. The use to which the water is to be applied is
65 homes (7.24) and stockwater - 40 head. (also fish propagation) - inc 19.5 de
4. The point of diversion is located
OTRET Of(Bection or subdivision)
Pump - S 21° 00°E 1720 feet from the MM corner of DLC 37, within NW NW NW NW
Dam - S 28° 10°E 830 feet from the NW corner of DLC 37, with SE4 SE4 3.
(If preferable, give distance and bearing to section corner)
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) Deing within the northwesterly portion of DIC 37 of Sec. , Tp. 2N (Give smallest lagal subdivision) (N or S.)
R. 138. W. M., in the county of
(E at t) 5. Theto be
(Main ditch, canal or pipe line) (Miles or feet)
n length, terminating in the of Sec, Tp, (Smallest legal subdivision)
R, W. M., the proposed location being shown throughout on the accompanying map.
DESCRIPTION OF WORKS
Diversion Works—
6. (a) Height of dam 9 feet, length on top feet, length at bottom
O feet; material to be used and character of construction of dark gray organic
silt core with a randy silt and shell rock shell will be protected with a spillway ook and brush, timber crib, etc. wasteway over or around dam) on basalt bedrock 10° wide around the dam. (b) Description of headgate
will be used.
(c) If water is to be pumped give general description not known vet. (Size and type of pump)
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)
(SLEE EDG Type of engine of mouse to be used, total nest water is to be inter-, etc.)

jate. At hea	dgate: width on t	feet; width on bottom			
			feet; grade		
and feet.			eadgate: width on top (at water		
		•	feet; depth of we	•	
	feet fall	•	• •		
			size at intake,		
		•	of use in.; diff		
e and place	of use,	ft. 1	s grade uniform?	Estimated capacity,	
8. Location	sec. ft.	rigated, or p	lace of use		
Township	Range		1	Number Acres To Be Irrigated	,
North or South	E. or W. of Williamette Meridian	Section	Forty-acre Tract	Number Acres to be irrigated	Will
2 N	138	30	mv}ne}	0,2	tock
	"	30	ne}ne}	8.0	. "
5 /	H	30	neinei	1.1(Domestic	
<u></u>	"	29	Mr2 Mr2	15.0	. • •
77	,,	29	SH) NH	1.0{Domestic	
1,		30	SEŽNEŽ	4.5	4
		30	SE INE I	5.1 Domestic	
7	1,	29	Switted.	8.0	, .
			4-, minotes	ر المراجعة	
			0, 1, 1, 1, 1	115	
i: ğ			1		
			re required, attach separate sheet).	in the second of	
			organic silt		
		d past	ure, orchard		
	ng Purposes—	nver to be de	veloped	theoretical horsepowe	,
	,		•	ec. ft.	
		-		s. je.	
			(Head)		
(d) 1	The nature of the	works by med	ans of which the power is to be	developed	
(e) !	Such works to be l	ocated in	(Legal subdivision)	of Sec.	
No No	, R	E or W	. М.		
(f) i	ls water to be retu	rned to any	stream?		
	If we name stroan	and locate	point of return		•
(g)	i, w. name stream		'		

(i) The nature of the mines to be served

cipal or Domestic Supply—		27852
10. (a) To supply the city of		
County, havina a vi	resent population of	
n estimated population of	• •	•
		·6 5
(b) If for domestic use state number	r of families to be supplied	
(Absort guestion	ns 11, 12, 13, and 14 in all cases)	
11. Estimated cost of proposed works, \$,··
12. Construction work will begin on or b	efore December 1, 1961	······································
13. Construction work will be completed	on or before October 1, 1	.962
14. The water will be completely applied		
	,	
	, Judy /	dialti-s
	marjor	me of applicants Le E Welter
Remarks:	. /	
Remarks:		
<u> </u>		
<u>-</u>		
ale.	,	
*		
5 - 2,300 M		······································
-		

ATE OF OREGON,	•	
County of Marion, ss.		
This is to certify that I have examine	d the foregoing application, to	ogether with the accompan-
ps and data, and return the same for	completion	and the second s
	correction	
To and on an assistant security and the second	aliantian must be not made as	ha Stata Engineer with our
In order to retain its priority, this app	oncation must be returned to t	ne state Engineer, a un cor
ns on or before May 7	1962	"
PIELV I		

By Walls Harry Ansistant

STATE OF OREGON. County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same. SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use stream, or its equivalent in case of rotation with other water users, from unnamed stream, and 10.0 acre feet from enlargement of Foley Lakes Res., to be application No. R-37176, permit No. R-2786

The use to which this water is to be applied is irrigation, suppl, irrigation, group domestic and stock; being 0.39 cfs. from unn. str. & 10.0 a.f. from res. for irr. & supp. irr; 0.11 cfs, group.dom, 0.01 cfs.; stock from unn. stream and res.

1/60th of one cubic foot per If for irrigation, this appropriation shall be limited to .. from direct flow second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year from direct flow and storage from reservoir to be constructed under Permit No. R-2786 the right allowed hereunder for the appropriation of water for lands having a valid prior right shall be limited to the amount necessary to make up any deficiency in water available to said lands under said prior right and the amount allowed herein, together with the amount secured under any other right existing for said lands, shall be limited by the duty of water as fixed herein; and the source of appropriation for the right allowed herein for supplemental irrigation shall be stored water only, and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

November 8, 1961 The priority date of this permit is May 17, 1963 and shall Actual construction work shall begin on or before thereafter be proscented with reasonable diligence and be completed on or before October 1.26 - 64 Complete application of the water to the proposed use shall be made on or before October 1 19 65 19 62 17th WITNESS my hand this day of Acting

క W

Returned to applicant:

Application No. 3717 マノニン く Permit No.

APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON PERMIT

This instrument was first received in the office of the State Engineer at Salem, Oregon,

o'clock: day of , at the ü 62

Σ

Recorded in book No. May 17, 1962

Approxed

Permits on page

STATE ENGINEER MAX F. Rogers,

V.

Sector Between

10