*APPLICATION FOR PERMIT

To Appropriate '9 Public Waters of the State of Oregon

State of Oregon Oregon described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS: If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is 2 unnamed sloughs which are determined to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS: If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is 2 unnamed sloughs which are determined to apply to beneficial use is a corporation of the proposed appropriation in tends to apply to beneficial use is a corporation of the source of the proposed appropriation is a tributary of McKenzie River 2. The amount of water which the applicant intends to apply to beneficial use is a corporation of the second from each source. (a) the second from each source, one quantity from each source. (a) the second from each source, one quantity from each source. (b) The use to which the water is to be applied is a irrigation, manufacturing, dementic applies, recovered by the second from each source, each source of the second from each source, each second from each source, each second from each source, each second from each second expense in the section comment. (c) The second from the second expense is a second from each second expense is a second from each second expense is a second expense	I, GLORIA J. OLSON		4	
State of Oregon do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS: If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is? unnamed sloughs thich are (trans of descent) 2. The amount of water which the applicant intends to apply to beneficial use is -0.2103 cubic feet per secondeing 0.2183, cubic feet, per second from each source. (truster is to be used from more than one source, eve quantity from each) **3. The use to which the water is to be applied is irrigation, monutestrime, domestic nuprites, vic.) 4. The point of diversion is located 950 ft. S. and 310 ft. E. from the N.E. corner of Mm. Miller DLC 648, Twp. 17 S. Range 2 W.W.M. and 530 ft. East and 230 ft. South of N.E. corner Wm. Miller DLC 48, Twp. 17 South, Range 2 W.W.M. all in the source of	919 Weaver I and			
The applicant is a corporation, give date and place of incorporation	(Maining so			
If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is? unnamed sloughs thich are (Name of steam) 2. The amount of water which the applicant intends to apply to beneficial use is 9-2103 cubic feet per secondering 0.2183, cubic feet, per second from each source, with the use to which the water is to be applied is irrigation. (frequency from the contract of diversion is located 960 ft. S. and 310 ft. F. from the N.E. (N. et al.) 4. The point of diversion is located 960 ft. S. and 310 ft. F. from the N.E. (N. et al.) 1. South of N.E. corner Wm. Miller DLC 848, Twp. 17 S. Range 2 W.W.M. and 530 ft. East and 230 (Bestion or subdivision) 1. Lane. Country, Oregon, (If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if secessary) being within the St. South of N.E. corner with the country of Lane. (are with 5. The (Section) St. South of diversion, each must be described. Use separate sheet if secessary) being within the St. South of country of Lane. (are with 5. The (Section) St. South of diversion, each must be described. Use separate sheet if secessary) being within the St. South of M. in the country of Lane. (are with 5. The (Section) St. South St. South St. No. South St. So	State of Oregon	, do hereby ma	ke application for a	a permit to appropriate the
1. The source of the proposed appropriation is 2 unnamed sloughs thich are thereof streams, a tributary of McKenzie River 2. The amount of water which the applicant intends to apply to beneficial use is	following described public waters of	the State of Oregon, S	UBJECT TO EXIS	TING RIGHTS:
	If the applicant is a corporation, give date and place of incorporation			
2. The amount of water which the applicant intends to apply to beneficial use is	1. The source of the proposed a	ppropriation is 2 unn	amed sloughs	which are
2. The amount of water which the applicant intends to apply to beneficial use is		a tributary of	McKenzie Ri	ver
4. The point of diversion is located 960 ft. S. and 310 ft. E from the N.E. corner of Wm. Miller DLC #48, Twp. 17 S. Range 2 W.W.M. and 530 ft. East and 230 ft. South of N.E. corner Wm. Miller DLC 48, Twp. 17 South, Range 2 W.W.M. and 530 ft. East and 230 ft. South of N.E. corner Wm. Miller DLC 48, Twp. 17 South, Range 2 W.W.M. all in Lane County, Oregon, (If preferable, give distance and bearing to section corner) (If there is note that one point of diversion, each must be described. Use separate sheet if sectionary) being within the 98 501 is NA SELINE NWL; 301 MILES Of Sec. 26 and 35. Tp. 17 S. (No or S.) (Re or W.) 5. The (Main ditch. canal or pipe line) (Miles or feet) in length, terminating in the (Bushlett legal subdivision) R. (Loc W.) W. M., the proposed location being shown throughout on the accompanying map. (Loc W.) DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottometers of the section of the se				
4. The point of diversion is located 960 ft. S. and 310 ft. E from the N.E. corner of Wm. Miller DLC #48, Twp. 17 S. Range 2 W.W.M. and 530 ft. East and 230 ft. South of N.E. corner Wm. Miller DLC 48, Twp. 17 S. Range 2 W.W.M. and 530 ft. East and 230 ft. South of N.E. corner Wm. Miller DLC 48, Twp. 17 South, Range 2 W.W.M. all in Lane County, Oregon, (If preferable, give distance and bearing to section corner) (If there is now that one point of diversion, each must be described. Use separate sheet if section?) being within the 98 501 SWASELINELWEL AND WELL AND WELL OF Sec. 26 and 35. Tp. 17 S. (No or S.) Give smallest legal subdivision) F. 2 W. W.M., in the county of Lane. (In or W.) 5. The (Main ditch. canal or pipe line) (Miles or feet) in length, terminating in the (Smallest legal subdivision) DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottomers feet; material to be used and character of construction (Loose rock. concrete. mann rock and brush. University etc. subterest over or around dam) (b) Description of headgate (Tumber, concrete, etc. number and size of openings)	cubic feet per secondering 0.2183.	cubic feet per se	cond from each	SOUTCE.
Corner of Vm. Miller DLC #48, Twp. 17 S. Range 2 W.W.M. and 530 ft. East and 230 (Bection or subdivision) ft. South of N.E. corner Wm. Miller DLC 48, Twp. 17 South, Range 2 W.W.M. all in Lane. County, Oregon, (If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet If secressary) being within the ORIGINAL SWASELNELNWE; MALVED Of Sec. 26 and 35. Tp. 17. S. (Give smallest legal subdivision) R. 2 W. , W.M., in the county of Lane (Re or W) 5. The (Main ditch, canal or pipe line) (Milles or feet) in length, terminating in the (smallest legal subdivision) R				
Corner of Wm. Miller DLC #48, Twp. 17 S. Range 2 W.W.M. and 530 ft. East and 230 (Bection or subdivision) ft. South of N.E. corner Wm. Miller DLC 48, Twp. 17 South, Range 2 W.W.M. all in Lane. County, Oregon, (If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet If secessary) being within the SOUTH SEX NEX NEX NEX NEX NEX NEX NEX NEX NEX N	4. The point of diversion is loc	cated 960 ft.	and 310 ft	from the N, E,
Lane County, Oregon. (If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the				
(If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the ORIGIN SINE SINE NOW 1. AND AND OF Sec. 26 and 35., Tp. 17.5. (Give smallest legal subdivision) of Sec. 26 and 35., Tp. (N or S.) R. 2, W. M., in the county of Lang. (E or W.) 5. The (Main ditch. canal or pipe line) (Miles or feet) in length, terminating in the (Smallest legal subdivision) of Sec. , Tp. (N or S.) R	•			
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the	Lane County, Oregon,	· · · · · · · · · · · · · · · · · · ·		
being within the SEC SEL NEXNEL NEXNEL (Sive smallest legal subdivision) R. 2 W. W. M., in the county of Lange (Nors.) 5. The (Main ditch, canal or pipe line) (Miles or feet) in length, terminating in the (Smallest legal subdivision) (Nors.) R. W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masson fock and brush, tumber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description 25 h.p. motor attached to a (Size and type of pump)				
5. The	being within the GBLGWL; SWESEL; N	iełnwł: mwłne ż		
in length, terminating in the (Smallest legal subdivisions) of Sec. , Tp. (N. or S.) R	$R. = \frac{2 \text{ W.}}{(E \text{ or W.})}$, W. M., in the county	ofLane		
in length, terminating in the (Smallest legal subdivision) of Sec. (N. or S.) R. (R. or W.) DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, mason rock and brush, timber crib. etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description 25 h.p. motor attached to a (Size and type of pump)	5. The		to be	(Miles or feet)
R				
DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, mason (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description 25 h.p. motor attached to a (Size and type of pump)				
Diversion Works— 6. (a) Height of dam feet, length on top feet, length at botto feet; material to be used and character of construction (Loose rock, concrete, mason (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description 25 h.p. motor attached to a (Size and type of pump)	R, W. M., the prop	osed location being sho	own throughout on	the accompanying map.
6. (a) Height of dam feet, length on top feet, length at botto feet; material to be used and character of construction (Loose rock, concrete, mason (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description 25 h.p. motor attached to a (Size and type of pump)	· ·	DESCRIPTION OF	WORKS	•
feet; material to be used and character of construction (Loose rock, concrete, mason rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate		foot longth	an tan	feet length at hotto
(b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description 25 h.p. motor attached to a (Size and type of pump)	•			
(b) Description of headgate	feet; material to be	used and character of	construction	(Loose rock, concrete, mason
(c) If water is to be pumped give general description 25 h.p. motor attached to a (Size and type of pump)	rock and brush, timber crib, etc., wasteway over or a	round dam)		•••••
(c) If water is to be pumped give general description 25 h.p. motor attached to a (Size and type of pump)		(Timber		
(Give mire chie or barris)	(c) If water is to be pumped		n 25 h.p. mot	or attached to a
			(3.	and type of pump,

^{*}A different form of application is provided where storage works are contemplated.

^{**}Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line-

eadgate . At head	dgate: width on i	to p (a t water	line)	feet; width on bottom
	feet; depth of w	ater	feet; grade	feet fall per one
tousand feet. (b) At		miles from h	eadgate: width on top (at we	nter line)
en September 1	feet; width on b	otto m	feet; depth o	f water *fect;
rade	feet fall	per one thou		
(c) Length			; size at intake,	in : size at - ft.
rom intake	in.:	size at place		difference in elevation between
stake and place		·	Is grade uniform?	Estimated capacity
	sec. ft.	•	,	
8. Location	n of area to be i	rrigate d , or p	lace of use	•
Township North or South	Range E or W of Willimette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
17 S	2w	26	SWŁSEŁ	6.62
7 S	2 W	26	SE\SW\\	3.00
7 S	2W	35	NEZNWŁ	7.51
			The second secon	
.7 S	2W	35	NWŁNEż	13.48
****			-	
The state of the s				
-				
(a) Ch	aracter of soil		ce required attach separate sheet)	
				and the second s
O) No Power or Minin	•	a beans	., hayandpasture	
	· ·	ower to be de	veloped	theoretical horsepowe
9. (a) To				
	uantity of water	to be used for	r power	sec. ft.
(b) Q	, .		•	sec. ft.
(b) Q:	otal fall to be uti	lized	(Head)	•
(b) Q:	otal fall to be uti	lized	•	•
(b) Q: (c) Tc (d) Ti	otal fall to be uti	lized	feet. (Head) ans of which the power is to	be developed
(b) Q. (c) To (d) T. (e) St	otal fall to be uti	lizedworks bu med	(Read) feet. ans of which the power is to (Legal subdivision)	be developed
(b) Q. (c) To (d) T. (e) St	otal fall to be uti he nature of the uch wor	lizedworks bu med	feet. (Head) ans of which the power is to	be developed
(b) Q(c) To (d) T(c) (e) St	otal fall to be uti he nature of the uch wor	lizedworks bu med	(Read) feet. ans of which the power is to (Legal subdivision)	be developed
(b) Q(c) To (d) Ti (e) St Tp. (No N or (f) Is	otal fall to be utine the nature of the natu	lizedworks bu med	(Read) ans of which the power is to (Legal subdivision) M. stream?	be developed
(b) Q(c) To (d) T\(\text{(d)}\) T\(\text{(e)}\) St Tp. \(\text{(No N or } (f)\) Is	otal fall to be utine the nature of the uch won services and the services water	lized works bu med W. y -	(Read) Ins of which the power is to (Legal subdivision) M. Stream? (Yes or No)	be developed

nicipal or Domestic Supply-	27935
10. (a) To supply the city of	
County, having a pre	sent population of
(Name of) an estimated population of	
• (b) If for domestic use state number	
	r 11, 12, 13, and 14 in all cases)
11. Estimated cost of proposed works, \$3	•
	forecompleted
•	on or before
14. The water will be completely applied to	o the proposed use on or before 6-15-62.
	er. O o l
es established	Gloria Cliston (Signature of applicant)
Remarks:	
the scale to which the map has be	en constructed is one inch to each 230 feet.
·	
	•
	· · · · · · · · · · · · · · · · · · ·
CTATE OF OREGON.	
County of Marion.	the foregoing application, together with the accompany
•	
	Completion
naps and data, and return the same for	
· · · · · · · · · · · · · · · · · · ·	
· · · · · · · · · · · · · · · · · · ·	•
In order to retain its priority, this applitions on or before	ication must be returned to the State Engineer, with corr , 1962

LEWIS A. STANLEY

STATE ENGINEER

Walter N. S.

ASSISTAN

This is to certify that I have examined the foregoing application and do hereby grant the same. SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use stream, or its equivalent in case of rotation with other water users, from two unnamed sloughts; being 0.19 c.f.s. from each slough irrigation The use to which this water is to be applied is second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 26 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the amount of water allowed merein, together with the amount secured under any other right existing for the same lands shall not exceed the limitation allowed herein; provided still further that the right to use of water is limited to the period when the flow of the McKenzie Miver is more than 1025 c.f.s. at Interstate Highway 5,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is

February 19, 193

Actual construction work shall begin on or before

June 26, 2017

... and shall

thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19 $^{++}$.

Complete application of the water to the proposed use shall be made on or before October 1, 19

Returned to applicant:

WITNESS my hand this

. day of

Application No. 37809

Permit No.

PERMIT

APPROPRIATE THE PUBLIC

ဥ

WATERS OF THE STATE

OF OREGON

This instrument was first received in the

office of the State Engineer at Salem, Oregon on the 19th day of Telbruilly Z T C C o'clock 62, at 5

June 26, 1962

Approved:

Recorded in book No. Permits on page CHEIS L. WHENLER

N 2 Drainage Basin

Fees