## **\*APPLICATION FOR PERMIT**

## To Appropriate the Public Waters of the State of Oregon

If the applicant is a corporation, give date and place of incorporation  1. The source of the proposed appropriation is Burkhart Creek (Manne of stream)  2. The amount of water which the applicant intends to apply to beneficial use is 0.01.25  in feet per second.  (It waster to be applied is Irrigation (Manne of stream)  N. 160 251 E. 1887 feet  4. The point of diversion is located fit. (Manne of stream)  The Arderson Cox DIC 19  (If preferable, give distance and bearing to action corner)  (If there is mater than one point of diversion)  J. W. M., in the country of Linn  (Ec. W.)  Sain pips line to be 165 feet (Miles or feet)  The main pips line to be 165 feet (Miles or feet)  The main give the material of the Male of Street (Miles or feet)  The point of diversion or population or population (Miles or feet)  (If there is material to be used and character of construction files or feet)  (If the street is to be pumped give general description line control files and tree of openings)  (In the street is to be pumped give general description line control files and tree of openings)  (It was to mater than one point of diversion and bearing to action corner)  (If there is to be pumped give general description line control files and tree of openings)	I, Herbert H. and Fannie S. Ahart	plicant)		******	
do hereby make application for a permit to appropriate the fouring described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:  If the applicant is a corporation, give date and place of incorporation  1. The source of the proposed appropriation is Burkhart Creek (Mane of stream)  a tributary of Willamette River  2. The amount of water which the applicant intends to apply to beneficial use is 0.01125 bit feet per second.  (It water is to be used from more than one source, are quantity from each)  **3. The use to which the water is to be applied is Irrigation, source indicate manufacturing, domestic neppties, etc.)  No. 16° 25° E. 1887 feet  4. The point of diversion is located from or subdivision  No. 16° 25° E. 1887 feet  4. The point of diversion is located from or subdivision  (If water is not than one point of diversion, such must be described. Do separate sheet if necessary)  ing within the MW2 of NE2  Core smallest legal subdivision.  (If these is nort than one point of diversion, such must be described. Do separate sheet if necessary)  ing within the MW2 of NE2  Core smallest legal subdivision.  (If the smallest legal subdivision)  5. The distant inthe, cannot specifical  (If the smallest legal subdivision)  (If the smallest le					,
If the applicant is a corporation, give date and place of incorporation  If the applicant is a corporation, give date and place of incorporation  I. The source of the proposed appropriation is Burkhart Creek (Name of stream)  a tributary of Willamette River  2. The amount of water which the applicant intends to apply to beneficial use is 0.0125  bic feet per second.  (If water is to be applied is Irrigation power mining manufacturing, domestic mapplies, etc.)  N. 16° 25' S. 1887 feet  4. The point of diversion is located ft. of etc., and ft. (E or W.) from the NE or etc.)  (If preferable, dire distance and bearing to section corner)  (If preferable, dire distance and bearing to section corner)  (If where is more than one point of diversion, such must be described. The apparate shrell increase?)  (If preferable, dire distance and bearing to section corner)  (If we will make the such applied to sectio	-	make application	for a perm	it to appropriat	e the
1. The source of the proposed appropriation is Burkhart Creek a tributary of Stributary of A tributary of A	•				
1. The source of the proposed appropriation is Burkhart Creek  (It waster to be followed to apply to beneficial use is 0.0125  bic feet per second.  (It waster to be used from more than one source, give quantity from each)  **3. The use to which the water is to be applied is Irrigation.  No. 16° 25° E. 1887 feet  4. The point of diversion is located.  No. 16° 25° E. 1887 feet  4. The point of diversion is located.  (It preferable, give distance and busing to section corner)  (If there is more than one point of diversion, seek must be described. Use separate sheet if necessary)  cing within the M\$\frac{1}{2}\$ of NE\$\frac{1}{2}\$ (New 1)  3. W. M., in the country of Idm.  (I waster is not than one point of diversion, seek must be described. Use separate sheet if necessary)  5. The main pipe line to be 165 feet  (I waster in the M\$\frac{1}{2}\$ of NE\$\frac{1}{2}\$ (Section of subdivision)  1. Length, terrminating in the M\$\frac{1}{2}\$ of NE\$\frac{1}{2}\$ (Section of subdivision)  DESCRIPTION OF WORKS  6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction feet; material to be used and character of construction feet; material to be used and character of construction feet; material to be used and character of construction feet; material to be used and character of construction feet; material to be used and character of construction feet; material to be used and character of construction feet; material to be used and character of construction feet; material to be used and character of construction feet; material to be used and character of construction feet; material to be used and character of construction feet; material to be pumped give general description feet; unmber and size of openness.	lowing described public waters of the State of Oregon	, SUBJECT TO I	EXISTING	RIGHTS:	
a tributary of williamette River  2. The amount of water which the applicant intends to apply to beneficial use is 0.601125  bic feet per second.  (It water is to be used from more than one source, give quantity from each)  **3. The use to which the water is to be applied isIrrigation_(trigation_power_mining_manufacturing_dosestic supplies_fit_)  N. 16° 25° E. 1887 feet  4. The point of diversion is locatedft or s	If the applicant is a corporation, give date and place	e of incorporation	on .		
a tributary of willamette River  2. The amount of water which the applicant intends to apply to beneficial use is 0,01125  bic feet per second.  (If water is to be used from more than one source, give quantity from each)  **3. The use to which the water is to be applied is Irrigation, power, mining, manufacturing, domestic supplies, stc)  **No. 16° 25° E, 1887 feet  4. The point of diversion is located ft. and ft. (E. or W.) from the NE (If there is more than one point of diversion)  (If there is more than one point of diversion, each must be described. Use suparate sheet if necessary)  ring within the N**1. Of N**2  **W. M., in the county of Linn  (E. or W.)  5. The (Lin of W.)  Clear of the county of Linn  (Lin of W.)  A length, terminating in the N**2. Of N**2  (Indice or topic line)  (It bears is more than one point of diversion, each must be described. Use suparate sheet if necessary)  cit. or W.)  **Of Or S.)  2 **W. M., in the county of Linn  (Lin or W.)  5. The (Lin of W.)  (Lin of W.)  A length, terminating in the N**2. Of N**2  (Indice or topic line)  (It cor W.)  DESCRIPTION OF WORKS  biversion Works—  6. (a) Height of dam feet, length on top feet, length at bottom  feet; material to be used and character of construction  (Loose reck. concrete. mannery)  cet and brush, number or the state. wasteway over or around dam)  (b) Description of headgate (Tumber, concrete, etc. number and size of openings)  (c) If water is to be pumped give general description 12° centerifyeal pump powered by 1 in the contraction of the con		hard-brand Create			****
2. The amount of water which the applicant intends to apply to beneficial use is 0,01125  bic feet per second.  (If water is to be used from more than one source, sive quantity from each)  1. The use to which the water is to be applied is Irrigation, power, mining, manufacturing, domestic supplies, etc.)  1. The point of diversion is located ft. (R. or S.)  1. The point of diversion is located ft. (R. or S.)  1. The Arderson Gox DLC 1/2  (Section or subdivision)  (If preferable, sive distance and bearing to section corner)  (If there is more than one point of diversion, each must be described. Use supprise sheet if necessary)  ring within the NW 1. Of NE 2  (The water legal subdivision)  2. W. M., in the county of Ldnn.  (Everw.)  3. W. M., in the county of Ldnn.  5. The (than sitial, canal or pipe line)  1. Length, terminating in the NW 2. Of NE 2  (Localies or feet)  1. Section or for the sitial state of some feet in the county of the site of the county of the cou		,	usus or sream		** *
bic feet per second.  (If water is to be used from more than one source, give quantity from each)  1. Trigation, power mining, manufacturing, domestic supplies, etc.)  No. 16° 25° E. 1887 feet  4. The point of diversion is located ft. and ft. (E. or W.) from the NE mere of The Arders on Cox DLC 19  (Bection or subdivision)  (If there is more than one point of diversion, each must be described the superate sheet if necessary)  eing within the NW2 of NE2 (Give smallest legal subdivision)  3. W. M., in the country of Ld. 11.  (E. or W.)  5. The (Miles or feet)  1. Smallest legal subdivision)  1. Legal, terminating in the NW2 of NE2 (Smallest legal subdivision)  1. Legal, terminating in the NW2 of NE2 (Smallest legal subdivision)  1. Legal, terminating in the NW2 of NE2 (Smallest legal subdivision)  1. DESCRIPTION OF WORKS  6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, manner)  (b) Description of headgate (Timber, concrete, etc. number and size of openings)  (c) If water is to be pumped give general description 12° (central tugal pump powered by 1 in the land of the pumped give general description 12° (central tugal pump powered by 1 in the land of the pumped give general description 12° (central tugal pump powered by 1 in the land of the pumped give general description 12° (central tugal pump powered by 1 in the land of the pumped give general description 12° (central tugal pump powered by 1 in the land of the pumped give general description 12° (central tugal pump powered by 1 in the land of the central tugal pump powered by 1 in the land of the central tugal pump powered by 1 in the land of the central tugal pump powered by 1 in the land of the central tugal pump powered by 1 in the land of the central tugal pump powered by 1 in the land of the central tugal pump powered by 1 in the land of the central tugal pump powered by 1 in the land of the central tugal pump powered by 1 in the land of the central tugal pump pow	, a tributary	of Willamet	te River		
No. 16° 25° E. 1887 feet  1. The point of diversion is located ft. (N. or s.) and ft. (E. or W.) from the NE (T. o					
4. The point of diversion is located  1. The point of diversion is located  1. The point of diversion is located  1. The Anderson Cox DLC 49  (Bection or subdivision)  (If preferable, give distance and bearing to section corner)  (If there is more than one point of diversion, each must be described. The separate sheet if necessary)  2. The control of the separate sheet is necessary  (If there smallers legal subdivision)  3. W. M., in the country of Linn  (I cor N)  5. The main pips line to be 165 feet  (Mains stick, canal or pips line)  1. Length, terminating in the N 12 of N 2 (smallers legal subdivision)  3. W. M. M., the proposed location being shown throughout on the accompanying map.  DESCRIPTION OF WORKS  biversion Works—  6. (a) Height of dam feet, length on top feet, length at bottom  feet; material to be used and character of construction  (b) Description of headgate  (Timber, concrete, etc. number and size of openings)  (iii and tree of openings)  (iii and tree of openings)  (iii and tree of openings)					
4. The point of diversion is located  1. The point of diversion is located  1. The point of diversion is located  1. The Anderson Cox DLC 49  (Bection or subdivision)  (If preferable, give distance and bearing to section corner)  (If there is more than one point of diversion, each must be described. The separate sheet if necessary)  2. The control of the separate sheet is necessary  (If there smallers legal subdivision)  3. W. M., in the country of Linn  (I cor N)  5. The main pips line to be 165 feet  (Mains stick, canal or pips line)  1. Length, terminating in the N 12 of N 2 (smallers legal subdivision)  3. W. M. M., the proposed location being shown throughout on the accompanying map.  DESCRIPTION OF WORKS  biversion Works—  6. (a) Height of dam feet, length on top feet, length at bottom  feet; material to be used and character of construction  (b) Description of headgate  (Timber, concrete, etc. number and size of openings)  (iii and tree of openings)  (iii and tree of openings)  (iii and tree of openings)					
4. The point of diversion is located		(IIIIgation, power, mil	ing, mandracto	ing, domesor supplies,	
(If preferable, give distance and bearing to section corner)  (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  eing within the				-	
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  eing within the . NE 2 NE 2 OF NE 2 OF Sec. 1 Tp. 11 S (N or 5)  3 N W. M., in the country of Linn  (E or W.)  5. The Main pipe line to be (Miles or feet)  (Stain ditch. canal or pipe line) (Miles or feet)  a length, terminating in the NN or S (Smallest legal subdivision) of Sec. 1 Tp 11 S (N or S (N or S )  3 N W. M., the proposed location being shown throughout on the accompanying map.  (E. or W.)  DESCRIPTION OF WORKS  Diversion Works—  6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock. concrete. masonry. ock and brush, tumber crib. etc., wasteway over or around dam)  (b) Description of headgate (Timber, concrete. etc., number and site of openings)  (C) If water is to be pumped give general description (Loose rock. to pump)	4. The point of diversion is located ft		ft (更. or	from the	NE
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  eing within the . NE 2 NE 2 OF NE 2 OF Sec. 1 Tp. 11 S (N or 5)  3 N W. M., in the country of Linn  (E or W.)  5. The Main pipe line to be (Miles or feet)  (Stain ditch. canal or pipe line) (Miles or feet)  a length, terminating in the NN or S (Smallest legal subdivision) of Sec. 1 Tp 11 S (N or S (N or S )  3 N W. M., the proposed location being shown throughout on the accompanying map.  (E. or W.)  DESCRIPTION OF WORKS  Diversion Works—  6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock. concrete. masonry. ock and brush, tumber crib. etc., wasteway over or around dam)  (b) Description of headgate (Timber, concrete. etc., number and site of openings)  (C) If water is to be pumped give general description (Loose rock. to pump)	orner of The Anderson Cox DLC 49				
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  eing within the	(Section of	r subdivision)			
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  eing within the					
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  eing within the					
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  eing within the					
eing within the NW1 of NE1 (Give smallest legal subdivision)  3	(If preferable, give distance and be	aring to section corner)			
eing within the NW1 of NE1 (Give smallest legal subdivision)  3	4				
(Give smallest legal subdivision)  3  W. M., in the county of Linn  5. The main pipe line to be 165 feet  (Main ditch, canal or pipe line) (Miles or feet)  1 length, terminating in the NW2 of NR2 of Sec. 1, Tp. 11 S  (Smallest legal subdivision) (Smallest legal subdivision)  3  W. M. the proposed location being shown throughout on the accompanying map.  DESCRIPTION OF WORKS  Diversion Works—  6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, beck and brush, timber crib, etc., wasteway over or around dam)  (b) Description of headgate (Timber, concrete, etc., number and size of openings)  (c) If water is to be pumped give general description 12 central fugal pump powered by 1 is (like and type of pump)					
5. The	eing within the MWI Of NEI (Give smallest legal subdivision)	of Sec	4	, Tp. 11. S	, S )
DESCRIPTION OF WORKS  (a) Height of dam feet, length on top feet, length at bottom  feet; material to be used and character of construction  (b) Description of headgate  (c) If water is to be pumped give general description  (d) Sec. 1, Tp. 11 S  (N or S)	. 3 W. M., in the county of Linn			r	
DESCRIPTION OF WORKS  (a) Height of dam feet, length on top feet, length at bottom  feet; material to be used and character of construction  (b) Description of headgate  (c) If water is to be pumped give general description  (d) Sec. 1, Tp. 11 S  (N or S)	5 The main pipe line	to be .	165 fee	t	
DESCRIPTION OF WORKS  Diversion Works—  6. (a) Height of dam feet, length on top feet, length at bottom  feet; material to be used and character of construction  (Loose rock, concrete, massonry)  (b) Description of headgate (Timber, concrete, etc., number and size of openings)  (c) If water is to be pumped give general description 14 centrifugal pump powered by 1 is to be pumped give general description (Size and type of pump)	(Main ditch, canal or pipe line)			( nutral of less)	
DESCRIPTION OF WORKS  Diversion Works—  6. (a) Height of dam feet, length on top feet, length at bottom  feet; material to be used and character of construction  (Loose rock, concrete, massonry)  (b) Description of headgate (Timber, concrete, etc., number and size of openings)  (c) If water is to be pumped give general description 14 centrifugal pump powered by 1 is to be pumped give general description (Size and type of pump)	n length, terminating in the NMZ_QI3E2(Smallest legal subdivision)	of Sec		, Tp(N or	s )
6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, sek and brush, timber erib, etc., wasteway over or around dam)  (b) Description of headgate (Timber, concrete, etc., number and size of openings)  (c) If water is to be pumped give general description 12 centrifugal pump powered by 1 is give and type of pump)					
6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, sek and brush, timber erib, etc., wasteway over or around dam)  (b) Description of headgate (Timber, concrete, etc., number and size of openings)  (c) If water is to be pumped give general description 12 centrifugal pump powered by 1 is give and type of pump)	(E. or W.)				
6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, book and brush, timber crib, etc., wasteway over or around dam)  (b) Description of headgate (Timber, concrete, etc., number and size of openings)  (c) If water is to be pumped give general description 12 centrifugal pump powered by 1 is to be pumped give general description (Size and type of pump)		of works			
feet; material to be used and character of construction  (Loose rock, concrete, masonry, bock and brush, tumber crib, etc., wasteway over or around dam)  (b) Description of headgate				ford loundly at	
(b) Description of headgate	6. (a) Height of dam feet, leng	th on top		jeet, length at	bottom
(b) Description of headgate	feet; material to be used and character	of construction		(Loose rock, concrete	masonry
(b) Description of headgate				( concrete	
(c) If water is to be pumped give general description 14 centerifugal pump powered by 1 is	ock and brush, timber crib, etc., wasteway over or around dam)				
(c) If water is to be pumped give general description 12 centerifugal pump powered by 1 is	(b) Description of headgate	nher concrete etc . num	ber and size of o	oenings)	
(c) If water is to be pumped give general description 14 contribugal pump powered by 1 is					
(c) If water is to be pumped give general description  [Size and type of pump)  [Size and type of pump)  [Blackric motor. Lift of 2 feet will plan to use four 7½ gallon sprinklers.					
electric motor. Lift of 2 feet will plan to use four 72 sellon sprinklers.	(c) If water is to be pumped give general descrip	tion 17 cent	Fillugal p (Size and ty	pe of pump)	DAT ;
1720 Ot 10 ma cot 6 war a at r recommence beams an aga vows 15 Par sous discovering an	electric motor. Lift of 2 feet-will plan to	use four 71	gal lon ap	rinklers.	

<sup>\*</sup>A different form of application is provided where storage works are contemplated.

\*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be appropriate water for the generation of electricity, with the exception of municipalities, must be appropriate without one together with instructions by addressing the State F.

readgate. At hea	dgate: width on	top (at water	line)	feet; width on bottom
housand feet.	feet; depth of u		feet; grade	feet fall per one
(b) At			eadgate: width on top (at wa	
	feet; width on b	ottom	fect; depth of	water feet;
grade .	feet fal	l per one thou		
(c) Lengt	h of pipe.	165 ft.	; size at intake, 14	in.; size at 40 ft.
from intake	1 in.;	size at place	of use . 3/4 in.; c	difference in elevation between
0.10 8. Location		·	Is grade uniform? Yes	Estimated capacity.  f S. L., T. 11 S., R. 3 W.
Township North or South	Range E or W. of Wittemette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
11 S	3 W	4	NW 4 of NE4	<b>∴9</b>
1				
			•	
1				
•				
(2) (	Character of soil		ice required, attach separate sheet) ay loan.	
(b) Power or Mini	<i>'</i> '	sed AHEADADT	es and Lewn	
	•	power to be d	eveloped	theoretical horsepowe
(b) (	Quantity of wate	r to be use <b>d</b> fo	or power	sec. ft.
(c) 7	Fotal fall to be u	tilized	(Head)	
			(Head) cans of which the power is to	be developed
. (4)				•
(e)	Such works to be	located in	(Legal subdivision)	of Sec.
	, R, N			
			stream?(Yes or No)	
			point of return	
***************************************		., Sec	, Tp	, R , W
			e applied is	
, , ,			served	

tunicipal of Domestic Supply—	2011
19. (a) To supply the city of	
(Name of) County, having	a present population of
nd an estimated population of	in 19
(b) If for domestic use state nun	nber of families to be supplied
(Answer qu	vections 11, 42, 13, and 14 in all cases)
11. Estimated cost of proposed works,	£ 200,00
12. Construction work will begin on a	or before March 26, 1963
13. Construction work will be comple	ted on or before October 1, 1964
14. The water will be completely appl	ied to the proposed use on or before October 1, 1965
	Therent & albert
	Tertent # LLK42t (Stenaper of applicant) Frankly a Cliffe Et by NA Cleart
•	6.
Remarks:	
	·
	•
	•
······································	
•,	
STATE OF OREGON,	
County of Marion,	
This is to certify that I have exami	ned the foregoing application, together with the accompanyi
naps and data, and return the same for	
In order to retain its priority, this c	application must be returned to the State Engineer, with corre
ions on or before	
WITNESS my hand this	lay of, 19
·	
•	STATE ENGINEER

ASSISTANT

This is to certify that I have examined the foregoing application and do hereby grant the same ECT TO EXISTING RIGHTS and the following limitations and conditions:

and shall not exceed 0.01 cubic feet per second	d measured at the point of dis	rersion from the
tream, or its equivalent in case of rotation with other wa	iter users, from Burkhart C	reek
The use to which this water is to be applied is	irrigation	
The use to which this duter is to be applied is		•
	······································	
	······································	
If for irrigation, this appropriation shall be limited t		one cubic foot per
second or its equivalent for each acre irrigated and she	all be further limited to	a diversion
f not to exceed 2% acre feet per acre for each		
eason of each year,		
•		
	4	•
·		the second second
and shall be subject to such reasonable rotation system as	may be ordered by the proper	state officer.
The priority date of this permit is	March 27, 1962	
Actual construction work shall begin on or before	June 26, 10, 2	and shall
		or 1 10'/*
thereafter be prosecuted with reasonable diligence and be		-
Complete application of the water to the proposed t		
WITNESS my hand this 26th day of	June 19 6	
	Coking L ~	STATE ENGINEER
		, <b></b> .
the gon,	9	PICGE 76.A.25
	· · · · · · · · · · · · · · · · · · ·	z
E PUBLIC STATE received in the Salem, Oregon, M.		Picye 76.A.

Application No. 37499 Permit No. 1277/

PERMIT

office of the State Engineer at Salem, Orego This instrument was first received in TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON day of o'clock: Returned to applicant: 19 ...., at .... on the ....

June 26, 1962 Approved:

Recorded in book No. Permits on page page 76.A. Drainage Basin No.

Fees

CHEIS L. MESSIER

State Printing 36137