APPLICATION FOR PERMIT

STATE ENGINEER TAPPLICATION FOR PERMIT SALEM, OREGON To Appropriate the Public Waters of the State of Oregon

The source of the proposed appropriation is a tribulary of Caregon The source of the proposed appropriation is a tribulary of Caregon The amount of water which the applicant intends to apply to beneficial use is The use to which the water is to be applied is The use to which the water is to be applied is The point of diversion is located .660° ft. Sec. 12 Corner of Beginning at a point in the East line of the Northeast quarter of SE quarter of sect. 12, T.2 N, R. 11 East of the Williamette Keristian, 34 Tods N. of SE corner of said legal subdivision; a section comment of the received of the received being within the The said legal subdivisor to are intersection with the line of a small roof said legal subdivisor water and section comment. The said legal subdivisor to are intersection with the line of a small roof said legal subdivisor water and section comment. The said legal subdivisor to are intersection with the line of a small roof said legal subdivisor water and section comment. The said legal subdivisor to are intersection with the line of a small roof said legal subdivisor was always elitance and bearing to section comment. The said legal subdivisor to are intersection with the line of a small roof said legal subdivisor. The said legal subdivisor to are intersection with the line of a small roof said legal subdivisor. The said legal subdivisor to are intersection with the line of a small roof said legal subdivisor. The said legal subdivisor to are interested to section comment. The said legal subdivisor to are interested to section comment. The said legal subdivisor to are interested to section comment. The said legal subdivisor to are interested to section comment. The said legal subdivisor to are interested to section comment. The said legal subdivisor to are interested to section comment. The said legal subdivisor to are interested to section comment. The said legal subdivisor to are interested to section comment. The said legal subdivisor to are interested to section co
Jesse of Oregon
1. The source of the proposed appropriation is 2. The amount of water which the applicant intends to apply to beneficial use is 2. The amount of water which the applicant intends to apply to beneficial use is 3. The use to which the under is to be applied is 1. The point of diversion is located 6601 ft. Sound 620 ft. Word from the Edit (Rown) for the Sec. I Z Corner of Beginning at a point in the East line of the Northeast quarter of Sec. I Z N, R 11 East of the Willarette Keridian, 34 1. The point of diversion is located 6601 ft. Sound 620 ft. Word from the Edit in the sound from the Edition of Sec. In the sound from the Section of the Section of Sec. In the Section Sect
1. The source of the proposed appropriation is As a tributary of Solumbia River 2. The amount of water which the applicant intends to apply to beneficial use is 0.168 cubic feet per second. (If water is to be used from more than one source, give quantity from each) irrigation **3. The use to which the water is to be applied is irrigation, power, mining, manufacturing, domestic supplies, etc) 4. The point of diversion is located 6601 ft. S and 620 ft. W from the E for Sec. 12 corner of Beginning at a point in the East line of the Northeast quarter of SE quarter of sect. 12, T 2 N, R 11 East of the Willamette Verision, 34 rods N. of SE corner of said legal subdivision; a & pocalic with a line of a gradient of the proposed diversion, each must be described. Use separate sheet if necessary) being within the NE of SE ft. of SE ft. of Sec. 12 , Tp. 2 11 in length, terminating in the county of Wasco. (It was a subdivision to subdivision) R. 11 E W. M., in the county of Wasco. (It was a subdivision to subdivision) R. M. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Diversion Works—
a tributary of Columbia River 2. The amount of water which the applicant intends to apply to beneficial use is 0.168 cabic feet per second. (If water is to be used from more than one source, tive quantity from each) **3. The use to which the water is to be applied is irrigation. **4. The point of diversion is located 660' ft. 5 and 620 ft. W from the E 4 Sec. 12 corner of Beginning at a point in the East line of the Northeast quarter of (Section or subdivision) SE quarter of sect. 12, T.2.N, R. Il East of the Willamette Keridian, 34 Prods N. of SE corner of said legal subdivision; a a pocalical with line of said legal subdivisor to an intersection with the line of a coll roof (there are han one point of diversion, each must be described. Use separate sheet th necessary) being within the NE 1 of SE 1 (there is more than one point of diversion, each must be described. Use separate sheet th necessary) 5. The (there is more than one point of diversion, each must be described. Use separate sheet th necessary) 5. The (Section of Wasco) (It is a subdivision to a subdivision) (It is a subdivision) (It
2. The amount of water which the applicant intends to apply to beneficial use is 0.168 cubic feet per second. (If water is to be used from more than one source, give quantity from each) irrigation irrigation threation, power, mining, manufacturing, domestic supplies, etc.) 4. The point of diversion is located 660° ft. S. and 620° ft. W. from the E 1 Sec. 12 corner of Beginning at a point in the East line of the Northeast quarter of (Section or subdivision) SE quarter of sect. 12, T 2 N, R 11 East of the Willamette Veridian, 24 rods N. of SE corner of said legal subdivision; a & pacaliclatic line of said legal subdivison to an intersection with the line of a small rod (treterable, give distance and bearing to section corner) bluff on the E. side of Mosier Creek. (If there is more than one point of diversion, each must be described. Use separate theet if necessary) being within the NE 1 of SE 1 of Sec. 12 , Tp. 2 11 (Sive mallest legal subdivision) The Cive mallest legal subdivision of Sec. 12 , Tp. 2 11 (Sive mallest legal subdivision) The Cive mallest legal subdivision of Sec. Tp. (Nors) R
4. The point of diversion is located 660° ft. S and 620° ft. W from the E 1 Sec. 12 (N. or S.) 4. The point of diversion is located 660° ft. S and 620° ft. W from the E 1 Sec. 12 (N. or S.) 5. Corner of Beginning at a point in the East line of the Northeast quarter of (Section or subdivision) 5. SE quarter of sect. 12, T 2 N, R 11 East of the Willamette Veridian, 34 rods N. of SE corner of said legal subdivision; (A. & pacalicle with line line of a good for said legal subdivision to an intersection with the line of a good for the bluff on the E. side of Mosier Creek. (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the NE 1 of SE 1 (Give smallest legal subdivision) R. 11 E (W. M., in the county of Wasco (E. or W.) (Main ditch, canal or pipe line) (Miles or feet) (In or S.) (Miles or feet) (N. or S.) R
corner of Beginning at a point in the East line of the Northeast quarter of Section or subdivision) SE quarter of sect. 12, T 2 N, R 11 East of the Willamette Keridian, 34 rods N. of SE corner of said legal subdivision; a & pacalial with line of a small roo (if preferable, give distance and bearing to section corner) bluff on the E. side of Mosier Creek. (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the NE 1 of SE 1 of Sec. 22 , Tp. 2 11 (N or S) R. 11 E (W. M., in the county of Wasco (E. or W.) (Main ditch, canal or pipe line) (Miles or feet) in length, terminating in the (Smallest legal subdivision) DESCRIPTION OF WORKS Diversion Works—
rods N. of SE corner of said legal subdivision; it & pocalicl with line of a small roof said legal subdivisor to an intersection with the line of a small roof said legal subdivisor to an intersection with the line of a small roof said legal subdivisor to an intersection with the line of a small roof said legal subdivisor to an intersection with the line of a small roof said legal subdivisor to an intersection with the line of a small roof said legal subdivisor to section corner) buff on the E. side of Mosier Creek. (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the NE 1 of SE 1 of Sec. 12 , Tp. 2 Nors) (Give smallest legal subdivision) R. 11 E , W. M., in the county of Wasco (E. or W.) (Smallest legal subdivision) Of Sec. , Tp. (Miles or feet) (Smallest legal subdivision) DESCRIPTION OF WORKS Diversion Works—
rods N. of SE corner of said legal subdivision; a separate legal subdivision; a separate legal subdivision to an intersection with the line of a small room the said legal subdivision to section corner) bluff on the E. side of Mosier Creek. (It there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the NE 1 of SE 1 of Sec. 22 , Tp. 2 N (Give smallest legal subdivision) R. 11 E , W. M., in the county of Wasco (E. or W.) 5. The (Main ditch. canal or pipe line) (Miles or feet) in length, terminating in the (Smallest legal subdivision) R
of said legal subdivisor to an intersection with the line of a small room to grade the section corner) bluff on the E. side of Mosier Creek. (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the NE 1 of SE 1 of SE 1 of Sec. 22 , Tp. 2 N (Nors) (Give smallest legal subdivision) R. 11 E N. M. M., in the county of Wasco (E.or W.) 5. The (Main ditch, canal or pipe line) (Miles or feet) in length, terminating in the (Smallest legal subdivision) R. W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Diversion Works—
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the NE 1 of SE 1 of SE 1 of Sec. 22 , Tp. 2) (Give smallest legal subdivision) R. 11 E , W. M., in the county of Wasco (E. or W.) 5. The
being within the NE 1 of SE 1 of SE 2 , Tp. 2 N (Give smallest legal subdivision) R. 11 E N. M. M., in the county of Wasco 5. The (Main ditch. canal or pipe line) (Miles or feet) in length, terminating in the (Smallest legal subdivision) R. W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Diversion Works—
being within the NE 1 of SE 1 of SE 1 of Sec. 22 , Tp. 2 N (Give smallest legal subdivision) R. 11 E , W. M., in the county of Wasco 5. The (Main ditch. canal or pipe line) (Miles or feet) in length, terminating in the (Smallest legal subdivision) R. W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Diversion Works—
R. 11 E (W. M., in the county of Wasco (E. or W.) 5. The (Main ditch, canal or pipe line) to be (Miles or feet) in length, terminating in the (Smallest legal subdivision) of Sec. , Tp. (N. or S.) R. W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS
in length, terminating in the
R
R
Diversion Works—
feet; material to be used and character of construction (Loose rock, concrete, masonry,
rock and brush, timber crib, etc., wasteway over or around dam)
(b) Description of headgate(Timber, concrete, etc., number and size of openings)
(c) If water is to be pumped give general description (Blue and type of pump)
Wilson's pumping System. (Size and type of engine or motor to be used, total head water is to be lifted, etc.)
(Bill Bill Type of Frigure or Angula De Carte Ca

adoate. At head	gate: width on to	p (at water l	ine)	feet; width on bottom
			feet; grade	
ousand feet.			adgate: width on top (at wat	
(b) At.,	fect: width on bot	,	feet; depth of	
•				
rade		per one thous	size at intake.	in ; size at
(c) Length		•		ifference in elevation between
om intake				Estimated capacity.
itake and place	of use.	ft. I:	s grade uniform?	, 2
8. Locatio	sec. ft. on of area to be ir	rigated, or pl	ace of use	
Township	Range E, or W of	Section	Forty-acre Tract	Number Acres To Be Irrigated
North or South	Will-mette Meridian	The second section is a second	NE' SE	Three
2 N.	11 E.	12		
With the second				
	200 TO 100 TO 10			···
THE CONTRACTOR OF THE CONTRACT				
		ļ 		1 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1
				and the second of the second o
			and the second s	
Carto a commission of the s			ace required, attach separate sheet)	•
			•	
	Kind of crops rais ing Purposes—	ed Frui	t	
		oower to be d	leveloped	theoretical horsepow
(b)	Quantity of wate	r to be used f	or power	sec.ft.
			(Head) feel	
(4)	The nature of the	e works by m	teans of which the power is	to be developed
			(Legal subdivision)	7.2
				•
	, R			
			y stream?(Yes or No)	and the second second
) If so, name stre	am and locat	e point of return	· · · · · · · · · · · · · · · · · · ·
				or S.) , R, W

June 18 tions on or before

WITNESS my hand this 17th day of April

STATE OF OREGON, County of Marion

This is to certify that I have examined the foregoing application and do hereby grant the same. ECT TO EXISTING RIGHTS and the following limitations and conditions:

	ght herein gra						can be	applied t	o benefic	ia l use
	t exceed 0									
	s equivalent ir							Mosier		
•										
The u	se to which thi						tion			•
								•		
•										
If for	irrigation, this	appropri	ation shal	l be lin	nited to	1/60ti	h	of o	ne cubic j	foot per
	s equivalent fo									
	exceed 3									
seasonof	each year;					•		•		

** ** ********										
	e subject to su								state offi	cer.
Actu	al construction	n work sh	all begin	on or I	before .	June 26, 1	963			ind shall
	be prosecuted							fo re Octob	er 1, 19 6	4
	plete applicati									
	NESS my han							. 19 6	2.	
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	_			·	ch		/ -	the.	<i>C</i> .
									STATE F	NGINEER
								-		
		the	gon,				÷	2	VI EJ	4
· .	LIC	ed in	ore.	. J		<u>:</u>			STATE ENGINEEL	mige le t
4	PUB	ceir	alem	M				27951	STATE	buge
75.0 72.0	HE ST	rst re	at S	1				7.	ne .	
12	TE TH	as fi	ineer	ocl:			ભ	S. C.	TH	7
n No	PERMIT APPROPRIATE THE PUB WATERS OF THE STATE OF OREGON	nt w	Eng ay of	o'c	cant	:	196	ook.	쿸	N.o.
cation t. No	PROF	nme	State		appli	:	26,	in b page	i i	usin
Application No. 3736.E. Permit No	PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON	This instrument was first received in the	office of the State Engineer at Salem, Oregon, on the	19, at o'clock:	Returned to applicant:	:	June 26, 1962	Recorded in book No. Permits on page	CHKIS I. WHEELER	Dramage Basin No. 4
. 4. gr	10	71. is	ce of	,,,	urne	Approved	3	Recc rmits	3	a :na
			offi on 1	19.	Ret	Ap		Pc		Ü

Fees

State Printing 38435