

APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I, CASCADE EGGS, INC.
(Name of applicant)
 of ROUTE 1, MT. ANGEL
(Mailing address)
 State of OREGON, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Zalner-Creek
(Name of stream)
 a tributary of Pudding River
2. The amount of water which the applicant intends to apply to beneficial use is ~~100~~ 0.45
 cubic feet per second. 0.17 cfs for Irr., 0.15 cfs for stock & 0.30 cfs for irrigation of Pudding Meadows
(If water is to be used from more than one source, give quantity from each)
- **3. The use to which the water is to be applied is Irrigation, Chickens & Stockwater
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)
4. The point of diversion is located 1716 ft. N and - ft. - from the S 1/4 Cor
(N. or S.) (E. or W.)
 corner of Sec. 34
(Section or subdivision)
(If preferable, give distance and bearing to section corner)
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
 being within the NW 1/4 of SE 1/4 of Sec. 34, Tp. 5S
(Give smallest legal subdivision) (N or S.)
 R. 1W, W. M., in the county of Marion
(E. or W.)
5. The PIPE LINE to be 900'
(Main ditch, canal or pipe line) (Miles or feet)
 in length, terminating in the SW 1/4 of SW 1/4 of Sec. 34, Tp. 5S
(Smallest legal subdivision) (N or S.)
 R. 1W, W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 4.0 feet, length on top, 20 feet, length at bottom 15 feet; material to be used and character of construction Earth fill with Timber Spillway
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)
- (b) Description of headgate Natural Spillway
(Timber, concrete, etc., number and size of openings)
- (c) If water is to be pumped give general description
(Size and type of pump)
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) _____ feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

(b) At _____ miles from headgate: width on top (at water line) _____ feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

(c) Length of pipe _____ ft.; size at intake _____ in.; size at _____ ft. from intake _____ in.; size at place of use _____ in.; difference in elevation between intake and place of use _____ ft. Is grade uniform? _____ Estimated capacity, _____ sec. ft.

8. Location of area to be irrigated, or place of use _____

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
S-5	1 W	34	SW 1/4 of SE 1/4	11 acres & stock water of country
			SE 1/4 of SW 1/4	

(If more space required, attach separate sheet)

(a) Character of soil _____

(b) Kind of crops raised _____

Power or Mining Purposes—

9. (a) Total amount of power to be developed _____ theoretical horsepower.

(b) Quantity of water to be used for power _____ sec. ft.

(c) Total fall to be utilized _____ feet.
(Head)

(d) The nature of the works by means of which the power is to be developed _____

(e) Such works to be located in _____ of Sec. _____
(Legal subdivision)

Tp. _____, R. _____, W. M. _____
(No N. or S.) (No E. or W.)

(f) Is water to be returned to any stream? _____
(Yes or No)

(g) If so, name stream and locate point of return _____

_____, Sec. _____, Tp. _____, R. _____, W. M. _____
(No N. or S.) (No E. or W.)

(h) The use to which power is to be applied is _____

(i) The nature of the mines to be served _____

10. (a) To supply the city of

(Name of)

County, having a present population of

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$.....

12. Construction work will begin on or before *Started*.....

13. Construction work will be completed on or before *Summer of 1962*.....

14. The water will be completely applied to the proposed use on or before *Fall of 1962*.....

CASCADE EGG, INC.
(Name of applicant)

Samuel F. Newlin

Remarks: *Operation of Poultry houses includes a "flush out" type of cleaning of the houses.*

STATE OF OREGON, }
County of Marion. } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.48 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Zolner Creek

The use to which this water is to be applied is irrigation, stock and operation of a poultry house; being 0.17 c.f.s. for irrigation, 0.01 c.f.s. for stock and 0.30 c.f.s. for operation of a poultry house.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is April 26, 1962

Actual construction work shall begin on or before June 26, 1962 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1964

Complete application of the water to the proposed use shall be made on or before October 1, 1965

WITNESS my hand this 26th day of June, 1962

Chris L. Wheeler
STATE ENGINEER

Application No. 37583
Permit No. 1999

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 26 day of April, 1962, at 11:25 o'clock: A.M.

Returned to applicant:

Approved:

June 26, 1962 of
Recorded in book No. 77
Permits on page 20191

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. page 3823

Fees