

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, James H. Ames
Levinton
do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Beav Creek, a tributary of Umpqua ELK Co

2. The amount of water which the applicant intends to apply to beneficial use is 0.250 cubic feet per second.

3. The use to which the water is to be applied is irrigation

4. The point of diversion is located 400 ft. and 0 ft. from the corner of lot 6 See 20 + N.W. 1/4 N.W. 1/4 Sec 29 T19 R46 Beginning at section corner 19, 20, 23, 25. South of Section 29 Road #12, South 19 33 E for a distance of 174 ft S. and 100' E from the NW Cor. of section 29

being within the lot 6 of Sec. 29 Tp. 29 215

R. 4W, W. M., in the county of Douglas

5. The Pipe Line to be 140' in length, terminating in the lot 6 of Sec. 20 Tp. 29

R. 4W, W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

6. (a) Height of dam None feet, length on top None feet, length at bottom None feet; material to be used and character of construction None

(b) Description of headgate None

(c) If water is to be pumped give general description gas 4 1/2 H.P. 190 gals per min

*A different form of application is provided where storage works are contemplated.
**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 1401 ft.; size at intake, 2" in.; size at ft. from intake 2" in.; size at place of use 2" in.; difference in elevation between intake and place of use, 2.0' ft. Is grade uniform? yes Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use at place of pump

Township North or South	Range E. or W. of White-Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
W.M. Douglas 215	4W	26	E - Lot 6	Only own a small Strip in the (0.3)
215	4W	29	NW 1/4 NW 1/4	2 acres
Douglas 1/2 quarter				2.3
lot 6 - of Section 26 Township 21 S Range 4 W				
except W 76 ft and E 76 ft of the lot 152 feet				
decided land containing 1696 acres more or less				
S 1/2 of the NW 1/4 of Section 29 Township 21				
Range 4 W W.M. containing 5 acres -				
W 1/2 of the NE 1/4 of the NW 1/4 and the NW 1/4 of the NW 1/4				
of Section 29 Township 21 Range 4 W W.M. and				
containing 53 acres more or less				

(If more space required, attach separate sheet)

(a) Character of soil heavy clay

(b) Kind of crops raised strawberries, garden

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.

Tp., R., W. M.

(f) Is water to be returned to any stream? No (Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

11. (a) To supply the city of _____

County, having a present population of _____

and an estimated population of _____ in 19____

(b) If for domestic use state number of families to be supplied _____

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 2,540.00 for Pump
1,200.00 for pipe + sprinklers

12. Construction work will begin on or before _____

13. Construction work will be completed on or before no construction

14. The water will be completely applied to the proposed use on or before about may 31st
1962 or before if it is dry

Gene W Ames
(Signature of applicant)

Remarks: _____

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____ completion
_____ correction

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before June 25 1962
July 25 62

WITNESS my hand this 25th day of April 1962
25th May 62

RECEIVED
MAY 29 1962
STATE ENGINEER
SALEM, OREGON

CHRIS L. WHEELER
STATE ENGINEER
By Walter N. Perry
Walter N. Perry
ASSISTANT

PERMIT

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.03 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Bear Creek

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the right to use of water is limited to the period when the flow of the Umpqua River is more than 525 c.f.s. measured at tidewater,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is April 16, 1962

Actual construction work shall begin on or before July 26, 1963 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1964

Complete application of the water to the proposed use shall be made on or before October 1, 1965

WITNESS my hand this 26th day of July, 1962

Chris L. Wheller

STATE ENGINEER

Application No. 37552

Permit No. 20033

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 16th day of April, 1962, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

July 26, 1962

Recorded in book No. 77 of

28033

Permits on page

CHRIS L. WHELLER STATE ENGINEER

Drainage Basin No. 16 page 20B

Fees