

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, G. H. Coyle, of Star Rt. Box 12, St. Paul, Oregon, State of OREGON, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Willamette River, a tributary of

2. The amount of water which the applicant intends to apply to beneficial use is 1.98 cubic feet per second.

3. The use to which the water is to be applied is irrigation

4. The point of diversion is located ft. and ft. from the corner of Section 26, T. 4S, R. 3 W., W. M. Portable pumping between a point located 2400 ft North and 1500 ft West and a point located 1400 ft North and 1500 ft West from the SE corner of Section 26, T. 4S, R. 3 W., W. M.

being within the NW 1/4 of Sec. 26, Tp. 4S, R. 3 W., W. M., in the county of Marion

5. The Pipeline to be 1 3/4 Miles in length, terminating in the of Sec. 30, 31, Tp. 4S, R. 2 W., W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction

(b) Description of headgate

(c) If water is to be pumped give general description Myers 3 1/2 inch 50 H.P. being a 30 hp with a 25 hp booster pump.

*A different form of application is provided where storage works are contemplated. **Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe ft.; size at intake, 6 in.; size at ft. from intake in.; size at place of use 4 in.; difference in elevation between intake and place of use 100 ft. Is grade uniform? no Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township North or South	Range E. or W. of Williamsburg Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
49	3W	25	NE ¹ SE ¹	30.0
			NE ¹ SE ¹	33.0
			SW ¹ SW ¹	7.0
			SE ¹ SE ¹	6.8
			NE ¹ SW ¹	32.0
			NW ¹ SW ¹	8.9
			SW ¹ SW ¹	2.1
			SE ¹ SW ¹	7.0
		26	NE ¹ SE ¹	1.5
			SE ¹ SE ¹	0.3
48	2W	30	NE ¹ SW ¹	1.5
			NW ¹ SW ¹	25.0
			SW ¹ SW ¹	3.0

(If more space required, attach separate sheet)

158.1

(a) Character of soil Chehalem

(b) Kind of crops raised Seeds, grain, hay, pasture

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.

(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.

(Legal subdivision)

Tp., R., W. M.

(No. N. or S.)

(No. E. or W.)

(f) Is water to be returned to any stream?

(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.

(No. N. or S.)

(No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

10. (a) To supply the city of _____
County, having a present population of _____
and an estimated population of _____ in 19____

(b) If for domestic use state number of families to be supplied _____

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ _____
- 12. Construction work will begin on or before _____ Oct. 1, 1963
- 13. Construction work will be completed on or before _____ Oct. 1, 1964
- 14. The water will be completely applied to the proposed use on or before _____ October 1, 1964

W. H. Coyle
(Signature of applicant)

Remarks: Land on which water is to be used is a part of the property more explicitly described by appropriator as follows:
Beginning at the Northwest corner of Michael Coyles Donation Land Claim in Section 26, Township 4 South, Range 3 West of the Willamette Meridian, Marion County, State of Oregon; running thence South 19.80 chains; thence East 120.82 chains; thence North 8° East 20.42 chains; thence West 123.50 chains to the place of beginning, containing 247.12 acres, more or less.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19____.

WITNESS my hand this _____ day of _____, 19____

STATE ENGINEER

By _____ ASSISTANT

PERMIT

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, ~~upon~~ SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.90 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Willamette River

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is May 9, 1962

Actual construction work shall begin on or before July 26, 1963 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1964.

Complete application of the water to the proposed use shall be made on or before October 1, 1965.

WITNESS my hand this 26th day of July, 1962

Chris L. Wadler STATE ENGINEER

Application No. 37629
Permit No. 28058

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 9th day of May 1962, at 11:00 o'clock A. M.

Returned to applicant:

Approved: July 26, 1962 Recorded in book No. 77 of Permits on page 28058

CHRIS L. WADLER STATE ENGINEER Drainage Basin No. 2 page 648 Fees