

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Willamette Lutheran Homes, Inc.
(Name of applicant)

of P. O. Box 68, Salem
(Mailing address)

State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation
January 29, 1959, at Salem, Oregon

1. The source of the proposed appropriation is Clear Lake (through an infiltration well at edge of the lake) (Name of stream), a tributary of Willamette River

2. The amount of water which the applicant intends to apply to beneficial use is 0.62 cubic feet per second. Fire Protection - 0.50 c.f.s.; Irrigation - 0.12 c.f.s.
(If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is Irrigation and Fire Protection for retirement home buildings.
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 19.5 Ch. N and 14 Ch. W from the S.E. corner of SW $\frac{1}{4}$ SW $\frac{1}{4}$ of Section 23
(N. or S.) (E. or W.) (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SW $\frac{1}{4}$ SW $\frac{1}{4}$ of Sec. 23, Tp. 6 S
(Give smallest legal subdivision) (N. or S.)

R. 3 W, W. M., in the county of Marion
(E. or W.)

5. The Pipeline to be 1/4 mile in length, terminating in the NW $\frac{1}{4}$ SW $\frac{1}{4}$ of Sec. 23, Tp. 6 S
(Main ditch, canal or pipe line) (Miles or feet) (Smallest legal subdivision) (N. or S.)

R. 3 W, W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description Electrically driven pump mounted in an infiltration well located at edge of the lake.
(Size and type of pump) (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township North or South	Range E. or W. of Willamette Meridian	Section	Four-acre Tract	Number Acres To Be Irrigated
6 S	3 W	23	NE $\frac{1}{4}$ SW $\frac{1}{4}$	5.8 and Fire Protect.
			NW $\frac{1}{4}$ "	1.6 "
			SW $\frac{1}{4}$ "	1.5 "
			SE $\frac{1}{4}$ "	0.7 "
				9.6

(If more space required, attach separate sheet)

(a) Character of soil Sandy Loam

(b) Kind of crops raised Gardens

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp., R., W. M.
(No N or S.) (No E or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

..... Sec., Tp., R., W. M.
(No N or S.) (No E or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

10. (a) To supply the city of _____
County, having a present population of _____
and an estimated population of _____ in 19_____

(b) If for domestic use state number of families to be supplied _____

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ _____
- 12. Construction work will begin on or before Infiltration well completed
- 13. Construction work will be completed on or before Summer of 1962
- 14. The water will be completely applied to the proposed use on or before Fall of 1962

Willamette Lutheran Homes, Inc.

(Signature of applicant)

by A. T. Leuger
Exec. ADMS.

Remarks: _____

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19_____.

WITNESS my hand this _____ day of _____, 19_____

STATE ENGINEER

By _____ ASSISTANT

PERMIT

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.62 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Clear Lake through an infiltration well

The use to which this water is to be applied is irrigation and fire protection for retirement home buildings, being 0.12 c.f.s. for irrigation and 0.50 c.f.s. for fire protection

If for irrigation, this appropriation shall be limited to 1/800 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is May 24, 1962

Actual construction work shall begin on or before July 26, 1963 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19 64.

Complete application of the water to the proposed use shall be made on or before October 1, 19 65.

WITNESS my hand this 26th day of July, 1962

Chris L. Whissler STATE ENGINEER

Application No. 37670
Permit No. 2711

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 24 day of May, 1962, at 10:05 o'clock A.M.

Returned to applicant:

Approved: July 26, 1962
Recorded in book No. 77 of Permits on page 28077

CHRIS L. WHISLER STATE ENGINEER
Drainage Basin No. 2 page 76A26
Fees 25.00