*APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

State of Oregon , do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS: If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is Right Pork Forest Creek and a Si (Name of stream) Applegate River 2. The amount of water which the applicant intends to apply to beneficial use is 0.27 c.f.s. cubic feet per second. being 0.01 for domestic and 0.26 for irrigation. (If water is to be lossed from more than one source, give quantity from each) **3. The use to which the water is to be applied is Irrigation and domestic (3familles) (Brigation, power, mining, manufacturing, domestic supplies, etc.) 4. The point of diversion is located ft. (Rews.) General of the corporation of the corp	of P. O. Box 215, Jacksonv1110, (Mallor settres) State of Oregon , do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
Corner of Diversion #1 19 N. 75° E. 1360' from SW corner Section 34, Twp. 37 S. R. Diversion #2 18 N. 70° E. 700' from SW corner Section 34, Twp. 37 S. R. Diversion #2 18 N. 70° E. 700' from SW corner Section 34, Twp. 37 S. R. Diversion #2 18 N. 70° E. 1360' from SW corner Section 34, Twp. 37 S. R. Diversion #2 18 N. 70° E. 1360' from SW corner Section 34, Twp. 37 S. R. Diversion #2 18 N. 70° E. 1360' from SW corner Section 34, Twp. 37 S. R. Diversion #2 18 N. 70° E. 1360' from SW corner Section 34, Twp. 37 S. R. Diversion #2 18 N. 70° E. 1360' from SW corner Section 34, Twp. 37 S. R. Diversion #2 18 N. 70° E. 1360' from SW corner Section 34, Twp. 37 S. R. Diversion #2 18 N. 70° E. 1360' from SW corner Section 34, Twp. 37 S. R. Diversion #2 18 N. 70° E. 1360' from SW corner Section 34, Twp. 37 S. R. Diversion #2 18 N. 70° E. 1360' from SW corner Section 34, Twp. 37 S. R. Diversion #2 18 N. 70° E. 1360' from SW corner Section 34, Twp. 37 S. R. Diversion #2 18 N. 70° E. 1360' from SW corner Section 34, Twp. 37 S. R. Diversion #2 18 N. 70° E. 1360' from SW corner Section 34, Twp. 37 S. R. Diversion Works Diversion Works Diversion Works Class two bounds to be added to be added to the section of the sec	State of Oregon , do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
Corner of Diversion #1 19 N. 75° E. 1360' from SW corner Section 34, Twp. 37 S. R. Diversion #2 18 N. 70° E. 700' from SW corner Section 34, Twp. 37 S. R. Diversion #2 18 N. 70° E. 700' from SW corner Section 34, Twp. 37 S. R. Diversion #2 18 N. 70° E. 1360' from SW corner Section 34, Twp. 37 S. R. Diversion #2 18 N. 70° E. 1360' from SW corner Section 34, Twp. 37 S. R. Diversion #2 18 N. 70° E. 1360' from SW corner Section 34, Twp. 37 S. R. Diversion #2 18 N. 70° E. 1360' from SW corner Section 34, Twp. 37 S. R. Diversion #2 18 N. 70° E. 1360' from SW corner Section 34, Twp. 37 S. R. Diversion #2 18 N. 70° E. 1360' from SW corner Section 34, Twp. 37 S. R. Diversion #2 18 N. 70° E. 1360' from SW corner Section 34, Twp. 37 S. R. Diversion #2 18 N. 70° E. 1360' from SW corner Section 34, Twp. 37 S. R. Diversion #2 18 N. 70° E. 1360' from SW corner Section 34, Twp. 37 S. R. Diversion #2 18 N. 70° E. 1360' from SW corner Section 34, Twp. 37 S. R. Diversion #2 18 N. 70° E. 1360' from SW corner Section 34, Twp. 37 S. R. Diversion #2 18 N. 70° E. 1360' from SW corner Section 34, Twp. 37 S. R. Diversion Works Diversion Works Diversion Works Class two bounds to be added to be added to the section of the sec	State of Oregon , do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS: If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is Right Fork Forest Creek and a sixtuant of the source of the proposed appropriation is Right Fork Forest Creek and a sixtuant of the source of the proposed appropriation is Right Fork Forest Creek and a sixtuant of the source of the proposed appropriation is Right Fork Forest Creek and a sixtuant of the source of applicant intends to apply to beneficial use is 0.27 c.f.s. cubic feet per second. Deling 0.01 for domestic and 0.26 for irrigation. **3. The use to which the water is to be applied is Irrigation and domestic applies. (3 families) Careation, prove which monathering, describe applies, etc.) 4. The point of diversion is located ft. and ft. and ft. from the corner of the source of the sour	following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is Right Fork Forest Creek and a single feather of the proposed appropriation is Right Fork Forest Creek and a single feather of the proposed appropriation is Right Fork Forest Creek and a single feather of the proposed of the proposed propriation of the proposed o	
1. The source of the proposed appropriation is Right Fork Forest Creek and a similar of a tributary of Applegate River 2. The amount of water which the applicant intends to apply to beneficial use is 0.27 c.f.s. cubic feet per second. 'being 0.01 for domestic and 0.26 for irrigation. Grave to be based from more than some source, for unantity from such) **2. The use to which the water is to be applied is Irrigation and domestic (3families) (brunking percentage). 4. The point of diversion is located ft. and ft. grave making somethic supplies, etc.) 4. The point of diversion is located ft. and ft. grave making somethic supplies, etc.) **3. The use to which the water is to be applied is Irrigation and ft. grave making somethic supplies, etc.) 4. The point of diversion is located ft. grave supplies and ft. grave making somethic supplies, etc.) **A. The point of diversion is located ft. grave supplies and ft. grave supplies, etc.) **Diversion \$1 is \$8.75° \$8. 1360° from \$8 corner Section 3h, Twp. 37 S. R. **Provided St. 18 \$8.70° \$8. 700° from \$8 corner Section 3h, Twp. 37 S. R. **Provided St. 18 \$8.70° \$8. 700° from \$8 corner Section 3h, Twp. 38 Sec. 3, Twp.	If the applicant is a corporation, give date and place of incorporation
(c) If water is to be pumped give general description Applegate River 2. The amount of water which the applicant intends to apply to beneficial use is 0.27 c.f.s. Cubic feet per second. Doing 0.01 for dombstie and 0.26 for irrigation. (If you're to be need from more than one power, the quantity from each) **3. The use to which the water is to be applied is Irrigation and domestic (3familles) (A The point of diversion is located ft. and ft. (a ow), from the corner of (Button or subdivision) Diversion f1 is N. 75° E. 1360' from SW corner Section 34, Twp. 37 S. R. Diversion f2 is N. 70° E. 700' from SW corner Section 34, Twp. 37 S. R. Diversion f2 is N. 70° E. 700' from SW corner Set NW\$ Sec. 3, Twp. 38 S Range 3 West; Diversion 1715' N. and 200' E. from SW corner Set SW\$, Sec. 3, Twp. 38 S Range 3 West; Diversion f2 is N. 70° S. 70° S. S. Section for the section for t	
(c) If water is to be pumped give general description A tributary of Applegate River 2. The amount of water which the applicant intends to apply to beneficial use is 0.27 c.f.s. Cubic feet per second. Doing 0.01 for dombstis and 0.26 for irrigation. (Women to be bened from more than one power, the quantity from each of the water is to be applied is Irrigation and domestic (3familles) (Brustian power, halos, mendstrature, domestic supplies, etc.) 4. The point of diversion is located ft. and for any from the covery of the co	Dight Bonk Popert Cheek
2. The amount of water which the applicant intends to apply to beneficial use is 0.27 c.f.s. cubic feet per second. Deing 0.01 for domestie and 0.26 for irrigation. (I water to be be used from more than one source, or quantity from each) **3. The use to which the water is to be applied is Irrigation and domestic (3familes) 4. The point of diversion is located ft. and	(Name of stream)
cubic feet per second. Deling 0.01 for domestic and 0.26 for irrigation. (If what is to be used from more than one secure, are quantity from such) ***Office use to which the water is to be applied is Irrigation and domestic (3f and 10cs) (Constant proved mining, manufacturing domestic respite, err.) 4. The point of diversion is located from the corner of Charles are substituted. A. The point of diversion is located from the corner of Charles are substituted. Diversion \$1 is No. 75° No. 1260° from SN corner Section 34, Twp. 37 S. R. Marcal on \$2 is No. 70° No. 700° from SN corner Section 34, Twp. 37 S. R. Marcal on \$2 is No. 70° No. 700° from SN corner Set No. 30° from SN corner Set SNA, Section 1260° from SN corner Set SNA, Section 1260	, a tributary of Applegate River
corner of A. The point of diversion is located A. The point of the	2. The amount of water which the applicant intends to apply to beneficial use is 0.27 c.f.s.
4. The point of diversion is located ft. (Rev.) from the corner of Cheston of	cubic feet per second. being 0.01 for domestie and 0.26 for irrigation.
Diversion \$1 is N. 75° E. 1360' from SW corner Section 34, Twp. 37 S. R. Diversion \$2 is N. 70° E. 700' from SW corner Section 34, Twp. 38 S Range 3 West; Description 52 is N. 215' N. and 200' E. from SW corner SE SW 5. Sec. 3, Twp. 38 S Township 38 South, Range 5 West, W. N. b. be the pure with the first state of the corner of the first state of the first	**3. The use to which the water is to be applied is
Diversion \$1 is N. 75° E. 1360' from SW corner Section 34, Twp. 37 S. R. Diversion \$2 is N. 70° E. 700' from SW corner Section 34, Twp. 38 S Range 3 West; Description 52 is N. 215' N. and 200' E. from SW corner SE SW 5. Sec. 3, Twp. 38 S Township 38 South, Range 5 West, W. N. b. be the pure with the first state of the corner of the first state of the first	
Diversion \$1 is N. 75° R. 1360' from SW corner Section 34, Twp. 37 S. R. Diversion \$2 is N. 70° R. 700' from SW corn. of SEL NWL Sec. 3, Twp. 38 S Range 3 West; December 1 is 715' N. and 200' R. from SW corner SEL SWL, Sec (Investigation of the corner of the correct of the corner of the correct of the corner of the corner of the correct of the corner of the correct of the corner of the corner of the correct of the corner of the c	4. The point of diversion is located ft and ft from the
Diversion \$1 is N. 75° E. 1360' from SW corner Section 34, Twp. 37 S. R. Diversion \$2 is N. 70° E. 700' from SW corn. of SE NW Sec. 3, Twp. 38 S Range 3 West; Describe is a 715' N. and 200' E. from SW corner SE SW , Sec. Township 38 South, Range 5 West, W. N. b. br. my with the face of the second of the se	
Range 3 West; Profit 1s 715 No. and 200 Ro. from SW corner SE SW , Se (If profit the control of the control of the corner of the	
Range 3 West; Described 1s 715; No. and 200; R. from SW corner SE; SW; Se (B) production, one described on section corner) Township 38 South, Range 3 West, Wolfe being within the Suid 32 to 1/2 to 1/2 to 3 (B) township one point of diversion, each must be described. Use apparent these if necessary) being within the Plan of 1 SW; SW; SW; SW; Sec. 3, Tp. 37 Se. [Ilversion 2 is Grow smallest legal metalenthan) in SE; IN; Sec. 3, Tp. 38 Set or 8.) R. 3 Wolfers in main ditch to be 4380; 5. The main ditch to be 4380; (Shallest legal metalenthan) (In the or feet) (In length, terminating in the SW; SW; SW; SW; Sec. 3, Tp. 36 Sec. 3, Tp. 37 Sec. 3, Tp. 36 Sec.	Diversion #2 is N. 70° R. 700' from SW cor. of SE NW Sec. 3. Twp. 38
Township 38 South. Range 3 West, W.M. being within the Sord 12 to 1/2 see 5 (If there is more than one sent of diversion, each must be departed. One apparate there if measures?) being within the Diversion \$1. SW SW of Sec. 31. To. 37 S., Diversion 2 is town of Sw. SW SW. Diversion 2 is town of Jackson 8. 3 W., W.M., in the county of Jackson 5. The main ditch to be 4380' (Italian or feet) (Italian or fe	Δ .
being within the Diversion \$1 SW SW SW SW of Sec. 34 Tp. 37 Se. Diversion 2 Secretary and secretary of Sec. 34 Tp. 38 Secretary. R. 3 Wa., W. M., in the county of Jackson S. The main ditch to be 4380! (Ram Sec. 3, Tp. 38 Sec. 3, Tp. 38 Sec. 3, Tp. 38 Sec. 3, Tp. 38 Sec. 3, Tp. 30 Sec. 3	Range 3 West; Domestic 1s 745' N. and 200' R. from SW corner SE; SW;, S
being within the Diversion \$1 SW SW SW SW of Sec. 34 Tp. 37 Se. Diversion 2 Secretary and secretary of Sec. 34 Tp. 38 Secretary. R. 3 Wa., W. M., in the county of Jackson S. The main ditch to be 4380! (Ram Sec. 3, Tp. 38 Sec. 3, Tp. 38 Sec. 3, Tp. 38 Sec. 3, Tp. 38 Sec. 3, Tp. 30 Sec. 3	Township 38 South, Range 3 West, W.M. being within the said SE4 se 74 see 3
R. 3 Wa., W. M., in the county of Jackson (R. or W.) 5. The main ditch to be 4380! (Miles or teet) (Mile	
5. The main ditch (Rain disch, sensel or pipe line) (Rain and type of pump) (Rain and type of pump)	R
in length, terminating in the	s me main ditch
DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam 18! feet, length on top 110! feet, length at bottom 75! feet; material to be used and character of construction red claypacked. (Losse rock, concrete, masonry. Concrete spillway opening 2! x 4! (b) Description of headgate Steel slide gate with wheel. (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description (Size and type of pump)	
DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam 18th feet, length on top 110th feet, length at bottom 75th feet; material to be used and character of construction red claypacked. (Losse rock. concrets. masoury. Concrete spillway opening 2t x 4th. (c) Description of headgate Steel slide gate with wheel. (Thinker, concrets, etc., number and size of openings) (c) If water is to be pumped give general description (Size and type of pump)	in length, terminating in the NET SWT of Sec. 3 , Tp. 30 S. (Mors.)
Diversion Works— 6. (a) Height of dam 18! feet, length on top 110! feet, length at bottom 75! feet; material to be used and character of construction red clay. • • packed. Concrete spillway opening 2! x 4! • (c) Description of headgate Steel slide gate with wheel. (C) If water is to be pumped give general description (Biss and type of pump)	R. 3 We , W. M., the proposed location being shown throughout on the accompanying map.
6. (a) Height of dam 18t feet, length on top 110t feet, length at bottom 75t feet; material to be used and character of construction red clay. • packed. (Losse rock, concrete, material. (Losse rock, concrete	DESCRIPTION OF WORKS
T5 feet; material to be used and character of construction red claypacked. (Losse rock, concrete, masonry. Concrete spillway opening 2 x 4 rock and brush, tumber crib, etc., wasterny over or sevend dead) (b) Description of headgate Steel slide gate with wheel. (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description (Bise and type of pump)	
(Concrete spillway opening 2' x 4' . rock and brush, timber crish, ster, wastermy over or sevend dam) (b) Description of headgate Steel slide gate with wheel. (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description (Size and type of pump)	6. (a) Height of dam 181 feet, length on top 110' feet, length at bottom
Concrete spillway opening 2' x 4' . rock and brush, timber crib, etc., westeway over or sevend down) (b) Description of headgate Steel slide gate with wheel. (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description (Size and type of pump)	75. feet; material to be used and character of construction red claypacked.
(c) If water is to be pumped give general description	0 · · · · · · · · · · · · · · · · · · ·
(c) If water is to be pumped give general description (Size and type of pump)	the said to the Alexander and the said and t
(c) If water is to be pumped give general description (Size and type of pump)	(b) Description of headcate Steel slide gate with wheel.
(Size and type of pump)	(b) Description of headgate Steel slide gate with wheel. (Timber, concrete, etc., number and size of openings)
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)	(b) Description of headgate
	(b) Description of headgate Steel slide gate with wheel. (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description

[&]quot;A different form of application is provided where storage works are contemplated.

"Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the groundstate. Bither of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem.

eadgate. At he	adgate: width on	top (at wate	r line)	feet; width on botto
1.5			feet; grade	
IN DOCUME JEES.			readgate: width on top (at 1	
			feet; depth	
	1 feet fai	and the second second		,,,, ,, ,, , ,, , , ,, , , , , , , , , , , , , , , , , , , ,
			; size at intake, 1" plas	sticin (Domestic)
	4.			; difference in elevation betwee
	,			Estimated capacit
`2.5'	sec. ft,		•	•
8. Locatio	on of area to be i	irrigated, or p	lace of use	· · · · · · · · · · · · · · · · · · ·
Township North or South	Range E. er W. ef Willemeter Meridian	Section	Ferty-acre Tract	Number Acres To Be Irrigated
58 S.	3 W.	_3	NE SW	7•5
			SEL SWL	13
			SW1 SW1	1 & domestic
		•		
		1		
				:
;				
			.1	
(-) (3)		(If more space	required, attach separate sheet)	
				· · · · · · · · · · · · · · · · · · ·
b) Ki wer or Mining	nd of crops raised Purposes—	ip	asture.	
	÷	wer to be dev	eloned	theoretical horsepowe
			power	- · · · · · · · · · · · · · · · · · · ·
	· · · · · · · · · · · · · · · · · · ·		÷ *"	sec. jt.
		**	(Eng) feet.	
(0) 1/1			••	be developed
(a) C	مرسو د و و و و			
(e) Su	in works to be lo	cated in	(Legal subdivision)	of Sec.
(No. N. op.6.	, R. (No. 2	, W. M	ſ.	
			ream?(Yes or No)	
(g) If s	o, name stream	and locate po	int of return	
				, R, W. M

				*OTUS
A. (a) To supply the city of County	, Laving a present	regulation of		
(b) If for domestic use	state number of je	in 19	-	f 2 Trailor house on families
	/Auray quadras 11, et.		·	
11. Betimated east of proposes	. Partie Little British in the			• n • • •
12. Construction work will b			-	
13. Construction work will b	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			•
14. The water will be comple	tely applied to the	proposed use on (r before ?i	priorit
	X	Wayn	a n	7 lista
		************************	·	
Remarks:	y+4 (4,44) -24 *** ****************************		·	
			•••••••••••••••••••••••••••••••••••••••	
	······································		•••••	
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			
		******************************	***************************************	
	·	,	***************************************	
				···· ··
40 ************************************		•		

######################################	-	***************************************	······································	
***************************************			•	
***************************************			••••••	
		·	•••••••••••••••••••••••••••••••••••••••	•
\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		~		······································
STATE OF OREGON, County of Marion,		•	•	
This is to certify that I had			on, together wi	th the accompanyin
maps and data, and return the sar	me for	mpletion	•	
			•••••	
In order to retain its priori		2	d to the State E	ngineer, with corre
tions on or before	er 17	19		
	16	•	Te	11 y 62
WITNESS my hand this	day of		Ju	11y 62
		SHRES L. WHEE	Ler	
	3 4 AUG 7 (196 . - 4	CER ->	of 1	ATE ENGINEER
- ·		By //al		AMBISTANT

οſ

County of Marion

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed.

O.27 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Right Fork Forest Creek and spring

The use to which this water is to be applied is irrigation and domestic use of 3 families, being 0.26 c.f.s. from Right Fork Forest Creek for irrigation and 0.01 c.f.s. from spring for domestic use.

If for irrigation, this appropriation shall be limited to 1/80% of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 4½ acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the right to use of water for irrigation shall be limited to the period when the flow of the Rogue River at its mouth is more than 735 c.f.s.,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is April 30, 1962

Actual construction work shall begin on or before September '5, 1963 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1964...

ofter be prosecuted with reasonable diligence and be completed on or before October 1, 1907...

Complete application of the water to the proposed use shall be made on or before October 1, 1965.

of Lorkeles

STATE ENGINEER

CHEIS L. SHABLER

APPROPRIATE THE PUBLIC WATERS OF THE STATE OF ORECON

Drainage Basin No.

State Printing