

**RECEIVED**  
 JUL 24 1932  
 STATE ENGINEER  
 SALEM, OREGON

## APPLICATION FOR PERMIT

## To appropriate the Public Waters of the State of Oregon

I, Mrs. Gertrude Heitkamp  
(Name of applicant)  
 of 2929 S. Pacific Highway, Medford,  
(Mailing address)  
 State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Applegate River  
(Name of stream)  
 a tributary of Rogue River

2. The amount of water which the applicant intends to apply to beneficial use is 0.50 c.f.s.  
 cubic feet per second.  
(If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is irrigation  
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located <sup>#1</sup> 455 ft. N. and 1050 ft. E. from the SW  
(N. or S.) (E. or W.)  
 corner of Section 19, being within the SW $\frac{1}{4}$  SW $\frac{1}{4}$ , Section 19  
(Section or subdivision)

#2 Diversion is located 1955 feet south and 1120 feet west from the N $\frac{1}{4}$   
 corner of Section 19,  
(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SE $\frac{1}{4}$  NW $\frac{1}{4}$  of Sec. 19, Tp. 40 S.  
(Give smallest legal subdivision) (N. or S.)  
 R. 3 W., W. M., in the county of Jackson  
(N. or W.)

5. The pipeline to be 2000 feet  
(Main ditch, canal or pipe line) (Miles or feet)  
 in length, terminating in the NE $\frac{1}{4}$  NW $\frac{1}{4}$  of Sec. 30, Tp. 40 S.  
(Smallest legal subdivision) (N. or S.)  
 R. 3 W., W. M., the proposed location being shown throughout on the accompanying map.  
(N. or W.)

## DESCRIPTION OF WORKS

## Diversion Works—

6. (a) Height of dam \_\_\_\_\_ feet, length on top \_\_\_\_\_ feet, length at bottom \_\_\_\_\_ feet; material to be used and character of construction none  
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate none  
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description (#1 Pump) - 3 inch centrifugal  
(Size and type of pump)  
 pump powered by a 10 H.P. electric motor. (#2 Pump) - 1 inch centrifugal  
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)  
 pump powered by a  $\frac{1}{2}$  H.P. electric motor.

\*A different form of application is provided where storage works are contemplated.

\*\*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, 2000 ft.; size at intake, 4.0 in.; size at 1000 ft. from intake 3.0 in.; size at place of use 3 & 1 in.; difference in elevation between intake and place of use, + 35 ft. Is grade uniform? NO Estimated capacity, ..... sec. ft.

8. Location of area to be irrigated, or place of use .....

Township North or South	Range E. or W. of Willamette Meridian	Section	Partly-acre Tract	Number Acres To Be Irrigated
40 S.	3 W.	19	SE $\frac{1}{4}$ NW $\frac{1}{4}$	1.0 acre
		19	SW $\frac{1}{4}$ SW $\frac{1}{4}$	5.0 acres
		19	SE $\frac{1}{4}$ SW $\frac{1}{4}$	20.0 acres
		30	NE $\frac{1}{4}$ NW $\frac{1}{4}$	4.5 acres
		30	NW $\frac{1}{4}$ NW $\frac{1}{4}$	9.5 acres
			Total	40.0 acres

(If more space required, attach separate sheet)

(a) Character of soil rocky loam.

(b) Kind of crops raised pasture, lawn, flowers and garden.

Power or Mining Purposes—

9. (a) Total amount of power to be developed ..... theoretical horsepower.

(b) Quantity of water to be used for power ..... sec. ft.

(c) Total fall to be utilized ..... feet.

(Head)

(d) The nature of the works by means of which the power is to be developed .....

(e) Such works to be located in ..... of Sec. ....

(Legal subdivision)

Tp. ...., R. ...., W. M. ....

(No. N. or S.)

(No. E. or W.)

(f) Is water to be returned to any stream? .....

(Yes or No)

(g) If so, name stream and locate point of return .....

....., Sec. ...., Tp. ...., R. ...., W. M. ....

(No. N. or S.)

(No. E. or W.)

(h) The use to which power is to be applied is .....

(i) The nature of the mines to be served .....

10. (a) To supply the city of \_\_\_\_\_

\_\_\_\_\_ County, having a present population of \_\_\_\_\_

(Name of)

and an estimated population of \_\_\_\_\_ in 19\_\_\_\_\_

(b) If for domestic use state number of families to be supplied \_\_\_\_\_

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 2000.00 \_\_\_\_\_

12. Construction work will begin on or before 1 year from date of priority. \_\_\_\_\_

13. Construction work will be completed on or before October 1, 1964 \_\_\_\_\_

14. The water will be completely applied to the proposed use on or before October 1, 1965 \_\_\_\_\_

*Gertude H. Heitkamp*  
(Signature of applicant)

Remarks: \_\_\_\_\_

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for \_\_\_\_\_

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before \_\_\_\_\_, 19\_\_\_\_\_

WITNESS my hand this \_\_\_\_\_ day of \_\_\_\_\_, 19\_\_\_\_\_

STATE ENGINEER

By \_\_\_\_\_ ASSISTANT

PERMIT

STATE OF OREGON,

County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.50 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Applegate River

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/600 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the right to use of water is limited to the period when the flow of the Rogue River is more than 735 c.f.s. at its mouth,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is July 24, 1962

Actual construction work shall begin on or before October 22, 1963 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1964.

Complete application of the water to the proposed use shall be made on or before October 1, 1965.

WITNESS my hand this 22nd day of October, 1962

Chris L. Wheeler STATE ENGINEER

Application No. 37843  
Permit No. 28212

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 24th day of July, 1962, at 8:00 o'clock P. M.

Returned to applicant:

Approved:

October 22, 1962

Recorded in book No. 78 of

Permits on page 28212

CHRIS L. WHEELER STATE ENGINEER

Drainage Basin No. 15 page 80

Fees 1.00