

*APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I, J. R. Willis and Cora W. Willis
(Name of applicant)
 of 780 S. E. 13th Ave., Hillsboro, Oregon
(Mailing address)
 State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is unnamed stream and reservoir
(Name of stream)
a tributary of Nahalem River
 2. The amount of water which the applicant intends to apply to beneficial use is .02
 cubic feet per second.
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is domestic and fish culture
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 725 ft. N. and 470 ft. E. from the SW
(N. or S.) (E. or W.)
 corner of Govt. Lot 5 (SW 1/4 NW 1/4), Section 8
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the Govt. Lot 5 (SW 1/4 NW 1/4) of Sec. 8, Tp. 4 N.
(Give smallest legal subdivision) (N. or S.)

R. 7 W., W. M., in the county of Clatsop
(E. or W.)

5. The pipeline to be 210 feet
(Main ditch, canal or pipe line) (Miles or feet)
 in length, terminating in the of Sec. , Tp. ,
(Smallest legal subdivision) (N. or S.)

R. W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 2 ft., 6 inches, length on top 13 feet, length at bottom 6 feet; material to be used and character of construction timbers
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description
(Size and type of pump)

(Size and type of engine or motor to be used total head water it to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

(b) At _____ miles from headgate: width on top (at water line) _____
 _____ feet; width on bottom _____ feet; depth of water _____ feet;
 grade _____ feet fall per one thousand feet.

(c) Length of pipe, 210 ft.; size at intake, 1 1/2 in.; size at from intake in.; size at place of use in.; difference in elevation between intake and place of use, 20 ft. Is grade uniform? Yes Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

[illegible]

(If more space required, attach separate sheet)

(a) Character of soil

(b) Kind of crops raised

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in _____ of Sec. _____

(Legal subdivision)

Tp., R., W. M.

(No N or S.)

(No. E. or W.)

W. M.

(f) Is water to be returned to any stream?

(Yes or No)

(g) If so, name stream and locate point of return

Sec. _____, Tp. _____, R. _____, W. M. _____

(No. N. of S.)

(No E. or W.)

W. M

(h) The use to which power is to be applied is

(i) *The nature of the mines to be served*

10. (a) To supply the city of

County, having a present population of

Continued on p. 2

and an estimated population of _____ in 19____

(b) If for domestic use state number of families to be supplied one

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$.....30.00

12. Construction work will begin on or before _____ Completed _____

13. Construction work will be completed on or before Completed

14. The water will be completely applied to the proposed use on or before Completed

J R Willis
(Signature of applicant)
Cora W Willis

Remarks: A few trout are to be raised for personal use and pleasure

STATE OF OREGON, } ss.
County of Marion, }

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before 19

WITNESS my hand this _____ day of _____, 19____

STATE ENGINEER

By

ASSISTANT

PERMIT

STATE OF OREGON,

County of Marion,

ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.02 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from an unnamed stream and reservoir to be constructed under application No. R-37895, permit No. R-3090

The use to which this water is to be applied is domestic use of one family and fish culture, being 0.01 c.f.s. for each; provided further that the right to use of direct flow for fish culture is limited to the period when the flow of the Nehalem River is more than 100 c.f.s. at USGS Gage No. 14-3010.

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is August 2, 1962

Actual construction work shall begin on or before October 22, 1963 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1964

Complete application of the water to the proposed use shall be made on or before October 1, 1965

WITNESS my hand this 22nd day of October, 1962

Chris L. Wheeler
STATE ENGINEER

Application No. 317526
Permit No. 28238

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 2nd day of August, 1962, at 10:15 o'clock A. M.

Returned to applicant:

Approved:

October 22, 1962
Recorded in book No. 78 of
Permits on page 28238

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 1 page 12D
Fees 20.00