

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, STATE OF OREGON—DEPARTMENT OF FORESTRY
(Name of applicant)
of 2600 State St., Salem
(Mailing address)
State of Oregon

do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation _____

1. The source of the proposed appropriation is unnamed spring
(Name of stream)
a tributary of Nelson Creek

2. The amount of water which the applicant intends to apply to beneficial use is 0.01
cubic feet per second.

(If water is to be used from more than one source, give quantity from each)
**3. The use to which the water is to be applied is domestic supplies
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 326.4 ft. South and 1918.8 ft. East from the Section
(N. or S.) (E. or W.)
corner of Sections 8, 9, 16, 17, T17S, R8W, W2N
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being within the N1/2 of the N1/2
(Give smallest legal subdivision) of Sec. 16, Tp. 17S
(N. or S.)

R. 8W, W. M., in the county of Lane
(E. or W.)

5. The pipe line
(Main ditch, canal or pipe line) to be 1130.0 feet
(Miles or feet)
in length, terminating in the N1/2 of the N1/2
(Smallest legal subdivision) of Sec. 16, Tp. 17S
(N. or S.)

R. 8W, W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam _____ feet, length on top _____ feet, length at bottom _____ feet; material to be used and character of construction _____
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate _____
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description _____
(Size and type of jump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.
**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.
5-53-4M

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) _____ feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

(b) At _____ miles from headgate: width on top (at water line) _____ feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

(c) Length of pipe, 1130.0 ft.; size at intake, 1 1/2 in.; size at 80.0 ft. from intake 1/2 in.; size at place of use 1/2 in.; difference in elevation between intake and place of use, 208.0 ft. Is grade uniform? No Estimated capacity, .01 sec. ft.

8. Location of area to be irrigated, or place of use Nelson Cr. Guard Station and neighbor

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
17S	8W	16	NW 1/4 NW 1/4	None Domestic

Beginning at a point on the section line 1150 feet east of the section corner common to Sections 8, 9, 16 and 17 of Township 17 South, Range 8 West of the Willamette Meridian, which is the point of beginning of this description; running thence South 1 deg. West 353 feet; thence East 100 feet; thence North 1 degree East 353 feet; thence West 100 feet to the point of beginning, containing 0.8 acres, more or less.

Second place of use (see map)				
17S	8W	16	NW 1/4 NW 1/4	None Domestic
Andrew Almasie - Deed #79153 Reel #76 '56D				

(If more space required, attach separate sheet)

(a) Character of soil _____

(b) Kind of crops raised _____

Power or Mining Purposes—

9. (a) Total amount of power to be developed _____ theoretical horsepower.

(b) Quantity of water to be used for power _____ sec. ft.

(c) Total fall to be utilized _____ feet.

(d) The nature of the works by means of which the power is to be developed _____

(e) Such works to be located in _____ of Sec. _____

(Legal subdivision)

Tp. _____, R. _____, W. M. _____

(No. N. or S.)

(No. E. or W.)

(f) Is water to be returned to any stream? _____

(Yes or No)

(g) If so, name stream and locate point of return _____

_____, Sec. _____, Tp. _____, R. _____, W. M. _____

(No. N. or S.)

(No. E. or W.)

(h) The use to which power is to be applied is _____

(i) The nature of the mines to be served _____

10. (a) To supply the village of Nelson Creek Guard Station & Andrew Almasie,

County having at present population of Average 4 to 5
and an estimated population of _____ in 19____

(b) If for domestic use state number of families to be supplied _____

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works; \$ 140.00

12. Construction work will begin on or before August 13, 1962

13. Construction work will be completed on or before August 1, 1963

14. The water will be completely applied to the proposed use on or before August 1, 1963

D. L. Hays
(Signature of applicant)
State Forester

Remarks: To reach point of diversion turn left from State Highway approximately 8.0 miles Southwest of Triangle Lake, thence along gravelled road up Nelson Cr. to Nelson Cr. Guard Station. Warden at Station can direct to spring.

STATE OF OREGON }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19____.

WITNESS my hand this _____ day of _____, 19____.

PERMIT

STATE OF OREGON, }
County of Marion, }

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed .01 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from an unnamed spring

The use to which this water is to be applied is domestic use of two families (Oregon Forestry Guard Station and a private residence)

If for irrigation, this appropriation shall be limited to - - - of one cubic foot per second or its equivalent for each acre irrigated

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is August 23, 1962

Actual construction work shall begin on or before October 22, 1963 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1964

Complete application of the water to the proposed use shall be made on or before October 1, 1965

WITNESS my hand this 22nd day of October, 1962

Chris L. Wheeler
STATE ENGINEER

Application No. 37983
Permit No. 28251

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 23 day of August 1962 at 9:20 o'clock A.M.

Returns to applicant:

Approved:

October 22, 1962

Recorded in book No. 78 of

Permits on page 28251

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 18-241

State Printing 6697
20