

RECEIVED
MAR - 5 1962
STATE ENGINEER
SALEM, OREGON

Permit No. 28260

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Bureau of Land Management

(Name of applicant)

of P.O. Box 713, Burns

(Mailing address)

State of OREGON

do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Squaw Creek Spring G-90-141

(Name of stream)

Squaw Creek

, a tributary of Cottonwood Creek

2. The amount of water which the applicant intends to apply to beneficial use is .01

cubic feet per second.

(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is

livestock

(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located ft. and ft. from the

(N. or S.)

(E. or W.)

corner of

(Section or subdivision)

South 11⁰ East from the Northwest corner, Section 25, T. 18S - R. 35E., W.M.,

a distance of 2,145 feet.

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SW1/4

(Give smallest legal subdivision)

of Sec. 25

, Tp. 18S

(N. or S.)

R. 35E, W.M., in the county of Harney

(E. or W.)

5. The to be

(Main ditch, canal or pipe line)

(Miles or feet)

in length, terminating in the

(Smallest legal subdivision)

of Sec.

, Tp.

(N. or S.)

R. , W.M., the proposed location being shown throughout on the accompanying map.

(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom

 feet; material to be used and character of construction rock collection box with

(Loose rock, concrete, masonry)

60' of 1 1/2" pipe to trough.

rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate

(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description

(Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

10. (a) To supply the city of _____

County, having a present population of _____

(State of)

and an estimated population of _____ in 19_____

(b) If for domestic use state number of families to be supplied _____

(Answer questions 11, 12, 13, and 14 in full words)

11. Estimated cost of proposed works, \$ _____

12. Construction work will begin on or before _____ completed _____

13. Construction work will be completed on or before _____ completed _____

14. The water will be completely applied to the proposed use on or before _____ Existing structure completed _____

8/30/40

J. Kent Gille
(Signature of applicant)

District Manager

Remarks: This project was constructed under provisions of the Taylor Grazing Act of June 30, 1934, as amended.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19_____

WITNESS my hand this _____ day of _____, 19_____

By _____
Recorder Oregon

STATE ENGINEER

ASSISTANT

PERMIT

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed .01 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Squaw Creek Spring

The use to which this water is to be applied is livestock

If for irrigation, this appropriation shall be limited to - - - of one cubic foot per second or its equivalent for each acre irrigated

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is March 5, 1962

Actual construction work shall begin on or before November 26, 1963 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1964

Complete application of the water to the proposed use shall be made on or before October 1, 1965

WITNESS my hand this 26th day of November, 1962

Chris L. Wheeler STATE ENGINEER

Application No. 35392

Permit No. 28260

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 24th day of July 1962, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

November 26, 1962

Recorded in book No. 78 of

Permits on page 28260

CHRIS L. WHEELER STATE ENGINEER

Drainage Basin No. 10 page 156

Fees 20%