

RECEIVED

AUG 3 1962

STATE ENGINEER
SALEM, OREGON

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Harold D. McKinley
(Name of applicant)

of Rents 2 Box 1365, Roseburg
(Address)

State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Camas Snake Creek
(Name of stream), a tributary of North Umpqua River

2. The amount of water which the applicant intends to apply to beneficial use is .03
cubic feet per second.
(If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is Irrigation of stock water
(Irrigation, power, mining, manufacturing, domestic supply, etc.)

4. The point of diversion is located N43°W 1328 feet ft. and 0 ft. from the E 1/4 Sec. 14
(N. or S.) (E. or W.)
corner of 14
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SE 1/4 NE 1/4 of Sec. 14, Tp. 26 S
(Give smallest legal subdivision) (N. or S.)

R. 6 W, W. M., in the county of Douglas
(E. or W.)

5. The pipeline to be 350 ft
(Name of pipe, canal or pipe line) (Line or feet)
in length, terminating in the SE 1/4 NE 1/4 of Sec. 14, Tp. 26 S
(Smallest legal subdivision) (N. or S.)

R. 6 W, W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam _____ feet, length on top _____ feet, length at bottom _____ feet; material to be used and character of construction _____
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate _____
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description _____
(Size and type of pump) (Size and type of engine or motor to be used, total head water is to be lifted, etc.)
1" cent. pump direct connected 1 hp elec. motor

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Municipal or Domestic Supply—

10. (a) To supply the city of _____

County, having a present population of _____

and an estimated population of _____ in 19____

(b) If for domestic use state number of families to be supplied _____

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 5000

12. Construction work will begin on or before _____

13. Construction work will be completed on or before _____

14. The water will be completely applied to the proposed use on or before _____

Harold D. McKey
(Signature of applicant)

Remarks: This installation is complete and in operation at this time

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____ completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before October 30, 1962

WITNESS my hand this 30 day of August, 19 62

RECEIVED
SEP 17 1962
STATE ENGINEER
SALEM, OREGON
CHRIS L. WHEELER
STATE ENGINEER
Walter Long
ASSISTANT

PERMIT

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.03 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Camp Swale

The use to which this water is to be applied is irrigation and stock; being 0.02 c.f.s. for irrigation and 0.01 c.f.s. for stock

If for irrigation, this appropriation shall be limited to 1/800 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the right to use of water is limited to the period when the flow of the North Umpqua River is more than 525 c.f.s. at its mouth,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is August 3, 1962

Actual construction work shall begin on or before January 24, 1964 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1964.

Complete application of the water to the proposed use shall be made on or before October 1, 1965.

WITNESS my hand this 24th day of January, 1963.

Chris L. Wheeler STATE ENGINEER

Application No. 37898 Permit No. 28366

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 3rd day of August 1962, at 8:00 o'clock A.M.

Returned to applicant:

Approved: JANUARY 24, 1963 Recorded in book No. 28366 of Permits on page 78

CHRIS L. WHEELER STATE ENGINEER Drainage Basin No. 16 page 286 Fees 2.50