

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Arthur D. & Lois A. Quish, County Oregon, R. 2, Bx 99, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Gible Creek, a tributary of Malalla River

2. The amount of water which the applicant intends to apply to beneficial use is 101 cubic feet per second.

3. The use to which the water is to be applied is Irrigation

4. The point of diversion is located 612 ft. S and 493 ft. E from the corner of Northwest Corner of Section 21 T45 R1E

If practicable, give distance and bearing to section corner

being within the NW 1/4 NW 1/4 of Sec. 21, Tp. 45, R. 1E, W. M., in the county of Clackamas

5. The Pipe Line to be 160 ft in length, terminating in the NW 1/4 NW 1/4 of Sec. 21, Tp. 45, R. 1E, W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction

rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate Elec. pump 1' intake 1' outlet

(c) If water is to be pumped give general description

*A different form of application is provided where storage works are contemplated. **Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 160 ft.; size at intake, 1^{1/2} in.; size at 120 ft. from intake 3/4 in.; size at place of use 3/4 in.; difference in elevation between intake and place of use, 19' ft. Is grade uniform? Yes Estimated capacity, 0.0125 sec. ft.

8. Location of area to be irrigated, or place of use

Township North or South	Range E. or W. of Meridian	Section	Part-acre Tract	Number Acres To Be Irrigated
<u>45</u>	<u>1E</u>	<u>21</u>	<u>NW 1/4 of NW 1/4</u>	<u>1 ac</u>

(If more space required, attach separate sheet)

(a) Character of soil

(b) Kind of crops raised Garden & yard

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.

Tp., R., W. M.

(f) Is water to be returned to any stream? (Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

11. (a) To supply the city of _____

County, having a present population of _____

and an estimated population of _____ in 19____

(b) If for domestic use state number of families to be supplied _____

(Number questions 11, 12, 13, and 14 in all cases)

12. Estimated cost of proposed works, \$ _____

12. Construction work will begin on or before Completed

13. Construction work will be completed on or before Completed

14. The water will be completely applied to the proposed use on or before Completed

A. H. Irish
(Signature of applicant)

Remarks: _____

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19____

WITNESS my hand this _____ day of _____, 19____

STATE ENGINEER

By _____ ASSISTANT

PERMIT

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.01 cubic feet per second measured at the point of diversion from the stream, or its equivalent in base of rotation with other water users, from Gribble Creek

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/800 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is September 11, 1962

Actual construction work shall begin on or before January 24, 1964 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1964.

Complete application of the water to the proposed use shall be made on or before October 1, 1965.

WITNESS my hand this 24th day of January, 1963.

Chris L. Hallett STATE ENGINEER

Application No. 38060 Permit No. 28382

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 11th day of September 1962, at 1:24 o'clock P.M.

Returned to applicant:

Approved:

January 24, 1963

Recorded in book No. 78 of

Permits on page 28382

CHRIS L. HALLETT STATE ENGINEER

Drainage Basin No. 2 page 32 J

Fees 15.00