

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, CARLA LARSEN  
of RT 4 Box 745  
State of OREGON, do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is OLLALLA CREEK  
a tributary of SOUTH UMPQUA

2. The amount of water which the applicant intends to apply to beneficial use is  
cubic feet per second .0475  
(If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is IRRIGATION  
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located \_\_\_\_\_ ft. \_\_\_\_\_ and \_\_\_\_\_ ft. \_\_\_\_\_ from the  
corner of N 15° E 370 ft from  
S.W. COR. D.L.C. HUNTLY # 47  
(Give or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  
being within the SE 1/4 of SW 1/4 of Sec. 14, Tp. 28S  
R. 7W, W. M., in the county of DOUGLAS  
(Give smallest legal subdivision)

5. The PIPE LINE to be 1000'  
in length, terminating in the SE 1/4 of SW 1/4 of Sec. 14, Tp. 28S,  
R. 7W W. M., the proposed location being shown throughout on the accompanying map.  
(Give or subdivision)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam \_\_\_\_\_ feet, length on top \_\_\_\_\_ feet, length at bottom \_\_\_\_\_ feet; material to be used and character of construction \_\_\_\_\_  
(Loam, rock, concrete, masonry, rock and brush, timber crib, etc., washway over or around dam)

(b) Description of headgate \_\_\_\_\_  
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 1 1/2 HP  
ELECTRIC CENT.  
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

\*A different form of application is provided where storage works are contemplated.  
\*\*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.



**Municipal or Domestic Supply**

10. (a) To supply the city of \_\_\_\_\_

County, having a present population of \_\_\_\_\_

and an estimated population of \_\_\_\_\_ in 19\_\_\_\_

(b) To for domestic use state number of families to be supplied \_\_\_\_\_

Change circles 11, 12, 13, and 14 in all cases

11. Estimated cost of proposed works, \$ 500

12. Construction work will begin on or before IN USE

13. Construction work will be completed on or before " " "

14. The water will be completely applied to the proposed use on or before " "

*Carl A. Larsen*  
(Signature of applicant)

**Remarks:**

LOT 4 • SECT. 14 • T28S • R7W •  
W.M.

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for \_\_\_\_\_

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before \_\_\_\_\_, 19 \_\_\_\_

WITNESS my hand this \_\_\_\_\_ day of \_\_\_\_\_, 19 \_\_\_\_

STATE ENGINEER

PERMIT

STATE OF OREGON,

County of Marion,

} ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.08 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Ollalla Creek

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/800 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the right to use of water is limited to the period when the flow of the South Umpqua River is more than 60 c.f.s. at its mouth,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is September 21, 1962

Actual construction work shall begin on or before January 24, 1964 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1964

Complete application of the water to the proposed use shall be made on or before October 1, 1965

WITNESS my hand this 24th day of January, 1963.

Chris L. Wheeler

STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1952.

Application No. 38095 P.C.  
Permit No. 28398

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.  
This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 21st day of September, 1962, at 2:12 o'clock P.M.

Returned to applicant:

Corrected application received:

Approved:

JANUARY 24, 1963 of

Recorded in book No. 78 28398

Permits on page

CHRIS L. WHEELER STATE ENGINEER

Drainage Basin No. 16 Page 37E

Fees Paid 15.00