

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, CLYDE BARLER
(Name of applicant)
of 3711 S.E. Aldercrest Road, Milwaukie
(Mailing address)
State of Oregon, do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Kellogg Creek
(Name of stream)
a tributary of Willamette River

2. The amount of water which the applicant intends to apply to beneficial use is 0.01
cubic feet per second.
(If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is irrigation of yard area
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 1330 ft. S and 930 ft. W from the NE
(N. or S.) (E. or W.)
corner of Section 1, T. 2S., R. 1E., of the W.M., in County of Clackamas
(Section or subdivision)
and State of Oregon

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NW of the SE of the NE of Sec. 1, Tp. 2S
(Give smallest legal subdivision) (N. or S.)

R. 1E, W. M., in the county of Clackamas
(E. or W.)

5. The pipe line to be 70 feet
(Main ditch, canal or pipe line) (Ditch or feet)
in length, terminating in the NE of the SE of Sec. 1, Tp. 2S
(Smallest legal subdivision) (N. or S.)

R. 1E, W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

NOT APPLICABLE

6. (a) Height of dam _____ feet, length on top _____ feet, length at bottom _____ feet; material to be used and character of construction _____
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate NOT APPLICABLE
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 1 inch centrifugal pump
(Size and type of pump)
3 inch rotary impeller
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.
**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

20. (a) To supply the city of NOT APPLICABLE

County, having a present population of _____

and an estimated population of _____ in 19____

(b) If for domestic use state number of families to be supplied NOT APPLICABLE

Number of families to be supplied _____

11. Estimated cost of proposed works, \$ 1,100.00

12. Construction work will begin on or before already in existence

13. Construction work will be completed on or before already in existence

14. The water will be completely applied to the proposed use on or before _____

already in use

Chyle M. Braker
(Signature of applicant)

Remarks: The present pipe and pumping system has been in use for many years and is used for watering the garden and lawn surrounding the applicant's home. This application is made in place of prior application under permit number 26685, and because of this substitution of application, one copy only of the plat is attached to this new application.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19____

WITNESS my hand this _____ day of _____, 19____

STATE ENGINEER

By _____ ASSISTANT

PERMIT

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.01 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Kellogg Creek

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/800 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is October 16, 1962

Actual construction work shall begin on or before February 15, 1964 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1964

Complete application of the water to the proposed use shall be made on or before October 1, 1965

WITNESS my hand this 15th day of February, 1963

Chris L. Minkler STATE ENGINEER

Application No. 38179 Permit No. 28457

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 16th day of October, 1962, at 8:00 o'clock P.M.

Returned to applicant:

Approved:

February 15, 1963 78 of 28457 Permits on page

CHRIS L. MINKLER STATE ENGINEER

Drainage Basin No. 2 page 76A 27

Fees 15.00