

RECEIVED  
OCT 29 1962  
STATE ENGINEER  
SALEM, OREGON

# To Appropriate the Public Waters of the State of Oregon

I, Leon R. Jackson  
(Name of applicant)

of Box 62, Imbler, Oregon  
(Mailing address)

State of \_\_\_\_\_, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation \_\_\_\_\_

1. The source of the proposed appropriation is Grande Ronde River  
(Name of stream)  
\_\_\_\_\_, a tributary of Snake

2. The amount of water which the applicant intends to apply to beneficial use is 3.4 CFS  
cubic feet per second.  
(If water is to be used from more than one source, give quantity from each)

\*\*3. The use to which the water is to be applied is Irrigation  
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located \_\_\_\_\_ ft. \_\_\_\_\_ and \_\_\_\_\_ ft. \_\_\_\_\_ from the  
(N. or S.) (E. or W.)  
corner of Portable sprinkler pump from Grande Ronde River  
(Section or subdivision)  
North limit = 626.45 ft. West and 3470.66 ft. north of SE corner Sec. 9 T-1-S, R-39-EWM.  
South limit = 864.00 ft. west and 997.00 ft. South of NE corner section 16, T-1-S, R-39-EWM.  
(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  
being within the No. limit SE 1/4 NE 1/4 Sec. 9 T-1-S, R-39-EWM  
So. limit NE 1/4 NE 1/4 Sec. 10 T-1-S, R-39-EWM \_\_\_\_\_ Tp. \_\_\_\_\_  
(N. or S.)

R. \_\_\_\_\_, W. M., in the county of \_\_\_\_\_  
(E. or W.)

5. The \_\_\_\_\_ to be \_\_\_\_\_  
(Main ditch, canal or pipe line) (Miles or feet)  
in length, terminating in the \_\_\_\_\_ of Sec. \_\_\_\_\_, Tp. \_\_\_\_\_  
(Smallest legal subdivision) (N. or S.)  
R. \_\_\_\_\_, W. M., the proposed location being shown throughout on the accompanying map.  
(E. or W.)

## DESCRIPTION OF WORKS

### Diversion Works—

6. (a) Height of dam \_\_\_\_\_ feet, length on top \_\_\_\_\_ feet, length at bottom \_\_\_\_\_ feet; material to be used and character of construction \_\_\_\_\_  
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate \_\_\_\_\_  
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description portable centrifugal mounted on tract or.  
(Size and type of pump)  
1000 to 1200 gals/min - Cornell  
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

\*A different form of application is provided where storage works are contemplated.  
\*\*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe ..... ft.; size at intake, ..... in.; size at ..... ft. from intake ..... in.; size at place of use ..... in.; difference in elevation between intake and place of use ..... ft. Is grade uniform? ..... Estimated capacity, ..... sec. ft.

8. Location of area to be irrigated, or place of use .....

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
T-1-S	R-39-EW	(9)	SE1/4NE1/4	8.9
			NE1/4SE1/4	13.6
			SE1/4SE1/4	39.95
T-1-S	R-39-EW	10	NW1/4SW1/4	2.5
			SW1/4SW1/4	17.25
T-1-S	R-39-EW	15	NW1/4NW1/4	8.3
T-1-S	R-39-EW	16	NE1/4NE1/4	18.4
			NW1/4NE1/4	30.2
				139

(If more space required, attach separate sheet)

(a) Character of soil ..... **Clay loam** .....

(b) Kind of crops raised ..... **Hay, grain, past ure, peas.** .....

Power or Mining Purposes—

9. (a) Total amount of power to be developed ..... theoretical horsepower.

(b) Quantity of water to be used for power ..... sec. ft.

(c) Total fall to be utilized ..... feet.

(Head)

(d) The nature of the works by means of which the power is to be developed .....

(e) Such works to be located in ..... of Sec. ....

(Legal subdivision)

Tp. ...., R. ...., W. M. ....

(No. N. or S.)

(No. E. or W.)

(f) Is water to be returned to any stream? .....

(Yes or No)

(g) If so, name stream and locate point of return .....

....., Sec. ...., Tp. ...., R. ...., W. M. ....

(No. N. or S.)

(No. E. or W.)

(h) The use to which power is to be applied is .....

(i) The nature of the mines to be served .....

10. (a) To supply the city of \_\_\_\_\_

(Name of) \_\_\_\_\_ County, having a present population of \_\_\_\_\_

and an estimated population of \_\_\_\_\_ in 19\_\_\_\_\_

(b) If for domestic use state number of families to be supplied \_\_\_\_\_

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 5000.00

12. Construction work will begin on or before Completed

13. Construction work will be completed on or before 1st application in 1957

14. The water will be completely applied to the proposed use on or before 1957

*Dean R. Jackson*  
(Signature of applicant)

Remarks: \_\_\_\_\_

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for \_\_\_\_\_

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before \_\_\_\_\_, 19\_\_\_\_\_.

WITNESS my hand this \_\_\_\_\_ day of \_\_\_\_\_, 19\_\_\_\_\_.

STATE ENGINEER

By \_\_\_\_\_

ASSISTANT

PERMIT

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 3.4 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Grande Ronde River

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/40<sup>th</sup> of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the right to use of water is limited to the period when the flow of the Lower Grande Ronde River is more than 300 c.f.s. at USGS Gage No. 3325 and more than 420 c.f.s. at Ore-Wash border,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is October 29, 1962

Actual construction work shall begin on or before February 15, 1964 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1964.

Complete application of the water to the proposed use shall be made on or before October 1, 1965.

WITNESS my hand this 15<sup>th</sup> day of February, 19 63.

*Chris L. Mideker*  
STATE ENGINEER

Application No. 38205  
Permit No. 28468

**PERMIT**  
TO APPROPRIATE THE PUBLIC  
WATERS OF THE STATE  
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 29<sup>th</sup> day of October, 19 62 at 1:00 o'clock P. M.

Returned to applicant:

Approved:  
February 15, 1963  
Recorded in book No. 78 of 28468  
Permits on page

CHRIS L. MIDEKER  
STATE ENGINEER  
Drainage Basin No. B page 12 A  
Fees 47.15