AND THE ENGINEER SALEM, O SOCIO

*APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I, V. B. Thomas	
Rinberly	(Hame of applicant)
(Mailing address Oregon	
te of	, do hereby make application for a permit to appropriate t
lowing described public water	re of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corpor	ration, give date and place of incorporationno
	Y Pk Tohn May River
	sed appropriation is S. Fk. John May River (Name of stream)
90	, a tributary of the John Day Biver.
2. The amount of water w	hich the applicant intends to apply to beneficial use is2.95
bic feet per second	
	(If water is to be used from more than one source, give quantity from each)
**3. The use to which the w	pater is to be applied is 1rrigation (Brigation, power, mining, manufacturing, despetite supplies, etc.
	<u></u>
4. The point of diversion	is located 650 ft. 5 and 1000 ft. W from the NE
4 -4	(N. or 8.) (E. or W.)
rner of Destion 30	(12) 700 ft 5 and 750 ft W. form The NE
Sec. 30 SEE SEPA	(# 4) 1850 ft s and 700 ft w from the NE RATE SHEET AND WAP (2) probable, give distance and bearing to section corner)
(If there is more than	RATE SHRET AND HAP (H preferable, give distance and bearing to section corner) to one point of diversion, each must be described. Use separate short if necessary)
ting within the NE/1 NE/1	(If preferable, give distance and bearing to section corner) Lone point of diversion, each must be described. Use separate short if necessary) Y. Art. SElv. NElv. of Sec. 30 , Tp. 95 tre smallest legal subdivision) , (N. or S.)
ing within the NEW MEN	Cif preducible, give distance and bearing to section corner) a one point of diversion, each must be described. Use separate short if necessary) (a. a.s.) SEKNEW of Sec. 30, Tp. 95 tree smallest legal subdivision) (N. or S.)
ing within the NE/Y NE/Y CO CL or W.) 5. The SEE SEP	(If preducable, give distance and bearing to section corner) a one point of diversion, each must be described. Use separate sheet if necessary) (Y And SEN NEW of Sec. 30 , Tp. 95 (N. or S.) The mailton logal subdivision) (N. or S.) ARATE SHEET AND WAP to be (Stiles or feet)
ing within the NE/4 NE/6 Ca or W.) 5. The SEE SEP Length, terminating in the	(H preferable, give distance and bearing to section corner) (H preferable, give distance and bearing to section corner) (A preferable, give distance and bearing to section corner) (A preferable, give distance and most be described. Use separate sheet H secondary) (A preferable, SEK, NEW, of Sec. 30, Tp. 95 (N. or S.) (N. or S.) (Chicago of Sec. (Miles or foot) (Chicago of Sec. (Miles or foot) (Chicago of Sec. (Miles or foot)
ing within the NE/4 NE/6 Ca or W.) 5. The SEE SEP Length, terminating in the	(H preferable, give distance and bearing to section corner) (H preferable, give distance and bearing to section corner) (A preferable, give distance and bearing to section corner) (A preferable, give distance and most be described. Use separate sheet H secondary) (A preferable, SEK, NEW, of Sec. 30, Tp. 95 (N. or S.) (N. or S.) (Chicago of Sec. (Miles or foot) (Chicago of Sec. (Miles or foot) (Chicago of Sec. (Miles or foot)
ing within the NE/4 NE/6 Ca or W.) 5. The SEE SEP Length, terminating in the	(If preferable, give distance and bearing to section corner) (If preferable, give distance and bearing to section corners) (If preferable, give distance and give
(If there is more than the wing within the NE/1 NE/2 (OR OF W.) 5. The SEE SEP (CM) 1 length, terminating in the	(H preferable, give distance and bearing to section corner) (H preferable, give distance and bearing to section corner) (A preferable, give distance and bearing to section corner) (A preferable, give distance and most be described. Use separate sheet H secondary) (A preferable, SEK, NEW, of Sec. 30, Tp. 95 (N. or S.) (N. or S.) (Chicago of Sec. (Miles or foot) (Chicago of Sec. (Miles or foot) (Chicago of Sec. (Miles or foot)
ing within the NE/1 NE/2 SEE SEP SEE SEP SEE SEP Chi Length, terminating in the CL or W.) W. M., the	(If preferable, give distance and bearing to section corner) (If preferable, give distance and bearing to section corners) (If preferable, give distance and give
(If there is more than the wing within the NE/1 NE/2 (Co. 20 C. W.) W. M., in the co. (I. W.) SEE SEP (Co. 20 C. W.) W. M., the co. (I. W	(If preferable, give distance and bearing to section corner) It one point of diversion, each most be described. Use separate sheet if necessary) If the SERVICE of Sec. 30. Tp. 95. The second of Sec. 30. Tp. 95. The second of Sec. 30. Tp. 95. ARATE SHEET AND WAP to be seed of Sec. Tp. (M. or S.) (Smallest legal subdivision) of Sec. Tp. (M. or S.) proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS 1000 feet, length on top feet, length at bot
(If there is more than the wing within the NE/1 NE/2 (Co. 20 C. W.) W. M., in the co. (I. W.) SEE SEP (Co. 20 C. W.) W. M., the co. (I. W	(If preferable, give distance and bearing to section corner) (If preferable, give distance and bearing to section corners) (If preferable, give distance and give
(If there is more than thing within the NE/N NE/N NE/N NE SEP STR SEP SEP SER SEP SEP SER SEP SEP SER SEP	(2f preducible, give distance and bearing to section currier) a one point of diversion, each must be described. Use separate short if necessary) (N. or S.) To. 95 (N. or S.) ARATE SHEET AND WAP to be distributed input subdivision) of Sec. 7p. (N. or S.) (Smallest input subdivision) proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS none feet, length on top feet, length at bot to be used and character of construction (Loose rock, concrete, ma
(If there is more than the wing within the NE/1 NE/2 (Co. 20 C. W.) W. M., in the co. (I. W.) SEE SEP (Co. 20 C. W.) W. M., the co. (I. W	(If preferable, give distance and bearing to section corner) (If preferable, give distance and bearing to section corner) (If preferable, give distance and bearing to section corner) (If preferable, give distance and bearing to section corner) (If preferable, give distance and bearing to section corner) (If preferable, give distance and bearing to section corner) (If or S.)
(If there is more than thing within the NE/1 NE/1 NE/1 NE/1 NE/1 NE/1 NE/1 NE/1	(If prederable, give distance and bearing to section corner) a one point of diversion, each must be described. Use separate sheet if necessary) (Y. A. S.E.W. N.E.Y. of Sec. 30 , Tp. 95 (N. or 8.) WARATE SHEET AND WAP to be (Stiles or feet) (Smallest lagal subdivisions) of Sec. , Tp. (N. or 8.) proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS TONE feet, length on top feet, length at bot to be used and character of construction (Loose rock, concrete, marror or around dam)
(If there is more than the wing within the NE/N NE/N (CO) 26 E., W. M., in the co (It or W.) 5. The SEE SEP (In or W.) 5. The W. M., in the co (It or W.) 6. (a) Height of dam	(If preferable, give distance and bearing to section corner) It one point of diversion, each most be described. Use separate sheet if necessary) It one point of diversion, each most be described. Use separate sheet if necessary) It of Sec. 30. Tp. 95. The second section of Sec. 70. Tp. 95. (N. or S.) ARATE SHEET AND WAP to be distinct or steel) (Billies or feet) (R. or S.) proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS DONE feet, length on top feet, length at bot to be used and character of construction (Loose rock, concrete, manner or arreand dam) pate (Timber, concrete, etc., number and size of openings)
(If there is more than the wing within the NE/N NE/N (CO) 26 E., W. M., in the co (It or W.) 5. The SEE SEP (In or W.) 5. The W. M., in the co (It or W.) 6. (a) Height of dam	(If preferable, give distance and bearing to section corner) (If preferable, give distance and bearing to section corner) (If preferable, give distance and bearing to section corner) (If preferable, give distance and bearing to section corner) (If preferable, give distance and bearing to section corner) (If preferable, give distance and bearing to section corner) (If or S.)
(If there is more than the wing within the NE/N NE/N (CO) 26 E., W. M., in the co (It or W.) 5. The SEE SEP (In or W.) 5. The W. M., in the co (It or W.) 6. (a) Height of dam	(If preferable, give distance and bearing to section corner) It one point of diversion, each most be described. Use separate sheet if necessary) It one point of diversion, each most be described. Use separate sheet if necessary) It of Sec. 30. Tp. 95. The second section of Sec. 70. Tp. 95. (N. or S.) ARATE SHEET AND WAP to be distinct or steel) (Billies or feet) (R. or S.) proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS DONE feet, length on top feet, length at bot to be used and character of construction (Loose rock, concrete, manner or arreand dam) pate (Timber, concrete, etc., number and size of openings)

"A different form of application is provided where storage works are contemplated.

"Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made application for permits to appropriate water form and to the storage with instructions by editoricity the first Parliage.

ate. At head	lgate: width on	top (at water	line)	feet; width on bott
	and the second of			feet fall per o
and feet.			•	ster line)
	feet; width on	bottom	feet; depth o	f water fe
	feet fa	ll per one thous	sand feet	
				in.; size at
40		•		difference in elevation betw
4.2				Estimated capac
,			3.000 2.00	
		irrigated, or pl	ace of use	
Township North or South	Range E. er W. of Willemette Meridian	Section	Forty-serv Tract	Number Acres To Be Irrigated
9 m S	26 B	19	SET SET	33.6
		20	SA! SA!	4.4
		29	nat nat	4.5
-		29	SWE SWE	2.6
		30	nut nut	34.0
		30	hat het	4.0
		30	SET SET	35.0
		<u> </u>		118.1 total s
		<u> </u>		
		(14 more mace	required, ettack separate sheet)	
(a) Cl	haracter of soil	Sandy		
(b) K	ind of crops rai	sed 50 ac.	orchard, rest alfa	lfa and grass
	g Purposes—			
				theoretical horsepo
		-	power	. sec. ft.
			(Read)	
(d) T	he nature of the	e works by mea	ns of which the power is to	be developed
		1		· · · · · · · · · · · · · · · · · · ·
(e) S	uch works to be	located in	(Legal subdivision)	of Sec.
(No. N. or	,R(N	, W.	M.	
(f) Is	water to be re	turned to any s	tream?(Too or Ho)	
			oint of return	

DIVERSION NO. 1

Locations 650 ft. south and 1000 ft. west from the ME corner of section 30 being within the ME ME of sec. 30, tp. 9 S., R. 26 E., W.M., in the county of Grant.

Pump: Portable 3 in. Parmar Water Lifter centrifugal pump with 10 hp motor to pump 700 gpm 20 ft.

Ditch: Will pump directly into ditch to be approx. 350 ft. in in lingth terminating in the SET NET of sec. 30, Tp. 9 S., R. 26 E. Ditch to be approx. 4 ft. wide at the water line and 2ft. wide on the bottom with a grade of approx. 0.2 %.

DIVERSION NO. 2

Lostion: 700rft. south and 750 ft. west from the NE corner of sec. 30 being within the NE; NE; of sec. 30, Tp. 9 S., R. 26 E., W.M., in the county of Grant.

Pump: 8 in. single stage Berkely turbine pump with 15 hp motor to pump 1000 gpm # 35 ft.

Ditchs Will pump into ditch through two 6 in. pipe lines about 180 ft. in length. Ditch terminates in the SW SW of sec. 20 and in the SE NE of sec. 30. Tp. 9 S., R. 26 E. (See map) The ditch to be approx. 4 ft. wide at the water line and 2 ft. wide on the bottom with a grade of approx. 0.2 %.

DIVERSION NO. 3

Locations Same as location of diversion no. 2

Pumps 8 in. 4 stage Berkely turbine pump with 30 hp motor to pump 700 gpm @ 80 ft.

Pipe lines (A) Pipe line to be approx. 3400 ft. in total length termination in the SE SE of sec. 19 and in the SE NE of sec. 30. Tp. 9 S., R. 26 E. (See map for location and size of pipe line)

(B) Pipe line to be approx. 3460 ft. in total length terminating in the SE# SE# of sec. 19 and in the SE# ME# of sec. 30, Tp.9 S.w R. 26 E. (See map for location and size of pipe line)

DIVERBION NO. 4

Location: 1850 ft. south and 700 ft. west from the NE corner of sec. 30 being within the SE NE of sec. 30, Tp. 9 S., R. 26 E., W.M., in the county of Grant.

Pumps Uses same portable pump as diversion no. 1.

Ditchs Water is apread on ground directly from pump. No main ditch is used.

		County, he	1				****
Cara.	imated popular				!	, -	
	(b) If for dom	estic use state	number of	families to b	e supplied.	******************	*****
No.		<u> </u>	over quadras II, 6	l, 15, and 16 in all o	-		
11.	Estimated cost	of proposed w	rice, 4 15.0	00			
12.	Construction w	ork will benis	on or before	Oct. 1	.1963		
	Construction w	ing we be	v 4			064	***************************************
			San Araba and Ar	· •			
Je.	The water will	be completely	applied to the	e proposed u	se on or bef	ore OCt. 1	1965
**************************************	***************************************	······································	*********************		01/	<u> </u>	······································
				NL	316	mar	•••••••
				÷			***
Rei	nerke:	***************************************	ļ		******		· · ·
				E	. ,	***************************************	***************************************
***********		***************************************		•	_	-	
)	*****************	•	•		***************************************
	**************************************	***************************************	***************************************			·····	·
	· · · · · · · · · · · · · · · · · · ·	**********************	************************				
				******************	***************************************		•
					•		,
					***************************************	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
	***********************) 4 1 2 4 2 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	************************	······································	***************************************	***************************************	,
	*******************	*******************	······		***************************************	··· ··	
ación tr Agós a			*************	***************************************	·*************************************		·
	***********************		***************************************	**************************************			••••••••••
***************************************	· ///	***************************************	**************************************			***************************************	•••••
		***********************	*********************	*****	*************************	*****************************	-
							•
	OF OREGON,	} ss.			* × ×		
200	y of Marion,)	\$				
	is is to certify			•			
maps and	i data, and retu	irn the same fo	or	•			
***********		••••••	······································				•
.In	order to retain	ı its priority, t	his applicatio	n must be re	turned to ti	re State Engin	eer, with co
	or before	-		2		Same Super	
	-						
	3			• .	•	,	
W	ITNESS my ha	nd this	day of	······································		· · · · · · · · · · · · · · · · · · ·	, 19
						•	
1 .							

2848()

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use stream, or its equivalent in case of rotation with other water users, from North Fork John Day The use to which this water is to be applied is 1xx1en 1. of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 5 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the right to use of water is limited to the period when the flow of the John Day River is more than 30 c.f.s. at USGS Gage No. 14-0465 and more than 20 c.f.s. at USGS Gage No. 14-0480, and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The priority date of this permit is _______ November 7, 1962 Actual construction work shall begin on or before February 15, 1964 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19.64. Complete application of the water to the proposed use shall be made on or before October 1, 19....65.

This instrument was first received in the office of the State Engineer at Salem, Oregon,

Application No. 38224

Ŋô.

APPROPRIATE THE PUBLIC

ဥ

PERMIT

WATERS OF THE STATE

OREGON

Ö

day of MULTABEL

on the 7th

at Billo o'clock

Returned to applicant:

CHRIS L. MREGLAR STATE ENGINEER

42

Recorded in book No.

Permits on page

February 15, 1963

7

page

Ø

Drainage Basin No.