
TATE ENGINEER SALEM. PREGON To Appropriate the Public Waters of the State of Oregon

1, Samuel B. Sweeney designs)
1 Rt 2 Dayton
state of Oregon do hereby make application for a permit to appropriate th
ollowing described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
1. The source of the proposed appropriation is West Branch of
Palmer Creek , a tributary of Palmer Creek
2. The amount of water which the applicant intends to apply to beneficial use is
cubic feet per second.
(If water is to be used from more than one source, give quantity from each)
3. The use to which the water is to be applied is
754 5, ,
4. The point of diversion is located (3. or 2.) and 746 ft. W. from the
(Section or subdivision)
chandles to and due east and wet and is
206 (1 to the southeast corner of SE & of NW &
North and most Easterly Corner of Andrew Smith and Polly
(If preferable styp distance and bearing is section corner)
577 ffk LJ m Les has hill fill tenthing SCC 20 TYS P3W (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being within the N.E. 4 a.f. S. W. 4 of Sec. 20, Tp. 4 S. (Give smallest legal subdivision) (N. or S.)
R. J.W., W. M., in the county of
5. The pipe line (main line) to be 746 ft. (Miles or felt)
in length, terminating in the N.E. 4 of S.W. 4 of Sec. 20 , Tp. 4 S.
R
(E. ce ₩.)
Diversion Works—
6. (a) Height of dam feet, length on top1.5 feet, length at botto
8 feet; material to be used and character of construction Timber Construction
(Loose rock, concrete, mason
rock and brush, timber crib, etc., wasteway over or around daps)
(b) Description of headgate6-2" X 10" Timbers 2 long (Tunber, concrete, etc., number and size of openings)
(Description on extra sheet)
(c) If water is to be pumped give general description 125 g.p.m. Centrifugal
pump, powered by 25 he gase ine engine (Size and type of engine or motor to be used, total had water is to be litted, etc.)
(Bize and type of english or motor to be used, total typed water is to be lifted, etc.)] (portable) runs 14 7 3 g.pm. Sprinklers

Canal System or Pipe Line-7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) _______feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet: (b) At _____ miles from headgate: width on top (at water line) feet; width on bottom ______feet; depth of water ____ grade feet fall per one thousand feet. (c) Length of pipe, 720 ft.; size at intake, 4" in.; size at 720 intake and place of use. 80 ft. Is grade uniform? No Estimated capacity. sec. ft. 8. Location of area to be irrigated, or place of use ______T. 4 S. ____R 3 w. __Sec. 20 Forty-acre Tract 5.1 SE. 4 of N.W. 4 R 3W. 20 T. 4 S. (a) Character of soil Very deep and medium textured (b) Kind of crops raised Strawberries Power or Mining Purposes-9. (a) Total amount of power to be developed theoretical horsepower. (b) Quantity of water to be used for power sec. ft. (d) The nature of the works by means of which the power is to be developed Tp., R., W. M. (No. E. or W.) (f) Is water to be returned to any stream?(Yes or No.) (g) If so, name stream and locate point of return, Sec., Tp., R., W. M. (h) The use to which power is to be applied is (i) The nature of the mines to be served

28502

unicipal or Domestic Supply—	28503
10, (a) To supply the city of	
County, having a present po	
den estimated population of	in 19
(b) If for domestic use state number of fam	ilies to be supplied
(Answer questions II, 12, 12,	and 14 in all cases)
11 Estimated cost of proposed works, \$	F.00
12. Construction work will begin on or before	
유민들은 학교는 가장 그 경우 나는 그렇게 되었다. 그 그 그는 그는 그 모든 그 없다.	to the contract of the contrac
13. Construction work will be completed on or be	and the first of the control of the
14. The water will be completely applied to the pr	roposed use on or before July
	Samuel B. Sweeney
(1) 1	<u> </u>
Remarks	
	•
<u> 1967 </u>	
STATE OF OREGON,	
County of Marion,	
This is to certify that I have examined the for	egoing application, together with the accompany
maps and data, and return the same for correction	
In order to retain its rejects, this annication	must be returned to the State Engineer, with cor
Palarmanne 7	
tions on or before Peorusty , 19	
_	
WITNESS my hand this7 day of	
m rafive m	IRIS L. WHEELER
	MILECULOR OF STATE PAGINI



County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

nd shall not exceed .	0.10	cubic feet per s	second meas	sured at the	e point of dive	ersion from t
ream, or its equival						
ream, or us equival reek	ent in case of i	oldion with other	er water as	era, prome	•••••	
1002	······································		······································			
			•			***************************************
The use to which	h this water is	to be applied is		irrigat	Lon	
						. •

	•••••					
If for irrigation	, this appropri	ation shall be lim	ited to	1/80 <u>m</u>	of 01	ie cubic foot per
cond or its equivale	nt for each acr	e irrigated and	shall be	further l	imited to a	diversion of
not to exceed 21/2	acre feet]	er acre for e	ach acre	irrigated	during the	irrigation
season of each y						
JOGGOUL UZ GGOUL J	<u> </u>	-				And the second
				••••••••	••••••	•
				······································		
		· · · · · · · · · · · · · · · · · · ·		······	······································	
. :	`					
			•			
						*
ind shall be subject	to such reasons	ible rotation syste	em as may b	e ordered b	y the proper s	tate officer.
The priority d	ate of this pern	nit is		Novembe	r 19, 1962	
Actual constru	ction work sh	all begin on or b	efore	March]	15. 1964	and shal
hereafter be prosec						
•		water to the prop				
WITNESS my	hand this 1	5th day o	f	March	, 19.63	
		•		him	L zeki	STATE ENGINEER
		-	,	•		
• •						
	the	gon,	-		9	EER 4 5
E :	i.	6			N	STATE ENGINEER page 90A 5
Z BD	TTE sta	lem, C			Ö	ATE
E 2 3	ST.	t Sa			73 28502	A T
名名	GOS First	a			3 (1)	3 7
	RE SE	gine f	:		No. 15	3
° /2 5 5	Z	2" 0 0 "				
on No.	SF O	e En lay o	ican		200k	S. L.
Application No. IEA39	WATERS OF THE STATE OF OREGON instrument was first received in the	f the State Engineer at Salem, Oregon, 19. A day of Alexe No. Ket. at L'. 10. o'clock.	ed to applicant:		March 15, 1463 orded in book No. 79 s on page	CHRIS L. MÜKELÜR ge Basin No. 2. page 90A S