Permit No. 4 1 - 1 ...

*APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

Donald William Christy
18 RFD 50 Rock Creek Road Holines, C. C.
State of OREGON do hereby make application for a permit to appropriate ties
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation 2006
Trigotion Punier + Scerage 1
1. The source of the proposed appropriation is the proposed appropriation appropriation appropriation is the proposed appropriation approp
2. The amount of water which the appleant intends to apply to beneficial use is 25
cubic feet per second. (If to be used from more than one source, give quantity from each)
**3. The use to which the water is to be applied is
A CAC
4. The point of diversion is located 2650 ft. South and 1460 ft. East from the Section
corner of Section # 36 #F (Section or subdivision)
(Section of Buddivisidal)
anly one point of diversion
(1f preferable, give distance and bearing to section corrier)
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being within the $NE/4-5/W/4$ of Sec. 36, Tp. 7-5, (Give smallest legal subdivision)
(Give smallest legal subdivision) R. 38E, W. M., in the county of BAKCI (S. or W.) of Fifting Confour 5. The 1/00-01/th (Main ditch, canal or pipe line) (Miles or feet) in length terminating in the NE 14-5 W 14 of Sec. 36. To. 75
5. The 100-D1fc3 1500-D1fch to be (Miles or feet)
in length, terminating in the NE14-5 W14 of Sec. 36, Tp. 75 (Smallert legal subdivision)
R. 38 E, W. M., the proposed location being shown throughout on the accompanying map.
DESCRIPTION OF WORKS
Diversion Works—
6. (a) Height of dam/2 feet, length on top feet, length at bottom
feet; material to be used and character of construction Earth & Rack (Loose rock concrete, massury
rock and brush, timber crib, etc., wasteway over or around dam)
(b) Description of headgate (Timber, concrete, etc., number and size of openings)
(ginger, converted and size of openings)
(c) If water is to be pumped give general description
(Size and type of pump)
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

A different form of application is provided where storage works are contemplated.

^{*}Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Selem,

radgate. At hea	dgate: width on t	op (at water	line) 25	feet; width on hottom
/ 9	feet; depth of w		feet; grade	feet fall per one
ouspud feet.	1500'	miles from he	radgate: width on top (at water	line)
	feet; width on bo		feet; depth of w	
<i>^2</i>	feet fall	/00	· · · · · · · · · · · · · · · · · · ·	
(c) Lengt	h of pipe. Non	£ ft.;	size at intake.	in.; size at ft.
om intake	in.;	size at place o	of use in.; dif	ference in elevation between
take and place	of use.	ft. İ	s grade uniform?	Estimated capacity.
	sec. ft.			
8. Locatio	on of anea to he in	rigated, or pl	ace of use	
Township North or South	Range E. or W. of Willemette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
<u>5</u> .	38 E	36	NE/2-5W/4	25 AVE ACTO
	1002		1124 51114	
				The second secon
				•
5				
	·	•		
			and the desirence recommend upon the second assessment of the control of the cont	1
		· · · · · · · · · · · · · · · · · · ·		i i
· · · · · · · · · · · · · · · · · · ·				<u> </u>
· · · · · · · · · · · · · · · · · · ·		(If more man	e required, attach separate sheet)	The second secon
(a) C	haracter of soil	Spring	Dale loam sha	How with some gr
(b) K	and of crops raise	d Pas	ture	
Power or Minir			•	
9. (a) T	otal amount of po	ower to be de	veloped 110 h C	theoretical horsepower
(b) G	u antity of water	to be used for	power DONC se	ec. ft.
(c) T	otal fall to be uti	lized		
	\$ *		(Head) ins of which the power is to be	developed
(4) 1	marare of the	works by men		
(e) S	Such works to be l	ocated in	(Legal subdivision)	of Sec.
Tp.	, R	E or W.)	M .	
	•		tream?	
	•	•		
(g) 1	f so, name strean	and locate p	point of return	· · · · · · · · · · · · · · · · · · ·

(i) The nature of the mines to be served

10. (a) To supply the city of County, having a pres	
(Name of) id an estimated population of	
(b) If for domestic use state number	• The second of
	11, 12, 12, and 14 in all cases)
11. Estimated cost of proposed works, \$	fore 1st. Movember 1963
12. Construction work will begin on or bef	ore
	in or before 1. H. Herry 1964
14. The water will be completely applied to	the proposed use on or hefore
June 1964	
	Lonald Wallain hristy
	(Signature of applicants)
From the Bus	vec Rothles + Bunaside Dites
	ter From Melds above callects !
	me of the Buckey even
	s + Leaks into Existing Dialnage,
Unnamed, which runs inform	ttedly
	•
	-
STATE OF OREGON,	
County of Marion,	
	the foregoing application, together with the accompany
maps and data, and return the same for	
•	Land Con Province with some
	lication must be returned to the State Engineer, with cor
tions on or before Karch li	, 19
•	
WITNESS my hand this 3 day	of January , 19 63
	•
•	
	CHRIS L. WHEELER STATE ENGINE

23306

Municipal or Domestic Supply—

This is to certify that I have examined the foregoing application and do hereby grant the name. SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial ter-0.63 and shall not exceed cubic feet per-second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from an unnamed drainageway The use to which this water is to be applied is supplemental irrigation If for irrigation, this appropriation shall be limited to 1/40th of one cubic foot per second or its equivalent for each acre irrigated ...and shall be further limited to a diversion of not to exceed 32 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein, and shall be subject to such reasonable rotation system as may be ordered by the proper state officer March 15, 1964 Actual construction work shall begin on or before and sign! thereafter be prosecuted with reasonable diligence and be completed on or before October 1.49-64. Complete application of the water to the proposed use shall be made on or before October 1, 1665 WITNESS my hand this 15th day of

20 585 Application No. . 387

Permit No.

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE

OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon

on the 2/2 day of DEC. & while K P. Ce. o'clock 196.2, at

Returned to applicant:

March 15, 1963 Approved

Recorded in hook No. Permits on page ج Drainage Basin

CHAIN I. WHEELER

STATE ENGINEER

34

Fees