

To Appropriate the Public Waters of the State of Oregon

I, The Dalles Irrigation District
(Name of applicant)
of The Dalles
(Mailing address)
State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Columbia River
(Name of stream)
a tributary of

2. The amount of water which the applicant intends to apply to beneficial use is 0.2
cubic feet per second.
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Irrigation
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 700 ft. N and 10⁰ 30' W from the NE
(N. or S) (E. or W)
corner of Section 4, T. 1 N., R. 13 E.
(Section or subdivision)

N 12° 32' 30" W, 670.32 feet from the Northeast Corner of Section 4, T. 1 N., R. 13 E., W.M. (see Ltr. 3-21-63)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SE 1/4 SE 1/4 of Sec. # 33, Tp. 2 N.
(Give smallest legal subdivision) (N. or S.)

R. 13 E. W. M., in the county of Wasco, Oregon
(E. or W.)

5. The pressure pipeline system, including laterals to be 200,400 ft.
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the various - Exhibit "B" of Sec. --, Tp. --
(Smallest legal subdivision) (N. or S.)

R. -- W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam -- feet, length on top -- feet, length at bottom -- feet; material to be used and character of construction --
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate --
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description see Exhibit "A"
(Size and type of pump)
--
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

(c) Length of pipe, 260,400 ft.; size at intake, 36" in.; size at 7,888 ft. from intake 36" in.; size at place of use 4 to 33 in.; difference in elevation between intake and place of use, 125 to 1195 ft. Is grade uniform? No Estimated capacity, 5,500

54.2 sec. ft.
8. Location of area to be irrigated, or place of use See Exhibit "B"

| Township | Range E. or W. of Washington Meridian | Section | Forty-acre Tract | Number Acres To Be Irrigated |
|----------|---|---------|------------------|------------------------------|
| | | | | 5,500 |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

(If more space required, attach separate sheet)

- (a) Character of soil - Top very fine sandy loam to clay loam
- (b) Kind of crops raised - cherries, peaches, and apricots total 80% and others

Power or Mining Purposes--

- 9. (a) Total amount of power to be developed - - - - - theoretical horsepower.
- (b) Quantity of water to be used for power - - - - - sec. ft.
- (c) Total fall to be utilized - - - - - feet.
(Head)
- (d) The nature of the works by means of which the power is to be developed - - - - -
- (e) Such works to be located in - - - - - of Sec. - - - - -
(Legal subdivision)
- Tp. - - - - - , R. - - - - - , W. M.
- (No. N. or S.) - - - - - (No. E. or W.)
- (f) Is water to be returned to any stream? - - - - -
(Yes or No)
- (g) If so, name stream and locate point of return - - - - -
- - - - - , Sec. - - - - - , Tp. - - - - - , R. - - - - - , W. M.
- (No. N. or S.) - - - - - (No. E. or W.)
- (h) The use to which power is to be applied is - - - - -
- (i) The nature of the mines to be served - - - - -

File # 33152

Amended - (see Ltr 3-21-63)

28546

1-22-63 ¹ 7

| IN | 13E., W.M. | | | | | | |
|----|------------|---|----|----|--------|--------|-------|
| | | 1 | SW | NE | 8.3 | - | 8.3 |
| | | | SE | | 9.1 | - | 9.1 |
| | | | NE | SW | - | 9.5 | 9.5 |
| | | | SW | | - | 30.2 | 30.2 |
| | | | SE | | 13.9 | 26.6 | 40.5 |
| | | | NE | SE | 26.8 | - | 26.8 |
| | | | NW | | 10.7 | 4.6 | 15.3 |
| | | | SW | | 2.45 | 33.55 | 36.0 |
| | | | SE | | - | 15.7 | 15.7 |
| | | 2 | SE | SE | 0.1 | 4.5 | 4.6 |
| | | 4 | NW | SW | 3.8 | 3.0 | 6.8 |
| | | | SW | | - | 0.3 | 0.3 |
| | | 5 | NE | NE | - | 0.4 | 0.4 |
| | | | NW | | 2.1 | 20.7 | 22.8 |
| | | | SW | | 6.5 | 31.0 | 37.5 |
| | | | SE | | 4.1 | 6.0 | 10.1 |
| | | | NE | NW | 7.3 | 19.4 | 26.7 |
| | | | NW | | 16.9 | - | 16.9 |
| | | | SW | | 7.1 | - | 7.1 |
| | | | SE | | 9.5 | 30.1 | 39.6 |
| | | | NE | SW | 3.3 | 36.5 | 39.8 |
| | | | NW | | 10.9 | 12.6 | 23.5 |
| | | | SW | | .1 | 33.6 | 33.7 |
| | | | SE | | 4.0 | 38.5 | 42.5 |
| | | | NE | SE | 9.1 | - | 9.1 |
| | | | NW | | 24.7 | 14.1 | 38.8 |
| | | | SW | | 1.3 | 23.3 | 24.6 |
| | | | SE | | - | 3.2 | 3.2 |
| | | 6 | SE | NE | 12.6 | - | 12.6 |
| | | | NE | SE | 15.8 | - | 15.8 |
| | | | SW | | 4.6 | - | 4.6 |
| | | | SE | | 7.6 | 1.0 | 8.6 |
| | | 7 | NE | NE | - | 23.5 | 23.5 |
| | | | SW | | 10.0 | - | 10.0 |
| | | | SE | | 1.4 | 33.0 | 34.4 |
| | | | SE | NW | 1.2 | - | 1.2 |
| | | | NE | SW | - | 0.9 | 0.9 |
| | | | SE | | 6.1 | 11.5 | 17.6 |
| | | | NE | SE | - | 36.1 | 36.1 |
| | | | NW | | 11.9 | 22.0 | 33.9 |
| | | | | | 253.25 | 525.35 | 778.6 |

Totals (This Sheet)

| | | | | | |
|----|----|----|--------|------|---------|
| | SE | | 31.9 | - | 31.9 |
| | NE | NW | - | 22.6 | 22.6 |
| | NW | | | 40.1 | 40.1 |
| | SW | | | 39.5 | 39.5 |
| | SE | | 4.2 | 26.8 | 31.0 |
| | NE | SW | 19.7 | 12.0 | 31.7 |
| | NW | | - | 34.1 | 34.1 |
| | SW | | - | 33.4 | 33.4 |
| | SE | | - | 24.5 | 24.5 |
| | NE | SE | 38.6 | - | 38.6 |
| | NW | | 30.6 | - | 30.6 |
| | SW | | 1.6 | 37.6 | 39.2 |
| | SE | | | 23.9 | 23.9 |
| 9 | NW | NE | 15.8 | - | 15.8 |
| | SW | | 33.8 | - | 33.8 |
| | SE | | 5.6 | - | 5.6 |
| | NE | NW | 17.7 | - | 17.7 |
| | NW | | 14.1 | - | 14.1 |
| | SW | | 34.4 | - | 34.4 |
| | SE | | 30.0 | 1.0 | 31.0 |
| | NE | SW | 32.9 | 2.0 | 34.9 |
| | NW | | 26.3 | - | 26.3 |
| | SW | | | 11.1 | 11.1 |
| | SE | | 14.5 | 7.6 | 22.1 |
| | NE | SE | 11.2 | - | 11.2 |
| | NW | | 37.2 | - | 37.2 |
| | SW | | 21.4 | - | 21.4 |
| | SE | | 19.5 | - | 19.5 |
| 10 | SW | NE | 28.0 | - | 28.0 |
| | SE | | 19.7 | - | 19.7 |
| | SW | NW | 16.5 | - | 16.5 |
| | SE | | 28.7 | - | 28.7 |
| | NE | SW | 35.3 | - | 35.3 |
| | NW | | 38.8 | - | 38.8 |
| | SW | | 36.9 | - | 36.9 |
| | | | 700.25 | | 388.85 |
| | | | | | 1,089.1 |

(This Sheet)

| Section | Range | Station | Direction | | Values | | | |
|---------------------|------------|----------|-----------|------|--------|--------|-------|--|
| | | | 1st | 2nd | 3rd | 4th | 5th | |
| 1N | 13E., W.M. | 10(cont) | SE | SW | 38.8 | | 38.8 | |
| | | | NE | SE | 35.3 | | 35.3 | |
| | | | NW | | 38.0 | | 38.0 | |
| | | | SW | | 31.0 | | 31.0 | |
| | | | SE | | 16.1 | | 16.1 | |
| | | 11 | NE | NE | 3.1 | | 3.1 | |
| | | | SE | | 0.7 | | 0.7 | |
| | | | SW | NW | 22.9 | | 22.9 | |
| | | | SE | | 2.7 | | 2.7 | |
| | | | NE | SW | 7.6 | | 7.6 | |
| | | | NW | | 13.5 | | 13.5 | |
| | | | SW | | 19.4 | | 19.4 | |
| | | | SE | | 39.1 | | 39.1 | |
| | | | NE | SE | 30.7 | | 30.7 | |
| | | | NW | | 28.1 | | 28.1 | |
| | | | SW | | 34.4 | | 34.4 | |
| | | 12 | SE | | 10.6 | | 10.6 | |
| | | | NE | NE | - | 28.3 | 28.3 | |
| | | | NW | | 3.4 | 35.2 | 38.6 | |
| | | | SW | | 27.75 | 0.25 | 28.0 | |
| | | | SE | | 13.7 | 10.5 | 24.2 | |
| | | | NE | NW | - | 17.4 | 17.4 | |
| | | | NW | | 1.7 | 14.2 | 15.9 | |
| | | | SW | | 10.8 | | 10.8 | |
| | | | SE | | 21.1 | | 21.1 | |
| | | | NE | SW | 25.2 | 1.0 | 26.2 | |
| | | | NW | | 15.2 | | 15.2 | |
| | | 13 | SW | | 2.3 | 14.0 | 16.3 | |
| | | | SE | | - | 19.2 | 19.2 | |
| | | | NE | SE | 34.7 | | 34.7 | |
| | | | NW | | 22.6 | 3.0 | 25.6 | |
| | | | SW | | - | 0.2 | 0.2 | |
| | | | SE | | 6.4 | | 6.4 | |
| | | | NW | NW | 15.7 | | 15.7 | |
| | | | SW | | 36.4 | | 36.4 | |
| | | | SE | | 11.9 | | 11.9 | |
| NE | SW | | 14.2 | | 14.2 | | | |
| NW | | | 38.3 | | 38.3 | | | |
| SW | | 30.7 | | 30.7 | | | | |
| SE | | 26.5 | | 26.5 | | | | |
| Totals (This Sheet) | | | | | 730.55 | 143.25 | 873.8 | |

| | | | | | | |
|---------------------|----|----|----|--------|--------|---------|
| | | SW | | - | 30.3 | 30.3 |
| | | SE | | 19.9 | 20.1 | 40.0 |
| | | NE | SE | 0.5 | 35.2 | 35.7 |
| | | NW | | 1.6 | 36.6 | 38.2 |
| | | SW | | 12.2 | 20.0 | 32.2 |
| | | SE | | 27.6 | | 27.6 |
| | 15 | NE | NE | 37.3 | | 37.3 |
| | | NW | | 17.4 | | 17.4 |
| | | SW | | 35.4 | | 35.4 |
| | | SE | | 4.8 | 34.0 | 38.8 |
| | | NE | NW | 26.6 | | 26.6 |
| | | NW | | 35.7 | | 35.7 |
| | | SW | | 33.0 | | 33.0 |
| | | SE | | 3.5 | | 3.5 |
| | | NE | SW | 25.8 | | 25.8 |
| | | NW | | 17.3 | | 17.3 |
| | | SW | | 3.3 | 19.2 | 22.5 |
| | | NE | SE | - | 37.7 | 37.7 |
| | | NW | | 35.9 | 0.4 | 36.3 |
| | | SW | | - | 3.7 | 3.7 |
| | | SE | | - | 35.4 | 35.4 |
| | 16 | NE | NE | 33.5 | - | 33.5 |
| | | NW | | - | 6.3 | 6.3 |
| | | SW | | - | 22.0 | 22.0 |
| | | SE | | 14.9 | - | 14.9 |
| | | NE | NW | - | 16.3 | 16.3 |
| | | NW | | - | 29.1 | 29.1 |
| | | SW | | - | 31.4 | 31.4 |
| | | SE | | - | 16.8 | 16.8 |
| Totals (This Sheet) | | | | 590.10 | 575.80 | 1,165.9 |

| 1N | 13E., W.M. | 16 (cont.) | | | | | |
|----|------------|------------|----|----|-------|-------|-------|
| | | | NE | SW | 4.1 | 11.0 | 15.1 |
| | | | NW | | 3.8 | 26.0 | 29.8 |
| | | | SW | | 1.0 | | 1.0 |
| | | | SE | | 16.4 | | 16.4 |
| | | | NE | SE | 29.4 | | 29.4 |
| | | | NW | SE | 11.6 | 24.0 | 35.6 |
| | | | SW | | 12.0 | 20.0 | 32.0 |
| | | | SE | | 16.3 | | 16.3 |
| | | 17 | NE | NE | 3.0 | 14.0 | 17.0 |
| | | | NW | | 0.5 | 32.0 | 32.5 |
| | | | SW | | 30.4 | | 30.4 |
| | | | SE | | 35.5 | | 35.5 |
| | | | NE | NW | 0.8 | 32.9 | 33.7 |
| | | | NW | | 2.0 | 37.4 | 39.4 |
| | | | SW | | 2.4 | 22.8 | 25.2 |
| | | | SE | | 17.1 | 15.4 | 32.5 |
| | | | NE | SW | 36.2 | - | 36.2 |
| | | | NW | | 26.6 | | 26.6 |
| | | | SW | | 0.2 | | 0.2 |
| | | | SE | | 14.6 | 4.2 | 18.8 |
| | | | NE | SE | 31.8 | | 31.8 |
| | | | NW | | 29.6 | | 29.6 |
| | | | SW | | 1.7 | | 1.7 |
| | | | SE | | 10.6 | | 10.6 |
| | | 18 | NE | NE | 9.6 | 12.0 | 21.6 |
| | | | NW | | - | 11.4 | 11.4 |
| | | | NE | NW | 2.8 | 10.0 | 12.8 |
| | | | NW | | - | 16.1 | 16.1 |
| | | | SW | | - | 24.8 | 24.8 |
| | | | SE | | - | 5.0 | 5.0 |
| | | 20 | NE | NW | 8.8 | | 8.8 |
| | | 21 | NE | NE | 26.3 | | 26.3 |
| | | | NW | | 7.1 | | 7.1 |
| | | | SW | | 17.0 | | 17.0 |
| | | | SE | | 4.9 | | 4.9 |
| | | | SE | NW | 7.0 | | 7.0 |
| | | | NE | SW | 22.7 | | 22.7 |
| | | | NE | SE | 23.9 | | 23.9 |
| | | | NW | | 27.7 | | 27.7 |
| | | | SE | | 23.2 | | 23.2 |
| | | | | | 518.6 | 319.0 | 837.6 |

(This Sheet)

| | | | | | | | |
|----|------------|----|----|----|--------|--------|-------|
| | | | SW | | 11.6 | | 11.6 |
| | | | NW | SW | 13.1 | | 13.1 |
| | | | SE | | - | 5.4 | 5.4 |
| | | | NE | SE | 16.6 | 12.5 | 29.1 |
| | | | NW | | 24.0 | - | 24.0 |
| | | | SW | | - | 3.2 | 3.2 |
| | | | SE | | 35.6 | 2.4 | 38.0 |
| | | 23 | NE | NW | 21.1 | | 21.1 |
| | | | NW | | - | 31.9 | 31.9 |
| | | | NW | SW | 9.6 | | 9.6 |
| | | | SW | | 35.4 | | 35.4 |
| | | | SE | | 3.9 | | 3.9 |
| | | 27 | NE | NE | 7.9 | | 7.9 |
| | | | NW | | 12.7 | - | 12.7 |
| | | | NE | NW | 17.2 | | 17.2 |
| | | | SW | | 2.5 | | 2.5 |
| | | | SE | | 23.5 | | 23.5 |
| | | | NW | SW | *- | 5.3 | 5.3 |
| | | 28 | NE | NE | - | 11.8 | 11.8 |
| | | | NW | | | * 21.8 | 21.8 |
| | | | SW | | | * 19.6 | 19.6 |
| | | | SE | | 3.4 | * 23.0 | 26.4 |
| | | | NE | SE | 0.2 | 8.0 | 8.2 |
| | | | NW | | | * 18.5 | 18.5 |
| 1N | 14E., W.M. | 6 | SW | NE | 10.5 | | 10.5 |
| | | | NE | NW | 6.2 | | 6.2 |
| | | | NW | | 3.9 | | 3.9 |
| | | | SW | | 9.8 | | 9.8 |
| | | | SE | | 28.1 | | 28.1 |
| | | | NE | SW | 2.3 | | 2.3 |
| | | | NW | | 11.7 | | 11.7 |
| | | | SW | | | 31.1 | 31.1 |
| | | | SE | | 3.4 | | 3.4 |
| | | | NW | SE | 12.9 | | 12.9 |
| | | 7 | NW | NW | | 32.9 | 32.9 |
| | | | SW | | | 28.4 | 28.4 |
| | | | NE | SW | 5.2 | | 5.2 |
| | | | NW | | 23.3 | | 23.3 |
| | | | | | | | |
| | | | | | 368.30 | 298.00 | 666.3 |

* Water application U-869 filed
but certificate not issued
as of 1-11-63.

(This Sheet)

28546

1-22-63⁷

7

| 1N | 11E., W.M. | 7 (cont.) | SW | SW | 7.0 | | 7.0 |
|---------------------|------------|-----------|----|----|----------|----------|---------|
| | | | SE | | 22.9 | | 22.9 |
| | | | NW | SE | 2.3 | | 2.3 |
| | | | SW | | 27.3 | | 27.3 |
| | | 18 | NW | NE | 21.5 | | 21.5 |
| | | | NE | NW | 7.7 | | 7.7 |
| Totals (This Sheet) | | | | | 88.7 | - | 88.7 |
| | | | | | 3,249.75 | 2,250.25 | 5,500.0 |

085

B+C ext to 101-98

Municipal or Domestic Supply

28516

10. (a) To supply the city of _____

(Name of) _____ County, having a present population of _____

and an estimated population of _____ in 19 _____

(b) If for domestic use state number of families to be supplied _____

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 6,000,000

12. Construction work will begin on or before July 1, 1962

13. Construction work will be completed on or before July 1, 1965

14. The water will be completely applied to the proposed use on or before July 1, 1975

[Signature]
(Signature of applicant)
Attorney for the Dallas Irrigation District

Remarks: _____

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before October 24, 1962

WITNESS my hand this 24th day of August, 1962

CHRIS L. WHEELER
STATE ENGINEER

Extended to Oct. 1, 1982
Substituted to Oct. 1 1978
Substituted to Oct. 1 1978
Substituted to Oct. 1 1978

The use to which this water is to be applied is irrigation and supplemental irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is June 11, 1959 for 48 c.f.s.;
August 16, 1962 for 6.2 c.f.s.

Actual construction work shall begin on or before April 30, 1964 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1965.

Complete application of the water to the proposed use shall be made on or before October 1, 1966.

WITNESS my hand this 30th day of April, 19 63.

[Signature]
STATE ENGINEER

Application No. 33152
Permit No. 28546

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 11th day of June
19 59, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

APRIL 30, 1963

Recorded in book No. 28546 of
Permits on page 79

APRIL 30, 1963
STATE ENGINEER

Drainage Basin No. 4 page 6D

Fees